



PRO-KIT



SPORT-PLUS



PRO-SYSTEM-PLUS



MULTI-PRO-R2



PRO-ALIGNMENT



PRO-SPACER

## CATALOG 2012

**Eibach<sup>®</sup>**  
**SPRINGS**

#1 CHOICE OF MOTORSPORT CHAMPIONS AND AUTOMOTIVE ENTHUSIASTS WORLDWIDE!



**THE WILL TO WIN**

## DOMINATE THE TRACK.

Eibach makes the finest performance springs in the world. Period. When other springs sag, wear out, or create sketchy handling or a bone-crushing ride, top street tuners—like top race teams, from F1 to WRC, from Le Mans to NASCAR—inevitably turn to Eibach. And, also inevitably, wonder why they didn't choose Eibach in the first place.

- Precision Tolerances—The Tightest in the Industry
- Every Spring, ANTI-ROLL Bar and Damper Kit Extensively Developed and Road Tested for Maximum Performance
- Street Kits Designed for the Best Performance, the Best Look—and the Best Ride.
- Ultra-Lightweight, for Reduced Unsprung Mass
- Exceptional Block Resistance and Durability

## RULE THE STREET.

Eibach uses the exact same technology in our street springs as we do in our legendary race springs. We use the world's finest Hi-Ten spring steel, produced to exceedingly precise tolerances. We use world-renowned German CNC coilers, as well as many unique machines engineered and built specifically by Eibach—simply state-of-the-art technology, in every step of the manufacturing process. But it's not just about machines and technology: it's about people. Most notably, the Eibach Springmeisters, working at production plants in Germany and the USA: Talented, expert craftsmen, each committed to creating the finest race—and street-performance—suspension products in the world. Performance proven on the track—Perfected for the street.

**#1 CHOICE OF MOTORSPORT CHAMPIONS AND AUTOMOTIVE ENTHUSIASTS WORLDWIDE!**

### TABLE OF CONTENTS

|                     |       |
|---------------------|-------|
| PRO-KIT             | 6     |
| SPORTLINE           | 7     |
| ANTI-ROLL-KIT       | 8     |
| PRO-PLUS/SPORT PLUS | 9     |
| PRO-TRUCK           | 10    |
| PRO-DAMPERS         | 11    |
| PRO-SYSTEM          | 12    |
| PRO-SYSTEM-PLUS     | 13    |
| PRO-STREET-S        | 14    |
| MULTI-PRO-R1/R2     | 15    |
| PRO-SPACER          | 16    |
| DRAG-LAUNCH         | 17    |
| PRO-ALIGNMENT       | 18-19 |

### APPLICATIONS

|               |       |
|---------------|-------|
| AUTOMOTIVE    | 20-55 |
| TRUCK & SUV   | 56-63 |
| COIL-OVERS    | 64-67 |
| WHEEL SPACERS | 68-81 |
| PROMOTIONAL   | 82-83 |

## PERFORMANCE | Precision Engineered with The Will To Win

Eibach suspension springs and components are engineered to meet the extreme requirements of racing, from the 245-mph Mulsanne straight of Le Mans to the fender-to-fender combat of the Daytona Motor Speedway. The O.E. chassis of a street vehicle is designed for the “average driver”. We enthusiasts, however, are anything but average. We know what we want from a vehicle. We want immediate response, reduced body roll, increased stability and enhanced cornering ability. The special skills of Eibach engineers are in the tuning of the individual components (springs, dampers and stabilizers) to achieve the best possible harmony between the driver, the automobile and the road. As a driver you immediately feel more

direct handling and greater predictability. Nose dive under braking is reduced, as well as excessive body roll in hard cornering. In any performance driving situation, tracking stability and driver confidence is greatly enhanced. Lowering the center of gravity of your vehicle has one more additional benefit that we learned from all the race teams we work with and independent testing proves: reduced wind resistance. This allows for higher top speeds on the race track and better fuel efficiency on the highway! See for yourself: check out the results on the chart below—how the average car (or truck) can be transformed with just the installation of an Eibach PRO-KIT suspension.

| Test Data                                           | Stock          | With Eibach PRO-KIT            | Why?                                   |
|-----------------------------------------------------|----------------|--------------------------------|----------------------------------------|
| Top Speed                                           | 119 mph        | <b>130 mph-plus (governed)</b> | Reduced aero drag                      |
| 700-foot Slalom                                     | 51.9 mph       | <b>55.9 mph</b>                | Reduced roll, better steering response |
| Braking 80-0 mph                                    | 182 feet       | <b>171 feet</b>                | Reduced dive                           |
| Lateral g(200 ft skid pad)                          | .72 g          | <b>.78 g</b>                   | Reduced roll                           |
| Average Test MPG (high-performance testing/driving) | 16.05 mpg      | <b>19.15 mpg</b>               | Reduced aero drag                      |
| Acceleration 0-60 mph                               | 9.51 sec. avg. | <b>9.39 sec. avg.</b>          | Reduced weight transfer                |
| Road Course Lap Times (Streets of Willow Springs)   | 1:27.80        | <b>1:20.08</b>                 | All of the above                       |

\*Your results may vary. Testing and results certified by TestPilots Independent Testing Services™. 2007 Honda Accord LX, tested at Willow Springs International Raceway, 12/17/07-12/19/07.

## APPEARANCE | The Look That Really Performs

Another benefit of suspension performance is the appearance that comes with it. The lower, more muscular, more athletic stance—makes any vehicle stand out from the rest of the pack.

Use the before and after guide below and the performance chart on the next page to determine which Eibach suspension kit best fits your level of style and performance.

### Before-STOCK

The OEM's design their suspension to appeal to the masses. They leave lots of room for improvements in handling, responsiveness and **“get-rid-of-the-fender-gap”** appearance that every enthusiast wants.



### After-with PRO-KIT

You will instantly notice the significant improvement in handling, braking and responsiveness. The icing-on-the-cake is the **“no-more-fender-gap”** appearance and improved fuel economy. Who says you can't have your cake and eat it too? Hungry?



### After-with SPORTLINE

For those looking for a little bit more aggressiveness in handling and appearance, this is definitely the answer. All the impressive benefits of the legendary PRO-KIT with a little “hot sauce”.



**1-800-222-8811**

# PERFORMANCE | Guide

| Product           | Description                                                                                                                                                                                                                                                                                                               | Ride Quality      | Street Performance | Aggressive Street | Street & Track | Average Lowering<br>(depending on application) | Adjustable Ride Height | Adjustable Corner Weighting | Single Adjustable Damping | Double Adjustable Damping | Interchangeable Spring Rates for Track Tuning | Million-Mile Warranty | One-Year Warranty | Rebuildable |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------|-------------------|----------------|------------------------------------------------|------------------------|-----------------------------|---------------------------|---------------------------|-----------------------------------------------|-----------------------|-------------------|-------------|
| PRO-KIT           | The first step in suspension performance. Perfect for the daily driver with good stock or aftermarket shocks.                                                                                                                                                                                                             | Excellent         | ✓                  |                   |                | 1.00"-1.50"                                    |                        |                             |                           |                           | ✓                                             |                       |                   |             |
| SPORTLINE         |                                                                                                                                                                                                                                                                                                                           | Sport/Performance | ✓                  | ✓                 |                | 1.50"-2.00"                                    |                        |                             |                           |                           | ✓                                             |                       |                   |             |
| PRO-PLUS          | Tuned performance spring and sway-bar handling package for superior cornering performance and with the ride quality you expect.                                                                                                                                                                                           | Excellent         | ✓                  |                   |                | 1.00"-1.50"                                    |                        |                             |                           |                           | ✓                                             |                       |                   |             |
| SPORT-PLUS        |                                                                                                                                                                                                                                                                                                                           | Sport/Performance | ✓                  | ✓                 |                | 1.50"-2.00"                                    |                        |                             |                           |                           | ✓                                             |                       |                   |             |
| PRO-SYSTEM        | Tuned performance spring and shock package for the performance you crave and the ride quality you need.                                                                                                                                                                                                                   | Excellent         | ✓                  | ✓                 | ✓              | 1.00"-1.50"                                    |                        |                             |                           |                           | ✓*                                            |                       |                   |             |
| SPORT-SYSTEM      |                                                                                                                                                                                                                                                                                                                           | Sport/Performance | ✓                  | ✓                 | ✓              | 1.50"-2.00"                                    |                        |                             |                           |                           | ✓*                                            |                       |                   |             |
| PRO-SYSTEM-PLUS   | The complete suspension package: performance springs, shocks and sway bars that deliver exceptional performance on the street and the track.                                                                                                                                                                              | Excellent         | ✓                  | ✓                 | ✓              | 1.00"-1.50"                                    |                        |                             |                           |                           | ✓*                                            |                       |                   |             |
| SPORT-SYSTEM-PLUS |                                                                                                                                                                                                                                                                                                                           | Sport/Performance | ✓                  | ✓                 | ✓              | 1.50"-1.80"                                    |                        |                             |                           |                           | ✓*                                            |                       |                   |             |
| PRO-STREET-S      | Maximum lowering for all out street or track performance. Ride-height adjustable coil-over kit puts you in control.                                                                                                                                                                                                       | Sport/Performance |                    | ✓                 | ✓              | 0.50"-3.00"                                    | ✓                      | ✓                           |                           |                           |                                               |                       | ✓                 |             |
| MULTI-PRO-R1      | The next level in coil-over suspension performance. Ride-height and single compression & rebound damping adjustable coil-over kit-for lower lap times on the track or adjust the damping and ride height for optimum street performance                                                                                   | Performance/Track |                    | ✓                 | ✓              | 0.50"-3.00"                                    | ✓                      | ✓                           | ✓                         | ✓                         |                                               | ✓                     | ✓                 |             |
| MULTI-PRO-R2      | Designed for maximum performance, period. Ride-height and dual separate compression & rebound damping adjustable coil-over kit with remote reservoirs. Can be adjusted for over-the-top street performance-or to extract the last ounce of cornering power at the track. Perfect for the club racer who demands the best. | Performance/Track |                    | ✓                 | ✓              | 0.50"-3.00"                                    | ✓                      | ✓                           |                           | ✓                         | ✓                                             | ✓                     | ✓                 |             |

\* Million-Mile Warranty applies to springs and sway bars only. PRO-DAMPER shocks have a two-year warranty.



## PRO-KIT | Performance Springs

### THE FIRST STEP IN SUSPENSION PERFORMANCE

- The #1 Choice of Automotive Enthusiasts Worldwide
- High Performance Handling and Aggressive Good Looks
- Lower Center of Gravity – Lowers Vehicle\* 1.0" - 1.5"
- Stop Quicker, Corner Faster and get Better MPG
- Progressive Spring Design for Excellent Ride Quality
- Part of the Eibach PRO-PLUS and PRO-SYSTEM-PLUS
- Million-Mile Warranty

Eibach PRO-KIT is the perfect answer for most frequently-driven street cars. It's our legendary spring system that dramatically improves both a vehicle's performance and appearance.

PRO-KIT lowers your car's center of gravity, reducing squat during acceleration, body roll in corners and excessive nose-dive under braking. When combined with Plus-1 or Plus-2 wheels and tires, the Eibach PRO-KIT is the finishing touch to a winning recipe for performance. PRO-KIT also reduces excessive fender-well clearance, making your car look just as hot as it performs.

Every Eibach PRO-KIT is designed and tested by our suspension engineers and driving professionals, to deliver high performance handling and aggressive good looks, without ever compromising safety or ride quality. By using our proprietary, progressive spring design, PRO-KIT provides the ultimate balance to take your passion for driving to a whole new level.

\*Lowering amount varies by application—use our application look-up for specific information on lowering for your car, truck or SUV.



## SPORTLINE | Performance Springs (with ATTITUDE)

### THE FIRST STEP IN SUSPENSION PERFORMANCE

- Extreme Performance Meets Extreme Style
- Race-Car Like Handling
- Lower than our PRO-KIT—Lowers Vehicle\* 1.7" - 2.3"
- Progressive Spring Design for Excellent Ride Quality
- Part of the Eibach SPORT-PLUS and SPORT-SYSTEM-PLUS
- Million-Mile Warranty

Eibach SPORTLINE is the extreme-performance spring set created for the extreme enthusiast—the one who craves a race-car attitude for maximum street performance—with the lowest possible drop, but with the exceptional ride quality you expect from Eibach.

Engineered with the same care as our PRO-KIT springs, Eibach SPORTLINE springs achieve

legendary handling by aggressively lowering your car's center of gravity, using our precision-engineered progressive spring rates.

By radically lowering your car's center of gravity, our SPORTLINE springs dramatically reduce squat during acceleration, body roll in corners and nose-dive under braking. By using our proprietary, progressive spring design, our SPORTLINE springs provide the ultimate balance between high performance, extreme lowering and comfortable ride quality. When combined with today's wild high-performance wheels and tires, the result is a car that handles just as white-hot as it looks.

\*Lowering amount varies by application—use our application look-up for specific information on lowering for your car, truck or SUV.



## ANTI-ROLL-KIT | High Performance Sway Bars

### STEP 2: ESSENTIAL PART OF THE PRO-PLUS & SPORT-PLUS

- Performance Tuned Sway Bars for Improved Handling and Reduced Body-Roll
- Perfectly Balanced for Optimum Neutral Steering Handling and Precise Turn-In Response
- Precision Engineered and Calibrated for PRO-KIT and SPORTLINE Performance Spring Kits
- Precision Hi-Tensile Steel Alloy, Cold-Formed, Tempered and Shot-Peened for Long-Lasting Performance and Durability
- Greasable Urethane Bushings For Increased Responsiveness
- Precision Forged Ends and OEM Style Pressed Bushing Locaters (No Welding Or Weak Points Here)
- Million-Mile Warranty

Complete your performance suspension upgrade with the Eibach ANTI-ROLL-KIT performance sway bars. While the Eibach PRO-KIT and SPORTLINE performance spring kits are regarded as the primary suspension performance enhancement, the Eibach ANTI-ROLL-KIT sway bars substantially reduce

body-roll through increased design stiffness over your vehicles stock bars. The impressive results are increased balance, handling and cornering grip in all performance-driving situations.

Want more? Correct oversteer/understeer? Many of our most popular sway bar applications are adjustable to give you the ability to fine-tune the handling to suit your driving style and achieve the impressive results—sought after by automotive enthusiasts worldwide.

Manufactured from hi-tensile aircraft-grade steel, precision cold-formed, tempered and shot-peened for years of precision performance. Finished with a long-lasting corrosion resistant phosphate undercoat and polyester powder coat finish, the Eibach ANTI-ROLL-KIT sway bars come complete with all necessary mounting hardware and instructions for easy installation.



## PRO-PLUS | Performance Handling Package

All **PRO-PLUS**, **PRO-SYSTEM** and **PRO-SYSTEM-PLUS** –Include a **10% Discount** Over Individual Kits!

- Step 1 + 2 = PRO-PLUS Performance Handling Package.
- Matched Performance Springs and Sway Bars= Superior Handling for the Serious Enthusiast
- Precise Turn-in Response, Improved Handling and Enhanced Cornering Grip—in any Performance-Driving Situation
- Stop Quicker, Corner Faster and get better MPG\*
- Excellent Ride Quality
- Million-Mile Warranty

If you live for the corners, the Eibach PRO-PLUS Performance Handling Package delivers. Eibach PRO-PLUS packages include our legendary Eibach PRO-KIT springs along with matching ANTI-ROLL-KIT sway bars. The Eibach PRO-KIT lowers your car's center of gravity, reducing squat

during acceleration, body roll in corners and excessive nose-dive under braking. Add the Eibach ANTI-ROLL-KIT sway bars—with increased roll stiffness, compared to stock bars—and you get pure, balanced-handling perfection.

With the Eibach PRO-PLUS installed you will immediately experience more-precise turn-in response, improved handling, and enhanced cornering grip—in any performance-driving situation. The Eibach PRO-PLUS is designed and tested to work well with either factory or aftermarket performance dampers.

\* Your results may vary. As we have learned from racing and independent testing, lowering your car or truck's ride height also improves your aerodynamic efficiency by forcing more air over the car and less underneath (where most of the drag is found on any vehicle), resulting in higher top speeds on the track and better MPG on the highway.

## SPORT-PLUS | Performance Handling Package

- The Same as Above—Just More Aggressive
- SPORTLINE + ANTI-ROLL-KIT = SPORT-PLUS Performance Handling Package.
- Extreme-Performance Springs and Sway Bars= Race-Car Like Handling for the Extreme Enthusiast

Similar to the Eibach PRO-PLUS Performance Handling Package, the SPORT-PLUS, with our SPORTLINE spring kit, sits lower and will deliver the precise turn-in response, improved handling and intense cornering grip every serious enthusiast craves.



## PRO-TRUCK | Performance Springs

### HIGH PERFORMANCE HANDLING FOR YOUR TRUCK OR SUV

- Reduces Fender-gap for Aggressive Sport-Truck Attitude and Appearance
- Perfect Compliment to 20"+ Wheel Packages
- The Look That Performs
- Stop Quicker, Corner Faster and get Better MPG
- Lower Center of Gravity—Flatter Cornering
- Increased Resistance to Rollover—Enhanced Response and Stability
- Excellent Ride Quality
- Million-Mile Warranty

Eibach PRO-TRUCK lowering kits are carefully designed to lower the center of mass of today's most popular trucks and SUV's, improving handling, increasing safety and enhancing appearance all at the same time. Like every Eibach Performance Spring Package, our PRO-TRUCK sport lowering kits

are the perfect complement to increasingly popular large-diameter wheel-and-tire packages.

Precisely engineered and manufactured Eibach PRO-TRUCK lowering components deliver superior handling, improved aerodynamics, enhanced transient response and rugged durability—all while maintaining the smooth, compliant ride for which Eibach is famous. And unlike many competitors' products, Eibach PRO-TRUCK kits never require add-on retaining straps to keep your springs in place!

To maximize the performance of your Eibach PRO-TRUCK suspension upgrade, compliment them with our top quality PRO-TRUCK-SHOCKS—available for select applications of Cadillac, Chevrolet, GMC, Dodge and Ford Trucks and SUV's.



## PRO-DAMPERS | Performance Shocks

### STEP 3 : ESSENTIAL PART OF THE PRO-SYSTEM & PRO-SYSTEM-PLUS

- Performance Shock Absorbers
- High Performance Handling
- Controlled, Compliant Ride Quality
- Precision Tuned Damping for PRO-KIT & SPORTLINE
- Essential Part of the Eibach PRO-SYSTEM & SPORT-SYSTEM
- Two-Year Warranty

Eibach developed PRO-DAMPERS specifically to complement the unique characteristics of Eibach PRO-KIT and SPORTLINE springs, taking full advantage of the increased spring rate and lower center of gravity. The result is enhanced

performance throughout the entire working range of the suspension.

Eibach engineers tuned PRO-DAMPERS damping characteristics to achieve maximum performance, but without excessive stiffness or ride harshness. This precise tuning takes time and suspension expertise—a commitment Eibach undertakes to produce a damper worthy of the Eibach name. Eibach PRO-DAMPERS—the ultimate in shock absorber tuning and technology.

PRO-DAMPERS—available for select applications of Cars, Trucks and SUV's



## PRO-SYSTEM\* | Performance Springs + Shocks

All **PRO-PLUS**, **PRO-SYSTEM** and **PRO-SYSTEM-PLUS** –Include a **10% Discount** Over Individual Kits!

- Step 1 + 3 = PRO-SYSTEM
- Excellent Performance: Low Look–Superior Cornering
- Exceptionally Smooth Ride Quality
- No Guesswork: Install, Set the Alignment and Drive
- Million-Mile Warranty for Springs, Two-Year Warranty for Shocks

Eibach PRO-SYSTEM kits are designed by our team of suspension engineers and ride control experts to offer the best street performance without sacrificing ride quality. The PRO-SYSTEM is a precisely balanced combination of dampers, sport springs

and bump-stops (secondary springs), designed and tuned to operate as an integrated system.

Eibach PRO-SYSTEM improves turn-in response, increases cornering speed and reduces body roll. The famous German magazine–Auto Motor and Sport agreed: “The Eibach (PRO-SYSTEM) wins with perfect tuning, secure driveability and dramatically improved handling...It was the only Suspension System in the test that offered surprisingly comfortable road manners.”

\*Also available as a SPORT-SYSTEM, which includes SPORTLINE lowering—for the lowest possible drop and over the top handling.



## PRO-SYSTEM-PLUS\* | Performance Springs + Shocks + Sway Bars

All **PRO-PLUS**, **PRO-SYSTEM** and **PRO-SYSTEM-PLUS** –Include a **10% Discount** Over Individual Kits!

- Step 1 + 2 + 3 = PRO-SYSTEM-PLUS
- Ultimate-Street Performance- Without Sacrificing Ride Quality
- No Guesswork: Install, Set Alignment and Carve
- Maximum Performance-Maximum Comfort
- Million-Mile Warranty for Springs and Sway Bars, Two-Year Warranty for Shocks

The Eibach PRO-SYSTEM-PLUS adds the final step for total suspension dominance. PRO-SYSTEM-PLUS kits are designed by our team of suspension engineers and ride control experts to offer the best-possible street performance, but without sacrificing ride quality. The PRO-SYSTEM-PLUS is a precisely balanced combination of sport springs, bump-stops (secondary springs), dampers and ANTI-ROLL bars designed and tuned to operate as a complete performance suspension system.

PRO-SYSTEM-PLUS improves turn-in response, increases cornering speed and reduces body roll—all while retaining excellent ride quality. PRO-SYSTEM-PLUS is the ultimate street performance suspension system—a must for any true driving enthusiast.

This is what Sport Compact Car said after road/track testing the AEM Ford Focus with Eibach PRO-SYSTEM-PLUS.

“With the Eibach Suspension, every last movement was damped out of existence...The Eibach suspension was confidence-inspiring in virtually any situation...(it's) one of the most well-sorted aftermarket suspensions we've ever encountered.”

\* Also available as a SPORT-SYSTEM-PLUS, which includes SPORTLINE lowering—for the lowest possible drop and over the top handling



## PRO-STREET-S | Coil-Overs—Adjustable Ride Height

### THE NEXT LEVEL OF SUSPENSION PERFORMANCE

- High Performance, Eibach Tuned Coil-Overs
- Easy Ride-Height/Corner Weight Adjustability—Lowering 0.8" - 3.0"
- Designed for Maximum Street and Track Performance
- Rust-Free Stainless Steel Technology for Ease of Adjustment—Year after Year
- Legendary Eibach Suspension Quality and Tuning
- One-Year Warranty

Now you can get each corner of your vehicle looking and performing at its very best. Eibach's PRO-STREET-S, stainless steel-bodied coil-over spring/

damper packages allow serious drivers the ability to quickly adjust the ride height and corner weight of each individual wheel, giving them the ultimate in flexibility for precise street and track tuning.

The Eibach PRO-STREET-S is designed, tuned and tested 100% in-house by our suspension engineers and ride control experts. Spring rates are perfectly matched to the performance damping of the high-tech coil-over shocks. With the Eibach PRO-STREET-S installed, you will immediately experience a more-precise turn-in response, improved handling, and enhanced cornering grip—in any performance-driving situation on the street—or lower lap times on the track.



## MULTI-PRO-R1/R2 | Coil-Overs—Adjustable Ride-Height & Damping

### THE ULTIMATE IN TUNABLE SUSPENSION PERFORMANCE

#### For The Hottest Late Model Performance Cars-

**Multi-Pro-R1:** Single Adjustable Rebound and Compression Damping

**MULTI-PRO-R2:** Double Adjustable Rebound and Compression Damping with Remote Reservoirs (pictured)

#### For Late Model Corvettes Only-

**MULTI-PRO-R2-Callaway:** Double Adjustable Rebound and Compression Damping with Remote Reservoirs—Engineered for Corvettes in Collaboration with Callaway

- Easy Ride-Height/Corner Weight Adjustability
- Monotube Design for Maximum Street and Track Performance
- Spring Rates can be Tuned with a Wide Range of Eibach Motorsport ERS Springs (available separately)
- Precise Spherical Upper Bushing Mount
- Stainless-Steel/Teflon Braided Reservoir Lines
- Legendary Eibach Suspension Quality and Tuning
- 100% Designed and Built at Eibach U.S.A
- One-Year Warranty

For the ultimate in tunable suspension performance, Eibach has developed Multi-Pro coil-overs, specially tuned spring/damper units that allow you to extract the last ounce of cornering power from your late model performance car. The Coil-Over design lets you precisely tune the corner weights for optimum handling balance, and the wide range of the damping adjustability lets you tune for the comfort, ultimate grip, or anything in between. These suspension kits are perfect for the club racers or drivers who demand the high performance handling and optimal ride quality for which Eibach is famous.



## PRO-SPACER | Wheel Spacers

### WIDEN YOUR STANCE-FOR BETTER HANDLING

- Made from High-Strength Aircraft-Aluminum Alloy
- Precision Engineered Hub-Centric and Model Specific for Perfect Fit and Wheel Balance
- Strength-Tested for All Applications
- Extreme corrosion Protection Through DIN 50021 Approved Coating Process
- TUV, QS9000 and ISO9001 Quality Approved
- Reduced Weight Compared to Steel Wheel Spacers
- Million-Mile Warranty

To give your car the final visual and performance touch, our engineers have created a complete line of Eibach PRO-SPACERS. These are designed to give your vehicle a wider, more stable stance, quickly and easily. They are also a perfect match for the famous Eibach PRO-KIT or SPORTLINE Lowering Spring

Sets. With the right Eibach PRO-SPACERS installed, your car takes on a more aggressive look, with the wheels and tires filling the wheel wells exactly the way they should.

Fine-tuning your track width doesn't just enhance your car's looks it also gives you improved handling performance and optimized roll characteristics. PRO-SPACERS are available in a wide range of sizes, from 5mm all the way to 45mm, depending on the application, letting you position your tires exactly where they will look and perform their best. All PRO-SPACER kits come complete with all the necessary mounting hardware.

The Eibach PRO-SPACER is one of the easiest and most cost effective bolt-on performance handling enhancement for your car or truck.



## DRAG-LAUNCH | Competition Springs

### IMPROVE WEIGHT-TRANSFER AND CONTROL AXLE TORQUE


- Turns Horsepower into Hook-up
- Consistently Lowers 1/4-mile ET's
- Controlled Weight Transfer Provides Maximum Traction and Reduced Wheel Spin
- More Consistent and Harder Launches
- Adjustable to Your Horsepower and Tire Package
- Two-Year Warranty

Success in drag racing requires harder, consistent launches at the starting light. Proper management of weight transfer is vital for success in the 1/4-mile.

Eibach has the answer. Our DRAG-LAUNCH kits are engineered to do one thing: provide maximum traction to the drive wheels—front or rear—import or domestic.

Made of the same high quality materials as our PRO-KIT and Motorsport springs, Eibach's DRAG-LAUNCH kits are precision engineered to improve weight transfer and control axle torque. The result—consistently lower 1/4-mile ET's.

Eibach DRAG-LAUNCH—for the split-second advantage.



## PRO-ALIGNMENT | Performance Alignment Kits

### PRECISION ALIGNMENT KITS FOR MAXIMUM PERFORMANCE

- The Perfect Solution to Correct Excessive Negative Camber and Prevent Uneven Tire Wear
- Wider Range of Camber Adjustment- Suitable for Street or Track Tuning
- Compatible with All Sport-Lowered Suspensions
- Two-Year Warranty

After the installation of either an Eibach PRO-KIT, SPORTLINE spring kit, PRO-STREET or MULTI-PRO coil-over kit, a vehicle's alignment should always be checked. Once a vehicle is lowered, wheel camber may become excessively negative, meaning the top of the tire is angled inward (toward the center of the vehicle). While some negative camber aids in improving traction and road adhesion, too much can result in compromised handling and accelerated tire wear.

Eibach offers a complete range of PRO-ALIGNMENT kits, which provide a simple, affordable solution to correct excessive negative camber. These alignment kits not only assist in adjusting a vehicle's camber back to factory specifications, but they also allow an experienced chassis tuner to utilize the increased adjustment range to "dial-in" a performance-oriented alignment that uses negative camber to maximize a chassis' true potential. With correct alignment, turn-in becomes more precise and handling becomes gratifyingly crisp and predictable. High-speed stability is also enhanced, making an Eibach PRO-ALIGNMENT kit a necessity for the serious performance tuner.

#### Performance Control Arms

Eibach Performance Control arms are designed to allow wider wheel and tire combinations and solve tire-rubbing problems when teamed up with our front and rear PRO-ALIGNMENT camber kits and toe adjusters. Available for most popular applications.

# PRO-ALIGNMENT | Before and After



## Before

Too much negative camber =  
excessive tire wear and limited grip


Limited Tire Contact Patch



## After—with PRO-ALIGNMENT


Back to factory specs =  
maximum tire wear and grip

Maximum Tire Contact Patch



### Front\*

- Lower your vehicle 1 inch—  
camber change—approximately  $-0.75^\circ$
- By lowering your vehicle 2 inches—  
camber change—approximately  $-1.50^\circ$
- When lowering your vehicle 3 inches—  
camber change—approximately  $-2.50^\circ$



### Rear\*

- Lower your vehicle 1 inch—  
camber change—approximately  $-0.50^\circ$
- By lowering your vehicle 2 inches—  
camber change—approximately  $-1.00^\circ$
- When lowering your vehicle 3 inches—  
camber change—approximately  $-2.00^\circ$

\*The numbers shown represent averages—actual  
camber change will vary depending on vehicle model.

| Manufacture / Model                                  | Year     | PRO-KIT   |                        |      | SPORTLINE |                        |      | ANTI-ROLL-KIT |          |           |          |                           |
|------------------------------------------------------|----------|-----------|------------------------|------|-----------|------------------------|------|---------------|----------|-----------|----------|---------------------------|
|                                                      |          |           | Approx. Lowering Front | Rear |           | Approx. Lowering Front | Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit Front & Rear |
| ACURA                                                |          |           |                        |      |           |                        |      |               |          |           |          |                           |
| CL 2.2 (YA1)                                         | 1997     | 4011.140  | 1.3                    | 1.3  | 4.1140    | 1.7                    | 1.7  |               |          |           |          |                           |
| CL 2.3 (YA1)                                         | 98-99    | 4011.140  | 1.3                    | 1.3  | 4.1140    | 1.7                    | 1.7  |               |          |           |          |                           |
| CL 3.2 (Incl. Type S) (YA4)                          | 01-03    | 4041.140  | 2.0                    | 1.7  |           |                        |      | 4040.310      | 29(t)    | 4040.312  | 23       | 4040.320                  |
| Integra, 2 & 4-door (Incl. GS-R) (DA9)               | 90-93    | 4010.140  | 1.4                    | 1.0  | 4.1040    | 1.8                    | 1.5  |               |          |           |          |                           |
| Integra, 2 & 4-door (Incl. GS, GS-R, RS, LS) (DC2/4) | 94-01    | 4020.140  | 1.3                    | 1.3  | 4.2040    | 1.7                    | 1.7  | 4017.310      | 26       | 4017.312  | 17       | 4017.321                  |
| Integra Type R (DC2)                                 | 97-01    | 4020.140  | 0.8                    | 0.8  | 4.2040    | 1.2                    | 1.2  | 4017.310      | 26       |           |          |                           |
| RSX (Incl. Type S) (DC5)                             | 02-04    | 4054.140  | 1.0                    | 1.4  | 4.5440    | 1.5                    | 1.8  | 4054.310      | 25(t)    | 4054.312  | 23       | 4054.320                  |
| RSX (Incl. Type S) (DC5)                             | 05-06    | 4065.140  | 1.0                    | 1.4  | 4.6540    | 1.5                    | 1.8  | 4065.310      | 29(t)    | 4065.312  | 25(t)    | 4065.320                  |
| TL 2.5                                               | 95-98    | 4011.140  | 1.2                    | 1.0  | 4.1140    | 1.7                    | 1.7  |               |          |           |          |                           |
| TL 3.2 (Incl. Type S) (UA5)                          | 99-03    | 4041.140  | 2.1                    | 1.6  |           |                        |      | 4040.310      | 27(t)    | 4040.312  | 23       | 4040.320                  |
| TL 3.2 (Exc. Type S) (UA6)                           | 04-08    | 4044.140  | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
| TL TYPE-S, 3.5L V6                                   | 07-08    | 4070.140  | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
| TL 3.5L V6 (UA8)                                     | 09-12    | 4079.140  | 1.2                    | 1.0  |           |                        |      |               |          |           |          |                           |
| TSX (CL9)                                            | 04-08    | 4045.140  | 1.6                    | 1.4  | 4.4540    | 1.9                    | 1.6  |               |          |           |          |                           |
| TSX 2.4L I4, (Exc. Turbodiesel) (CU2)                | 09-12    | 4077.140  | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
| TSX, 3.5L V6 (CU4)                                   | 10-11    | 4079.140  | 0.8                    | 0.8  |           |                        |      |               |          |           |          |                           |
|                                                      |          |           |                        |      |           |                        |      |               |          |           |          |                           |
| AUDI                                                 |          |           |                        |      |           |                        |      |               |          |           |          |                           |
| A3, Sportback, 4 Cyl, 2WD (8P)                       | 06-12    | 1591.140  | 1.2                    | 1.2  | 4.8515    | 2.0                    | 1.6  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |
| A3, Sportback, 2.0 TFSI, Quattro (8P)                | 09-12    | 15112.140 | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |
| A3, Sportback, 2.0 TDI, 2WD (8P)                     | 10-12    | 15114.140 | 1.2                    | 1.2  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |
| A3, Sportback, Quattro, V6 (8P)                      | 06-09    | 15100.140 | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |
| A4, Sedan, 4 Cyl, 2WD (B5)                           | 96-01/99 |           |                        |      |           |                        |      | 1531.310      | 30       | n/a       | n/a      |                           |
| Continued                                            |          |           |                        |      |           |                        |      |               |          |           |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(ap) Performance Control Arm - provides additional wheel clearance and camber change.  
 It is recommended to install Toe Adjusters with this control arm.  
 (be) Type-R vehicles will require Part#5.69200K.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right              | Degrees of Adjustment                                                                                                   |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
|                                         |                                            |                                        |                                                            | 5.67125K<br>5.67320K<br>5.67265K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +3.50 / -2.00                                                           |
|                                         |                                            |                                        |                                                            | 5.67125K<br>5.67320K<br>5.67265K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +3.50 / -2.00                                                           |
| 4041.880                                | 4041.840                                   | 4041.780                               | 4041.680                                                   | 5.67125K<br>5.67320K<br>5.67090K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +4.00 / -2.00 Control Arm                                               |
|                                         |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67030K<br>5.69200K(ap)<br>5.69250K | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00<br>Rear Performance Control Arm<br>Rear Toe Adjuster |
| 4020.880(bt)                            | 4017.840                                   | 4020.780(bo)                           | 4020.680(bp)                                               | 5.67135K<br>5.67330K<br>5.67030K<br>5.69450K                 | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00<br>Rear Toe Adjuster                                 |
|                                         | 4017.840(be)                               | 4020.780(be)(bo)                       |                                                            | 5.67135K<br>5.67330K<br>5.67030K<br>5.69450K                 | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00<br>Rear Toe Adjuster                                 |
| 4054.880(bt)                            |                                            |                                        |                                                            | 5.81260K(T8)<br>5.81280K(T7)<br>5.67230K<br>5.69400K         | Front +/- 1.75<br>Front +/- 1.75<br>Rear Upper Arm +6.00 / -4.00<br>Rear Performance Control Arm                        |
| 4065.880(bt)                            |                                            |                                        |                                                            | 5.81280K<br>5.67230K<br>5.69400K                             | Front +/- 1.75<br>Rear Upper Arm +6.00 / -4.00<br>Rear Performance Control Arm                                          |
|                                         |                                            |                                        |                                                            | 5.67165K<br>5.67360K<br>5.67265K                             | Front +/- 1.50<br>Front +1.50 / +3.00<br>Rear +3.50 / -2.00                                                             |
| 4041.880                                | 4041.840                                   | 4041.780                               | 4041.680                                                   | 5.67125K<br>5.67320K<br>5.67090K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +4.00 / - 2.00 Control Arm                                              |
|                                         |                                            |                                        |                                                            | 5.67125K<br>5.67095K<br>5.67125K<br>5.67320K<br>5.67095K     | Front + / - 1.50<br>Rear +4.00 / -2.00<br>Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +4.00 / -2.00                 |
|                                         |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.0                                                   |
|                                         |                                            |                                        |                                                            | 5.67125K<br>5.67320K<br>5.67290K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj arm -2.00 / +4.00                                                   |
|                                         |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.0                                                   |
|                                         |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                             | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.0                                                   |
| 1591.880(bt)                            | 8598.840                                   | 1591.780(bo)                           | 1591.680(bp)                                               |                                                              |                                                                                                                         |
| 15114.880                               |                                            |                                        |                                                            |                                                              |                                                                                                                         |



**Tech Tip**  
Measure your vehicle's ride height before installing Eibach Springs. This will ensure you know the amount of lowering after installation. On a level surface, measure from the upper wheel rim to the highest point of the fender well, before installation and after. And before you measure the "after" dimension, drive the car hard for ten miles to let the suspension bushings, etc. settle properly.

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bo) SPORT-SYSTEM available-see Eibach.com for details.  
(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
(bt) SPORT-PLUS available-see Eibach.com for details.

(t) This ANTI-ROLL Bar is tubular.  
(T7) RSX & RSX S-Type start VIN2C003184.  
(T8) RSX & RSX S-Type VIN2C003183 end.

|     | Manufacture / Model                                                                   | Year        | PRO-KIT   |                        |               | SPORTLINE |                        |               | ANTI-ROLL-KIT |          |           |          | Complete Kit Front & Rear |
|-----|---------------------------------------------------------------------------------------|-------------|-----------|------------------------|---------------|-----------|------------------------|---------------|---------------|----------|-----------|----------|---------------------------|
|     |                                                                                       |             |           | Approx. Lowering Front | Lowering Rear |           | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only | Diameter |                           |
|     | <b>AUDI</b>                                                                           |             |           |                        |               |           |                        |               |               |          |           |          |                           |
| NEW | A4, Sedan, 4 Cyl, 2WD (B5)                                                            | 02/99-2001  |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Sedan, 4 Cyl, 2WD, (B6/B7)                                                        | 02-08       | 1576.140  | 1.2                    | 1.2           |           |                        |               | 1579.310      | 32       | 1579.312  | 24(a)    | 1579.320                  |
|     | A4, Sedan, 2.0 TFSI (Incl. 2WD, Quattro & Adaptive Suspension) (B8)                   | 09-12       | 15105.140 | 1.4                    | 1.2           | 4.10515   | 1.8                    | 1.4           | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A4, Sedan, 6 Cyl, 2WD (B5)                                                            | 11/94-01/99 |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
|     | A4, Sedan, 6 Cyl, 2WD (B5)                                                            | 02/99-2001  |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
|     | A4, Sedan, 6 Cyl, 2WD (B6/B7)                                                         | 02-08       | 1577.140  | 1.2                    | 1.2           |           |                        |               | 1579.310      | 32       | 1579.312  | 24(a)    | 1579.320                  |
|     | A4, Sedan, 4 Cyl, Quattro (B5)                                                        | 11/94-01/99 |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Sedan, 4 Cyl, Quattro (B5)                                                        | 02/99-2001  |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Sedan, 4 Cyl, Quattro (B6/B7)                                                     | 02-08       | 1579.140  | 1.2                    | 1.2           |           |                        |               | 1579.310      | 32       | 1579.312  | 24(a)    | 1579.320                  |
|     | A4, Sedan, 6 Cyl, Quattro (B5)                                                        | 11/94-01/99 | 1535.140  | 1.4                    | 1.3           |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Sedan, 6 Cyl, Quattro (B5)                                                        | 02/99-2001  | 1535.140  | 1.4                    | 1.3           |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
|     | A4, Sedan, 6 Cyl, Quattro (B6/B7)                                                     | 02-08       | 1578.140  | 1.2                    | 1.2           |           |                        |               | 1579.310      | 32       | 1579.312  | 24(a)    | 1579.320                  |
| NEW | A4, Sedan, 3.2 FSI (Incl. Quattro, Automatic Transmission & Adaptive Suspension) (B8) | 2009        | 15106.140 | 1.4                    | 1.4           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
| NEW | A4, Avant (Wagon), 4 Cyl, Quattro (B5)                                                | 02/99-01    | 1539.140  | 1.2                    | 1.2           |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Avant (Wagon), 4 Cyl, Quattro (B6/B7)                                             | 02-08       | 1584.140  | 1.2                    | 1.2           |           |                        |               | 1579.310      | 32       | 1579.312  | 24(a)    | 1579.320                  |
| NEW | A4, Avant (Wagon) 2.0 TFSI (Incl. Quattro & Automatic Suspension) (B8)                | 09-12       | 15107.140 | 1.2                    | 1.2           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A4, Avant (Wagon), 6 Cyl, Quattro (B5)                                                | 01/96-01/99 |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Avant (Wagon), 6 Cyl, Quattro (B5)                                                | 02/99-01    |           |                        |               |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | A4, Avant (Wagon), 6 Cyl, Quattro (B6/B7)                                             | 02-08       | 1585.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
|     | A4, Cabriolet, 4 Cyl, 2WD (8H/B6/B7)                                                  | 03-08       | 1587.140  | 1.0                    | 1.0           |           |                        |               |               |          |           |          |                           |
|     | A5, Coupe, 2.0 TFSI (Incl. Quattro) (B8)                                              | 08-12       | 15109.140 | 1.0                    | 0.8           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A5, Coupe, 3.2 FSI (Incl. Multitronic; Exc. Quattro) (B8)                             | 08-11       | 15109.140 | 1.0                    | 0.8           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A5, Coupe, 3.2 FSI, Quattro (Exc. Multitronic) (B8)                                   | 08-10       | 15101.140 | 1.0                    | 0.8           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A5, Cabriolet, 2.0 TFSI (B8)                                                          | 10-12       | 15115.140 | 1.0                    | 0.6           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | A5, Cabriolet, 2.0 TFSI, Quattro (B8)                                                 | 10-12       | 15116.140 | 1.0                    | 0.8           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
| NEW | A6, Sedan, 2.0 TFSI 4 Cyl (C7)                                                        | 2012        | 15117.140 | I/D                    | I/D           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, 6 Cyl, 2WD (C5)                                                            | 04/97-10/00 | 1559.140  | 1.4                    | 1.3           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, 6 Cyl, 2WD (C5)                                                            | 11/00-04    | 1559.140  | 1.4                    | 1.3           |           |                        |               |               |          |           |          |                           |
|     | A6, Sedan, 6 Cyl, 2WD (C6)                                                            | 05-11       | 1589.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, 6 Cyl, Quattro (C5)                                                        | 04/97-10/00 | 1562.140  | 1.4                    | 1.3           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, 6 Cyl, Quattro (C5)                                                        | 11/00-04    | 1562.140  | 1.4                    | 1.3           |           |                        |               |               |          |           |          |                           |
|     | A6, Sedan, 6 Cy, Quattro (C6)                                                         | 05-11       | 1592.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, 3.0 TFSI 6 Cyl, Quattro (C7)                                               | 2012        | 15118.140 | 1.2                    | 1.0           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Sedan, V8, Quattro (C5)                                                           | 00-04       | 1580.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
|     | A6, Sedan, V8, Quattro (C6)                                                           | 05-11       | 1595.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Avant (Wagon), 6 Cyl, Quattro (C5)                                                | 04/97-10/00 | 1566.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
| NEW | A6, Avant (Wagon), 6 Cyl, Quattro (C5)                                                | 11/00-04    | 1566.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
|     | A6, Avant (Wagon), 6 Cyl, Quattro (C6)                                                | 05-11       | 1593.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
| NEW | A7, Sedan, 3.0 TFSI 6 Cyl, Quattro                                                    | 2012        | 15118.140 | 1.2                    | 0.8           |           |                        |               |               |          |           |          |                           |
|     | A8, Sedan, V8, Quattro (D2)                                                           | 97-02       | 1581.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
|     | S4, Sedan, 2.7 T, Quattro (B5S)                                                       | 00-02       | 1568.140  | 1.7                    | 1.3           |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | S4, Sedan, 3.0 TFSI, Quattro (Exc. Leveling Control) (B8)                             | 10-11       | 15106.140 | 0.8                    | 0.6           |           |                        |               |               |          |           |          |                           |
|     | S4, Avant (Wagon), 2.7 T, Quattro (B5S)                                               | 00-02       | 1569.140  | 1.7                    | 1.3           |           |                        |               | 1531.310      | 30       | n/a       | n/a      |                           |
| NEW | S5, Coupe, 4.2 FSI, Quattro (B8)                                                      | 08-11       | 15101.140 | 1.0                    | 0.8           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
| NEW | S5, Cabriolet, 3.0 TFSI, Quattro (B8)                                                 | 10-11       | 15103.140 | 1.0                    | 0.6           |           |                        |               | 15105.310     | 28       | 15105.312 | 23       | 15105.320                 |
|     | TT, Coupe, 4 Cyl, 2WD                                                                 | 99-06       | 1567.140  | 1.1                    | 1.1           |           |                        |               |               |          |           |          |                           |
| NEW | (Exc. Roadster & Convertible) (TTC)                                                   |             |           |                        |               |           |                        |               |               |          |           |          |                           |
|     | TT, Coupe / Roadster / Convertible, 4 Cyl, Quattro (TTR)                              | 00-06       | 1570.140  | 1.1                    | 1.1           |           |                        |               |               |          |           |          |                           |
|     | TT 3.2L Quattro (TTR)                                                                 | 04-06       | 1588.140  | 1.2                    | 1.2           |           |                        |               |               |          |           |          |                           |
|     | TT, Coupe / Roadster, 2.0 TFSI, FWD (8J)                                              | 08-10       | 1596.140  | 1.0                    | 0.8           |           |                        |               |               |          |           |          |                           |
|     | TT, Coupe / Roadster, 2.0 TFSI, Quattro (8J)                                          | 09-12       | 1597.140  | 1.0                    | 0.8           |           |                        |               |               |          |           |          |                           |
|     | TT, Coupe / Roadster, 3.2L V6, Quattro (8J)                                           | 08-10       | 1598.140  | 1.0                    | 0.8           |           |                        |               |               |          |           |          |                           |
|     | TTS, Coupe / Roadster, 2.0 TFSI, Quattro (8J)                                         | 09-12       | 1597.140  | 1.0                    | 0.8           |           |                        |               |               |          |           |          |                           |

(a) This ANTI-ROLL Bar is adjustable.

(bt) SPORT-PLUS available-see Eibach.com for details.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|-----------------------|
| 1576.880                                | 1576.840                                   | 1576.780                               | 1576.680                                                   | 5.81350K                                        | Front + / - 1.50      |
| 15105.880(bt)                           |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
| 1577.880                                | 1576.840                                   | 1577.780                               | 1577.680                                                   |                                                 |                       |
| 1579.880                                |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 1535.880                                |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 1535.880                                |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 1578.880                                |                                            |                                        |                                                            |                                                 |                       |
| 15106.880                               |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
| 1539.880                                |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 1584.880                                |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 15107.880                               |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 15109.880                               |                                            |                                        |                                                            |                                                 |                       |
| 15109.880                               |                                            |                                        |                                                            |                                                 |                       |
| 15101.880                               |                                            |                                        |                                                            |                                                 |                       |
| 15115.880                               |                                            |                                        |                                                            |                                                 |                       |
| 15116.880                               |                                            |                                        |                                                            |                                                 |                       |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.81350K                                        | Front + / - 1.50      |
| 1568.880                                |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
| 1569.880                                |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
| 15101.880                               |                                            |                                        |                                                            | 5.81360K                                        | Front + / - 1.50      |
| 15103.880                               |                                            |                                        |                                                            | 5.81340K                                        | Front + / - 1.00      |
|                                         |                                            |                                        |                                                            | 5.71500K                                        | Rear + / - 1.00       |
|                                         |                                            |                                        |                                                            | 5.81340K                                        | Front + / - 1.00      |
|                                         |                                            |                                        |                                                            | 5.81340K                                        | Front + / - 1.00      |



**Re-torque your mounting bolts:**  
After the first 500 miles on Eibach Springs and after each track event, you should re-torque all mounting bolts.



**Brake lines and Anti-lock brake sensors:** Note the routing and mounting positions of all wires, cables and brake lines. Reinstalling the lines differently from the factory position can result in damage or brake failure.

\*Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

| Manufacture / Model                                                               | Year        | PRO-KIT   |                        |               | SPORTLINE |                        |               | ANTI-ROLL-KIT |          |              |          |                           |
|-----------------------------------------------------------------------------------|-------------|-----------|------------------------|---------------|-----------|------------------------|---------------|---------------|----------|--------------|----------|---------------------------|
|                                                                                   |             |           | Approx. Lowering Front | Lowering Rear |           | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only    | Diameter | Complete Kit Front & Rear |
| BMW                                                                               |             |           |                        |               |           |                        |               |               |          |              |          |                           |
| 2002, 4 Cyl., Incl. Tii Models (E10)                                              | 66-76       | 2001.140  | 1.0                    | 1.0           |           |                        |               |               |          |              |          |                           |
| 128i, Coupe, 3.0L 6 Cyl (E82)                                                     | 08-12       | 2097.140  | 1.2                    | 1.2           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 135i, Coupe, 3.0L 6 Cyl Twin-Turbo (E82)                                          | 08-12       | 2097.140  | 1.2                    | 1.2           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 128i, Convertible, 3.0L 6 Cyl (E82)                                               | 08-12       | 2091.140  | 0.8                    | 0.5           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 135i, Convertible, 3.0L 6 Cyl Twin-Turbo (E82)                                    | 08-12       | 2091.140  | 0.8                    | 0.5           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 318i, 4 Cyl (Exc. Convertible) (E30)                                              | 11/82-12/90 |           |                        |               |           |                        |               | 2003.310      | 20(a)    | 2003.312     | 16(a)    | 2003.320                  |
| 318i Convertible, 4 Cyl (E30)                                                     | 11/90-05/93 |           |                        |               |           |                        |               | 2003.310      | 20(a)    | 2003.312     | 16(a)    | 2003.320                  |
| 325e / 325i / 325is, 2 & 4-door, 6 Cyl (Exc. Convertible & ix Models) (E30)       | 11/82-12/90 | 2003.140  | 1.6                    | 1.4           |           |                        |               | 2003.310      | 20(a)    | 2003.312     | 16(a)    | 2003.320                  |
| 325i Convertible, 6 Cyl (E30)                                                     | 05/86-05/93 | 2010.140  | 1.7                    | 0.8           |           |                        |               | 2003.310      | 20(a)    | 2003.312     | 16(a)    | 2003.320                  |
| 318i / 318is, 4 Cyl (Exc. Convertible & Compact) (E36)                            | 12/90-05/92 |           |                        |               |           |                        |               | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 318i / 318is, 4 Cyl (Exc. Convertible & Compact) (E36)                            | 06/92-04/99 |           |                        |               |           |                        |               | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 318i Convertible, 4 Cyl (E36)                                                     | 02/94-04/99 |           |                        |               | 4.4320    | 1.8                    | 1.5           | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 325i, 2 & 4-door, 6 Cyl (E36)                                                     | 12/90-05/92 | 2021.140  | 1.3                    | 1.3           |           |                        |               | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 325i / 328i, 2 & 4-door, 6 Cyl (Exc. Convertible) (E36)                           | 06/92-04/99 | 2033.140  | 1.3                    | 1.3           |           |                        |               | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 325i / 328i, Convertible, 6 Cyl (E36)                                             | 05/93-04/99 |           |                        |               |           |                        |               | 2021.310      | 28(a)    | 2021.312     | 21(a)    | 2021.321                  |
| 323i / 325i / 328i / 330i, 2 & 4 door (Exc. Sport Wagon, xi & xiT Models) (E46)   | 99-05       | 2067.140  | 1.4                    | 1.4           | 4.6720    | 1.8                    | 1.8           | 2066.310      | 27(a)    | 2066.312     | 21       | 2066.320                  |
| 325Ci / 328Ci / 330Ci, Convertible (Incl. & Sport Packages; Exc. xi Models) (E46) | 00-06       | 2067.140  | 1.0                    | 0.8           | 4.6720    | 1.7                    | 1.5           | 2066.310      | 27(a)    | 2066.312     | 21       | 2066.320                  |
| 325i Sport Wagon (Exc. xi Models) (E46)                                           | 00-05       | 2067.140  | 1.2                    | 1.2           | 4.6720    | 1.7                    | 1.5           | 2066.310      | 27(a)    | 2066.312     | 21       | 2066.320                  |
| 325xi / 330xi (E46)                                                               | 00-05       | 2089.140  | 1.2                    | 1.0           |           |                        |               |               |          |              |          |                           |
| 325i / 328i / 330i Sedan (E90)                                                    | 06-11       | 2085.140  | 1.2                    | 1.0           | 4.8520    | 2.0                    | 1.4           | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 328i Coupe, 3.0L 6 Cyl (E90)                                                      | 07-11       | 2091.140  | 1.0                    | 0.8           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 335i Sedan, 3.0L 6 Cyl Twin-Turbo (E90)                                           | 07-11       | 2092.140  | 1.4                    | 1.0           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 335i Coupe, 3.0L 6 Cyl Twin-Turbo (E92)                                           | 07-11       | 2092.140  | 1.0                    | 0.8           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 328i / 335i Convertible (E93)                                                     | 07-11       | 2099.140  | 1.2                    | 0.6           |           |                        |               | 2085.310      | 28       | 2085.312     | 15       | 2085.320                  |
| 328i Sport Wagon, 3.0L 6 Cyl (E91)                                                | 06-11       | 20106.140 | 1.2                    | 1.0           | 4.10620   | 1.9                    | 1.4           |               |          |              |          |                           |
| 525i / 535i, 6 Cyl (Exc. 4V-M50 TU) (E34)                                         | 01/88-03/97 | 2013.140  | 1.2                    | 1.0           |           |                        |               |               |          |              |          |                           |
| 530i / 540i, V8 (Incl. S/Lev.) (E34)                                              | 01/92-03/97 | 2013.140  | 1.3                    | 1.0           |           |                        |               |               |          |              |          |                           |
| 525i / 528i / 530i, 6 Cyl (Exc. S/Lev.) (E39)                                     | 97-03       | 2053.140  | 1.3                    | 1.0           |           |                        |               | 2053.310(bl)  | 27(a)    | 2053.312(bl) | 18       | 2053.320(bl)              |
| 540i, V8 (Exc. Sport Wagon & Self-Leveling Models) (E39)                          | 97-03       | 2054.140  | 1.5                    | 1.0           |           |                        |               | 2054.310      | 28       | 2053.312     | 18       | 2054.320                  |
| 525i / 528i / 530i, 6 Cyl (E60)                                                   | 04-10       | 2077.140  | 1.2                    | 1.2           | 4.2077    | 2.0                    | 1.2           | 2077.310      | 25       | 2077.312     | 16(a)    | 2077.320                  |
| 545i / 550i, Sedan, V8 (E60)                                                      | 04-10       | 2078.140  | 1.2                    | 1.2           |           |                        |               | 2077.310      | 25       | 2077.312     | 16(a)    | 2077.320                  |
| 523i / 528i / 520d Sedan (Exc. AWD & Leveling Control) (F10)                      | 10-12       | 20111.140 | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
| 535i / 525d / 530d Sedan (Exc. AWD & Leveling Control) (F10)                      | 10-12       | 20112.140 | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
| 550i Sedan (Exc. AWD & Leveling Control) (F10)                                    | 10-12       | 20113.140 | I/D                    | I/D           |           |                        |               |               |          |              |          |                           |
| 535i Gran Turismo (Exc. AWD) (F07)                                                | 10-12       | 20114.140 | 1.0                    | 0.5           |           |                        |               |               |          |              |          |                           |
| 550i Gran Turismo (Exc. AWD) (F07)                                                | 10-12       | 20115.140 | 1.0                    | 0.5           |           |                        |               |               |          |              |          |                           |
| 645ci / 650i (Exc. Cabrio) (E63)                                                  | 1/04-10     | 2083.140  | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
| 645ci / 650i, Cabrio (E64)                                                        | 4/04-10     | 2084.140  | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
| 650i Coupe, 4.4L V8 (F12)                                                         | 2012        | 20116.140 | I/D                    | I/D           |           |                        |               |               |          |              |          |                           |
| 650i Convertible, 4.4L V8 (F12)                                                   | 2012        | 20117.140 | 1.0                    | 0.8           |           |                        |               |               |          |              |          |                           |
| 740i, V8 (Incl. iL models; Exc. S/Lev) (E38)                                      | 07/94-01    | 2048.140  | 1.3                    | 1.0           |           |                        |               |               |          |              |          |                           |
| 745i / 745iL / 750i, (Exc. S/Lev. Air Suspension Rear) (E65)                      | 02-08       | 2081.140  | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
| 740i (Exc. AWD, Leveling Control & 740iL) (F01)                                   | 09-12       | 20110.140 | 1.0                    | 0.8           |           |                        |               |               |          |              |          |                           |
| 750i (Exc. AWD, Leveling Control & 750iL) (F01)                                   | 09-12       | 20107.140 | 1.0                    | 0.8           |           |                        |               |               |          |              |          |                           |
| 840ci / 840i / 850i, 8 & 12 Cyl (E31)                                             | 90-97       | 2022.140  | 1.0                    | 0.8           |           |                        |               |               |          |              |          |                           |
| M3, 3.0L 6 Cyl (E36)                                                              | 94-95       | 2041.140  | 1.0                    | 0.8           |           |                        |               | 2033.310      | 26(a)    | 2033.312     | 24(a)    | 2033.320                  |
| M3, 2 & 4-door, 3.2L 6 Cyl (Incl. Convertible) (E36)                              | 96-99       | 2059.140  | 1.0                    | 0.8           |           |                        |               | 2033.310      | 26(a)    | 2033.312     | 24(a)    | 2033.320                  |
| M3, 6 Cyl (Incl. Convertible) (E46)                                               | 01-06       | 2072.140  | 0.6                    | 0.9           |           |                        |               | 2072.310      | 29       | 2072.312     | 25       | 2072.320                  |
| M3, 2 & 4 Door, 4.0L V8 (Incl. EDC, Exc. Convertible) (E92)                       | 08-11       | 20100.140 | 0.8                    | 0.6           |           |                        |               | 20100.310     | I/D      | 20100.312    | I/D      | 20100.320                 |
| Continued                                                                         |             |           |                        |               |           |                        |               |               |          |              |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.  
(b) Will work with Self Leveling suspension.(bm) Vehicles without EDC.  
(bo) SPORT-SYSTEM available-see Eibach.com for details.

Automotive

Always use the proper spring compressor to remove springs from your car, or when disassembling a strut. Springs store an enormous amount of energy and can seriously injure you or someone else if this energy is released unexpectedly.

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
(bt) SPORT-PLUS available -see Eibach.com for details.

(cd) Vehicles with EDC.

|                                                 | Manufacture / Model                                                    | Year     | PRO-KIT       |                        | SPORTLINE |           |                        | ANTI-ROLL-KIT |            |          |           |          |                           |
|-------------------------------------------------|------------------------------------------------------------------------|----------|---------------|------------------------|-----------|-----------|------------------------|---------------|------------|----------|-----------|----------|---------------------------|
|                                                 |                                                                        |          |               | Approx. Lowering Front | Rear      |           | Approx. Lowering Front | Rear          | Front Only | Diameter | Rear Only | Diameter | Complete Kit Front & Rear |
| NEW                                             | BMW                                                                    |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | M3, 4.0L V8 Convertible (Incl. EDC) (E93)                              | 08-11    | 20101.140     | 0.8                    | 0.6       |           |                        |               |            |          |           |          |                           |
|                                                 | M5, 5.0L V10 (E60)                                                     | 06-10    | 2088.140      | 1.2                    | 0.6       |           |                        |               |            |          |           |          |                           |
|                                                 | M5 Sedan, 4.4L V8 (F10)                                                | 2012     | 20118.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | M6 Coupe, 5.0L V10 (E63)                                               | 05-10    | 2090.140      | 1.0                    | 0.6       |           |                        |               |            |          |           |          |                           |
| NEW                                             | M6 Convertible, 5.0L V10 (E64)                                         | 06-10    | 20105.140     | 1.0                    | 0.8       |           |                        |               |            |          |           |          |                           |
|                                                 | X3 (E83)                                                               | 04-10    | 2079.540      | 1.2                    | 1.2       |           |                        |               |            |          |           |          |                           |
|                                                 | X3, xDrive35i                                                          | 11-12    | 20119.540     | 1.2                    | 1.2       |           |                        |               |            |          |           |          |                           |
|                                                 | X5, 3.0 (Exc. Leveling Control) (E53)                                  | 01-06    | 2076.540      | 1.2                    | 1.2       |           |                        |               | 2074.310   | 34       | 2074.312  | 26       | 2074.320                  |
|                                                 | X5, 3.0 (Exc. Leveling Control) (E70)                                  | 07-12    | 2093.540      | 1.2                    | 1.0       |           |                        |               |            |          |           |          |                           |
|                                                 | X5, xDrive35d, 3.0L 6 Cyl. Turbo Diesel, (Exc. Leveling Control) (E70) | 09-12    | 2093.540      | 1.2                    | 1.0       |           |                        |               |            |          |           |          |                           |
|                                                 | X6, 35i (Incl. Diesel; Exc. Leveling Control, Hybrid) (E71)            | 08-12    | 20103.540     | 0.8                    | 0.8       |           |                        |               |            |          |           |          |                           |
|                                                 | Z3 Coupe, 6 Cyl (Exc. M-Coupe) (E36/7)                                 | 10/98-02 | 2068.140      | 1.2                    | 1.2       |           |                        |               |            |          |           |          |                           |
|                                                 | Z4 Roadster, 2.5i & 3.0i (E85)                                         | 03-06    | 2073.140      | 1.2                    | 1.2       |           |                        |               |            |          |           |          |                           |
|                                                 | Z4 Coupe 3.0L 6 Cyl. (E85)                                             | 06-08    | 20102.140     | 1.2                    | 0.8       |           |                        |               |            |          |           |          |                           |
|                                                 | Z4 Roadster 30i 6 Cyl. (E89)                                           | 09-11    | 20108.140     | 1.2                    | 0.8       |           |                        |               |            |          |           |          |                           |
|                                                 | Z4 Roadster 35i 6 Cyl. (E89)                                           | 09-11    | 20109.140     | 0.8                    | 0.4       |           |                        |               |            |          |           |          |                           |
|                                                 | Z4 M-Coupe (Incl. Roadster) (E85)                                      | 06-08    | 2095.140      | 0.8                    | 0.4       |           |                        |               |            |          |           |          |                           |
|                                                 |                                                                        |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | NEW                                                                    | BUICK    |               |                        |           |           |                        |               |            |          |           |          |                           |
| Century, RWD (G-Body)                           |                                                                        | 78-81    | 3803.140      | 1.0                    | 0.8       |           |                        |               |            |          |           |          |                           |
| Grand National, RWD (G-Body)                    |                                                                        | 78-88    | 3803.140      | 1.0                    | 0.8       |           |                        |               |            |          |           |          |                           |
| Regal, RWD (Incl. T-Type) (G-Body)              |                                                                        | 78-88    | 3803.140      | 1.0                    | 0.8       |           |                        |               |            |          |           |          |                           |
| Regal, FWD, 6 Cyl (Incl. Supercharged) (W-Body) |                                                                        | 97-02    | 3865.140      | 1.4                    | 1.3       |           |                        |               |            |          |           |          |                           |
| NEW                                             | Regal GS, 2.0L 4 Cyl                                                   | 2012     | 38158.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | Skylark GS, V8, Small Block (A-Body)                                   | 64-67    | 3855.140      | 1.3                    | 1.0       |           |                        |               |            |          |           |          |                           |
|                                                 | Skylark GS, V8, Small Block (A-Body)                                   | 68-72    | 3856.140      | 1.3                    | 1.0       |           |                        |               |            |          |           |          |                           |
| NEW                                             | CADILLAC                                                               |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | CTS Coupe, 3.6L V6, RWD                                                | 11-12    | 38146.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | CTS Coupe, 3.6L V6, AWD                                                | 11-12    | 38147.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | CTS-V Coupe, 6.2L V8, RWD                                              | 11-12    | 38148.140     | 0.9                    | 1.1       |           |                        |               |            |          |           |          |                           |
|                                                 | CTS Sedan, 3.2L V6                                                     | 03-07    | 3878.140      | 1.2                    | 1.2       |           |                        |               | 3878.310   | 28(t)    | 3878.312  | 22(a,t)  | 3878.320                  |
| NEW                                             | CTS Sedan, 3.6L V6 (Exc. AWD)                                          | 08-12    | 38136.140(aw) | 0.8                    | 1.0       |           |                        |               |            |          |           |          |                           |
|                                                 | CTS-V Sedan, 6.2L V8, RWD                                              | 09-12    | 38141.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | Escalade, V8 (2WD) (Incl. EXT)                                         | 02-06    | 3882.520(r)   | adj.                   | 2.0       |           |                        |               | 3882.310   | 35(t)    | 3882.312  | 32(t)    | 3882.320                  |
|                                                 | Escalade, V8 (2WD) (Incl. EXT)                                         | 02-06    | 3887.520      | adj.                   | 3.0       |           |                        |               | 3882.310   | 35(t)    | 3882.312  | 32(t)    | 3882.320                  |
|                                                 | Escalade, V8 (2WD) (Incl. EXT)                                         | 02-06    | 3887.530(e)   | 1-3                    | 3.0       |           |                        |               | 3882.310   | 35(t)    | 3882.312  | 32(t)    | 3882.320                  |
| NEW                                             | Escalade, V8 6.2L (2WD/4WD) (Incl. Autoride)                           | 07-12    | 38129.540     | 2.0                    | 2.0       |           |                        |               | 38106.310  | 38(t)    | 3882.312  | 32(t)    | 38106.320                 |
|                                                 |                                                                        |          | 38153.540     | 2.0                    | 3.0       |           |                        |               | 38106.310  | 38(t)    | 3882.312  | 32(t)    | 38106.320                 |
| NEW                                             | Escalade ESV, V8 6.2L (4WD) (Incl. Autoride)                           | 07-12    | 38130.540     | 2.0                    | 2.0       |           |                        |               | 38106.310  | 38(t)    | 3882.312  | 32(t)    | 38106.320                 |
|                                                 |                                                                        |          | 38154.540     | 2.0                    | 3.0       |           |                        |               | 38106.310  | 38(t)    | 3882.312  | 32(t)    | 38106.320                 |
| NEW                                             | CHEVROLET                                                              |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | Aveo 5 & Sedan, 1.6L 4 Cyl. (T200/T250)                                | 06-11    | 38119.140     | 1.3                    | 1.0       |           |                        |               |            |          |           |          |                           |
|                                                 | Sonic Hatchback (T300)                                                 | 2012     | 38159.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | Sonic Sedan (T300)                                                     | 2012     | 38160.140     | I/D                    | I/D       |           |                        |               |            |          |           |          |                           |
|                                                 | Camaro - V6                                                            |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | Camaro, V6 (Incl. Convertible) (F-Body)                                | 93-97    |               |                        |           |           |                        |               | 3831.310   | 35(t)    | 3831.312  | 25(t)    | 3831.320                  |
|                                                 | Camaro, V6 (Incl. Convertible) (F-Body)                                | 98-03    | 3870.240      | 1.4                    | 1.4       |           |                        |               | 3831.310   | 35(t)    | 3831.312  | 25(t)    | 3831.320                  |
|                                                 | Camaro, 3.6L V6 (Incl. LS & LT)                                        | 10-12    | 38143.140     | 1.0                    | 1.3       |           |                        |               | 38144.310  | 29(a,t)  | 38144.312 | 29(a,t)  | 38144.320                 |
|                                                 | Camaro - V8                                                            |          |               |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | Camaro, V8, Small Block (F-Body)                                       | 67-69    | 3848.120(z)   | 1.0                    | n/a       |           |                        |               |            |          |           |          |                           |
|                                                 | Camaro, V8, Small Block (F-Body)                                       | 70-81    | 3852.120(z)   | 1.0                    | n/a       |           |                        |               |            |          |           |          |                           |
|                                                 | Camaro, V8 (Incl. Z28 & Convertible) (F-Body)                          | 82-92    | 3801.140      | 1.0                    | 1.0       | 4.0138(c) | 1.6                    | 1.3           |            |          |           |          |                           |
|                                                 | Camaro, V8 (Incl. Z28 & Convertible) (F-Body)                          | 93-97    | 3831.140      | 1.3                    | 1.3       | 4.3138(c) | 1.8                    | 1.8           | 3831.310   | 35(t)    | 3831.312  | 25 (t)   | 3831.320                  |
|                                                 | DRAG LAUNCH KIT .....                                                  |          | 9307.140      |                        |           |           |                        |               |            |          |           |          |                           |
|                                                 | Continued                                                              |          |               |                        |           |           |                        |               |            |          |           |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(aw) Vehicles equipped with self-leveling rear dampers must replace with non self-leveling dampers such as FE1 or FE2 dampers to properly lower.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



27

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|-----------------------|
| 2076.880                                |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75      |
|                                         |                                            |                                        |                                                            | 5.72070K                                        | Front +3.00 / -1.00   |
|                                         |                                            |                                        |                                                            | 5.72090K                                        | Front +3.00 / -1.00   |
|                                         |                                            |                                        |                                                            | 5.72110K                                        | Rear +3.00 / -1.00    |
|                                         |                                            |                                        |                                                            | 5.72090K                                        | Front +3.00 / -1.00   |
|                                         |                                            |                                        |                                                            | 5.72090K                                        | Front +3.00 / -1.00   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75      |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75       |
| 3878.880                                |                                            |                                        |                                                            |                                                 |                       |
| 3882.880                                |                                            |                                        |                                                            |                                                 |                       |
| 3882.880                                |                                            |                                        |                                                            |                                                 |                       |
| 3882.880                                |                                            |                                        |                                                            |                                                 |                       |
| 38129.880                               |                                            |                                        |                                                            |                                                 |                       |
| 38153.880                               |                                            |                                        |                                                            |                                                 |                       |
| 38130.880                               |                                            |                                        |                                                            |                                                 |                       |
| 38154.880                               |                                            |                                        |                                                            |                                                 |                       |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75      |
|                                         |                                            |                                        |                                                            | 5.75200K                                        | Rear + / - 1.50       |
| 3870.881                                |                                            |                                        |                                                            |                                                 |                       |
| 38143.880                               | 38144.840                                  | 38143.780                              | 38143.680                                                  | 5.81280K                                        | Front + / - 1.75      |
| 3831.880(bt)                            |                                            |                                        |                                                            |                                                 |                       |



Note any protective tubing on the factory springs, and their locations. Eibach springs are designed to reuse all factory tubing and isolators to prevent noise and premature wear.

\*Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(c) Excluding convertible.  
(r) Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.

(t) This ANTI-ROLL Bar is tubular.  
(z) Kit includes front springs only.

| Manufacture / Model                           | Year  | PRO-KIT       |                        |               | SPORTLINE |                        |               | ANTI-ROLL-KIT |          |           |          |                           |
|-----------------------------------------------|-------|---------------|------------------------|---------------|-----------|------------------------|---------------|---------------|----------|-----------|----------|---------------------------|
|                                               |       |               | Approx. Lowering Front | Lowering Rear |           | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit Front & Rear |
| CHEVROLET                                     |       |               |                        |               |           |                        |               |               |          |           |          |                           |
| Camaro, V8 (Exc. Convertible) (F-Body)        | 98-03 | 3870.140      | 1.2                    | 1.2           | 4.7038(c) | 1.6                    | 1.4           | 3831.310      | 35(t)    | 3831.312  | 25(t)    | 3831.320                  |
| Camaro, 6.2L V8 SS                            | 10-11 | 38144.140     | 1.0                    | 1.0           |           |                        |               | 38144.310     | 29(a,t)  | 38144.312 | 29(a,t)  | 38144.320                 |
| Camaro, 6.2L V8 SS                            | 2012  | 38144.140     | 1.0                    | 1.0           |           |                        |               | 38144.310     | 29(a,t)  | 38161.312 | 29(a,t)  | 38161.320                 |
| Camaro Convertible, 6.2L V8 SS                | 11-12 | 38144.140     | 1.0                    | 1.2           |           |                        |               | 38144.310     | 29(a,t)  | 38144.312 | 29(a,t)  | 38144.320                 |
| Cavalier, 4 & 6 Cyl (Incl. Z24) (J-Body)      | 95-04 | 3860.140      | 1.4                    | 1.4           | 4.6038    | 1.7                    | 2.3           | 3860.310      | 26       | 3860.312  | 22       | 3860.320(w)               |
| Chevelle, V8, Small Block (Incl. SS) (A-Body) | 64-67 | 3855.140      | 1.3                    | 1.0           |           |                        |               |               |          |           |          |                           |
| Chevelle, V8, Small Block (Incl. SS) (A-Body) | 68-72 | 3856.140      | 1.5                    | 1.3           |           |                        |               |               |          |           |          |                           |
| Cobalt                                        | 05-10 | 3899.140      | 1.6                    | 1.8           | 4.9938    | 2.0                    | 2.5           | 3899.310      | 29(t)    | 3899.312  | 25(t)    | 3899.320                  |
| Cobalt SS, (Incl. 4-door)                     | 05-10 | 3899.140      | 0.0                    | 0.5           | 4.9938    | 1.0                    | 1.3           | 3899.310      | 29(t)    | 3899.312  | 25(t)    | 3899.320                  |
| Corvette, C5                                  | 97-04 | 38124.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38124.310     | 29(t)    | 38124.312 | 25(t)    | 38124.320                 |
| Corvette C5 Z51                               | 97-04 | 38124.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38124.310     | 29(t)    | 38124.312 | 25(t)    | 38124.320                 |
| Corvette C5 Z06                               | 01-04 | 38124.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38124.310     | 29(t)    | 38124.312 | 25(t)    | 38124.320                 |
| Corvette C6                                   | 05-12 | 38126.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38126.310     | 32(t)    | 38126.312 | 29(a,t)  | 38126.320                 |
| Corvette, C6 Z51                              | 05-11 | 38126.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38126.310     | 32(t)    | 38126.312 | 29(a,t)  | 38126.320                 |
| Corvette, C6 Grand Sport                      | 10-12 | 38126.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38126.310     | 32(t)    | 38126.312 | 29(a,t)  | 38126.320                 |
| Corvette C6 Z06                               | 06-12 | 38126.510(av) | 0-2.0                  | 0-2.0         |           |                        |               | 38126.310     | 32(t)    | 38126.312 | 29(a,t)  | 38126.320                 |
| Cruze Sedan                                   | 11-12 | 38149.140     | I/D                    | I/D           |           |                        |               |               |          |           |          |                           |
| El Camino, V8 (G-Body)                        | 78-87 | 3803.140      | 1.0                    | 1.0           |           |                        |               |               |          |           |          |                           |
| HHR, 4 Cyl (Exc. SS)                          | 06-11 | 38157.140     | I/D                    | I/D           |           |                        |               | 3899.310      | 29(t)    | 3899.312  | 25(t)    | 3899.320                  |
| Impala SS                                     | 94-96 | 3837.140      | 1.2                    | 1.0           |           |                        |               |               |          |           |          |                           |
| Malibu, V8, Small Block (A-Body)              | 68-72 | 3856.140      | 1.3                    | 1.3           |           |                        |               |               |          |           |          |                           |
| Malibu, 2.4L 4 Cyl                            | 08-12 | 38140.140     | I/D                    | I/D           |           |                        |               |               |          |           |          |                           |
| Malibu, 3.6L V6                               | 08-12 | 38103.140     | 1.4                    | 1.4           |           |                        |               |               |          |           |          |                           |
| Monte Carlo, RWD, V8 (Incl. SS) (G-Body)      | 78-88 | 3803.140      | 1.0                    | 0.8           |           |                        |               |               |          |           |          |                           |
| SSR                                           | 03-06 | 3892.540      | 1.0                    | 1.6           |           |                        |               |               |          |           |          |                           |
| CHRYSLER                                      |       |               |                        |               |           |                        |               |               |          |           |          |                           |
| 300, 2WD V6 (Exc. AWD)                        | 05-10 | 2871.140      | 1.6                    | 1.6           | 4.7328    | 2.0                    | 2.0           | 2873.310      | 30       | 2871.312  | 16       | 2873.320(aq)              |
| 300, 2WD V6                                   | 11-12 | 28101.140     | I/D                    | I/D           | 4.10128   | I/D                    | I/D           | 28101.310     | I/D      | 28101.312 | I/D      | 28101.320                 |
| 300C, 2WD, V8 (Exc. AWD, SRT8 S/LEV)          | 05-10 | 2873.140      | 1.6                    | 1.6           | 4.7328    | 2.0                    | 2.0           | 2873.310      | 30       | 2871.312  | 16       | 2873.320                  |
| 300C, 2WD, V8 (Exc. AWD, SRT8 S/LEV)          | 2012  | 28102.140     | I/D                    | I/D           | 4.10228   | I/D                    | I/D           | 28101.310     | I/D      | 28101.312 | I/D      | 28101.320                 |
| 300C, 2WD, V8 (Incl. SRT-8) (Exc. AWD)        | 05-10 |               |                        |               |           |                        |               | 2873.310      | 30       | 2871.312  | 16       | 2873.320                  |
| 300C, 2WD, V8 SRT-8 (Exc. AWD)                | 11-12 | 28103.140     | I/D                    | I/D           | 4.10328   | I/D                    | I/D           | 28101.310     | I/D      | 28101.312 | I/D      | 28101.320                 |
| 300C, AWD, V8 (Exc. 2WD)                      | 05-10 | 2879.140      | 1.5                    | 1.7           |           |                        |               |               |          |           |          |                           |
| 300C, AWD, V8 (Exc. 2WD)                      | 11-12 | 28104.140     | I/D                    | I/D           |           |                        |               | 28101.310     | I/D      | 28101.312 | I/D      | 28101.320                 |
| Aspen, V8, 2WD/4WD                            | 07-09 | 2868.520      | adj.                   | 3.0           |           |                        |               |               |          |           |          |                           |
| Crossfire, 6 Cyl (Incl. Roadster) (ZH)        | 04-07 | 2552.140(am)  | 1.1                    | 1.3           |           |                        |               |               |          |           |          |                           |
| Neon, 2 & 4-door (Incl. R/T & ACR Models)     | 95-99 |               |                        |               | 4.1528    | 1.6                    | 1.6           |               |          |           |          |                           |
|                                               |       |               |                        |               |           |                        |               |               |          |           |          |                           |
| Continued                                     |       |               |                        |               |           |                        |               |               |          |           |          |                           |

(a) This ANTI-ROLL Bar is adjustable.  
 (am) Ride heights may be adjusted through Chrysler Pad System. Please consult your authorized Chrysler Dealer if add'l ride height adjustment is needed.

(aq) Vehicle not equipped with rear ANTI-ROLL bar will require additional hardware from OEM.  
 (av) Kit consists of height adjustment bolts and urethane pads (not a spring kit).

(bc) IMPORTANT - Some vehicles may have two different upper control arm bushing diameters (39.5mm & 41.5mm) or both the same (39.5mm). To determine which alignment kit is required, please measure the outer bushing dia. on the most forward arm of the rear suspension: 1) 41.5mm-

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right                                              | Degrees of Adjustment                                                                                          |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| 3870.880(bt)                            |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38144.880                               | 38144.840                                  | 38144.780                              | 38144.680                                                  | 5.81280K                                                                                     | Front + / - 1.75                                                                                               |
| 38161.880                               | 38144.840                                  | 38144.780                              | 38161.680                                                  | 5.81280K                                                                                     | Front + / - 1.75                                                                                               |
| 38144.880                               | 38144.840                                  | 38144.780                              | 38144.680                                                  | 5.81280K                                                                                     | Front + / - 1.75                                                                                               |
| 3860.880(bt)                            |                                            |                                        |                                                            | 5.81260K                                                                                     | Front + / - 1.75                                                                                               |
|                                         |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 3899.880(bt)                            |                                            |                                        |                                                            | 5.81250K                                                                                     | Front + / - 1.75                                                                                               |
| 3899.880(bt)                            |                                            |                                        |                                                            | 5.81250K                                                                                     | Front + / - 1.75                                                                                               |
| 38124.880                               |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38124.880(av)                           |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38124.880                               |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38126.880(av)                           |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38126.880                               |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38126.880                               |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 38126.880                               |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
|                                         |                                            |                                        |                                                            | 5.81250K                                                                                     | Front + / - 1.75                                                                                               |
| 38157.880                               |                                            |                                        |                                                            | 5.81250K                                                                                     | Front + / - 1.75                                                                                               |
|                                         |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
|                                         |                                            |                                        |                                                            | 5.81250K                                                                                     | Front + / - 1.75                                                                                               |
|                                         |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
| 2871.880 (bt)                           | 2873.840                                   | 2871.780(bo)                           | 2871.680(bp)                                               | 5.66030K(ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc)                 | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50       |
| 28101.880                               | 28110.840                                  | 28101.780(bo)                          | 28101.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                                 | Rear + / - 0.75<br>Rear + / - 1.50                                                                             |
| 2873.880 (bt)                           | 2873.840                                   | 2873.780(bo)                           | 2873.680(bp)                                               | 5.66030K(ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc)                 | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50       |
| 28102.880                               | 28110.840                                  | 28102.780 (bo)                         | 28102.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                                 | Rear + / - 0.75<br>Rear + / - 1.50                                                                             |
|                                         | 2873.840                                   |                                        |                                                            | 5.66030K(ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc)                 | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50       |
| 28103.880                               | 28110.840                                  | 28103.780(bo)                          | 28103.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |
| 28104.880                               |                                            |                                        |                                                            | 5.66080K(bc)<br>5.66085K(bc)                                                                 | Rear + / - 0.75<br>Rear + / - 1.50                                                                             |
|                                         |                                            |                                        |                                                            |                                                                                              |                                                                                                                |
|                                         |                                            |                                        |                                                            | 5.81260K<br>5.81250K                                                                         | Front + / - 1.75<br>Rear + / - 1.75                                                                            |



**Tech Tip**  
Mark the position of all alignment-related mounting bolts. This allows a good starting point for the post-installation alignment.

\*Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

Use Part# 5.66010K (+/-0.75 deg.) or 5.66020K (+/-1.5 deg.)  
2)39.5mm- Use Part#5.66080K (+/-0.75 deg.) or 5.66085K (+/-1.5 deg.)  
(bo) SPORT-SYSTEM available-see Eibach.com for details.

(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
(bt) Sport-Plus available-see Eibach.com for details.  
(c) Excluding convertible.

(ce) Only for vehicles from 2005 to 2008.  
(t) This ANTI-ROLL Bar is tubular.  
(w) Front Replaces OE. Rear attaches to Beam Axle.

| Manufacture / Model                                                   | Year  | PRO-KIT      |                        |               | SPORTLINE  |                        |               | ANTI-ROLL-KIT |          |              |          |                           |
|-----------------------------------------------------------------------|-------|--------------|------------------------|---------------|------------|------------------------|---------------|---------------|----------|--------------|----------|---------------------------|
|                                                                       |       |              | Approx. Lowering Front | Lowering Rear |            | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only    | Diameter | Complete Kit Front & Rear |
| CHRYSLER                                                              |       |              |                        |               |            |                        |               |               |          |              |          |                           |
| Neon, 4-door (Incl. R/T & ACR Models)                                 | 00-06 | 2820.140     | 1.5                    | 1.5           | 4.2028     | 2.0                    | 2.4           | 2820.310      | 24       | 2820.312(bk) | 22(a)    | 2820.320 (bk)             |
| Neon SRT-4, 4-door, 2.4L Turbo                                        | 03-06 | 2820.140     | 1.6                    | 1.8           | 4.2028     | 2.0                    | 2.4           | 2820.310      | 24       | 2820.312     | 22(a)    | 2820.320                  |
| PT Cruiser, 4 Cyl (Incl. Turbo, "F" Package & Limited Edition Models) | 00-10 | 2860.140     | 1.6                    | 2.0           |            |                        |               | 2860.310      | 25       | 2860.312     | 22(a)    | 2860.320(ak)              |
| PT Cruiser, Convertible 4 Cyl                                         | 04-10 | 2860.140     | 1.6                    | 2.0           |            |                        |               | 2860.310      | 25       | 2860.312     | 22(a)    | 2860.320(ak)              |
| Sebring, 4 & 6 Cyl (Exc. Convertible) (JL)                            | 95-98 | 2817.140     | 1.8                    | 1.8           |            |                        |               |               |          |              |          |                           |
| Sebring, Coupe, 6 Cyl (Incl. LX & LXi Models)                         | 01-05 | 6035.140     | 1.5                    | 1.3           | 4.3560     | 2.0                    | 2.0           |               |          |              |          |                           |
| Town & Country, 6 Cyl (Exc. Lxi, LWB, AWD & S/Lev. Models)            | 96-00 | 2825.130(d)  | 1.7                    | 1.3           |            |                        |               |               |          |              |          |                           |
| DODGE                                                                 |       |              |                        |               |            |                        |               |               |          |              |          |                           |
| Avenger, 4 & 6 Cyl (JL)                                               | 95-00 | 2817.140     | 1.8                    | 1.8           |            |                        |               |               |          |              |          |                           |
| Caliber (Incl. SE & SXT)                                              | 07-09 |              |                        |               | 4.8128     | 2.0                    | 1.8           |               |          |              |          |                           |
| Caliber SRT-4                                                         | 08-09 | 2884.140     | 1.2                    | 1.0           |            |                        |               |               |          |              |          |                           |
| Caravan, 4 & 6 Cyl (Exc. Grand Caravan, AWD & S/Lev. Models)          | 96-00 | 2825.130(d)  | 1.7                    | 1.3           |            |                        |               |               |          |              |          |                           |
| Challenger SE 3.5L V6 (LC)                                            | 09-10 | 2895.140     | 1.6                    | 1.6           | 4.9528     | 1.9                    | 2.0           | 2895.310      | 35(a)    | 2895.312     | 19(a)    | 2895.320                  |
| Challenger SE 3.6L V6 (LC)                                            | 11-12 | 28112.140    | I/D                    | I/D           | 4.11228    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Challenger R/T 5.7L HEMI V8 (LC)                                      | 09-10 | 2895.140(bg) | 1.7                    | 1.7           | 4.9528(bg) | 2.0                    | 2.1           | 2895.310      | 35(a)    | 2895.312     | 19(a)    | 2895.320                  |
| Challenger R/T 5.7L HEMI V8 (LC)                                      | 11-12 | 28111.140    | I/D                    | I/D           | 4.11128    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Challenger SRT-8, 6.1l V8 HEMI (LC)                                   | 08-10 | 2895.140     | 0.8                    | 0.8           | 4.9528     | 1.1                    | 1.2           | 2895.310      | 35(a)    | 2895.312     | 19(a)    | 2895.320                  |
| Challenger SRT-8, 6.4L V8 392 (LC)                                    | 11-12 | 28110.140    | I/D                    | I/D           | 4.11028    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Charger, 2WD, V6 (Incl. SE, SXT)                                      | 06-10 | 2876.140     | 1.4                    | 1.7           |            |                        |               | 2873.310      | 30       | 2871.312     | 16       | 2873.320(aq)              |
| Charger, 2WD, V6 (Incl. SE, SXT)                                      | 11-12 | 28105.140    | I/D                    | I/D           | 4.10528    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Charger, 2WD, V8 (Incl. R/T, Daytona R/T) (Exc. SRT8 S/ LEV)          | 06-10 | 2876.140     | 1.5                    | 1.9           |            |                        |               | 2873.310      | 30       | 2871.312     | 16       | 2873.320                  |
| Charger, 2WD, V8 (Incl. R/T, Daytona R/T) (Exc. SRT8 S/ LEV)          | 11-12 | 28105.140    | I/D                    | I/D           | 4.10528    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Charger, 2WD, V8 (Incl. R/T, Daytona R/T, SRT8 S/ LEV)                | 06-10 |              |                        |               |            |                        |               | 2873.310      | 30       | 2871.312     | 16       | 2873.320                  |
| Charger, 2WD, V8 (Incl. R/T, Daytona R/T, SRT8 S/LEV)                 | 11-12 | 28106.140    | I/D                    | I/D           | 4.10628    | I/D                    | I/D           | 28101.310     | I/D      | 28101.312    | I/D      | 28101.320                 |
| Magnum, 2WD, V6 (Incl. R/T) (Exc. AWD, SRT8 S/LEV)                    | 05-08 | 2873.140     | 1.3                    | 1.3           | 4.7328     | 2.0                    | 2.0           | 2873.310      | 30       | 2871.312     | 16       | 2873.320(aq)              |
| Continued                                                             |       |              |                        |               |            |                        |               |               |          |              |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.  
 (aq) Vehicle not equipped with rear ANTI-ROLL bar will require additional hardware from OEM.  
 (ar) Performance Rear Control Arm Kit available for toe and camber adjustment +/- 3.00 Part#5.67210K.

(bc) IMPORTANT - Some vehicles may have two different upper control arm bushing diameters (39.5mm & 41.5mm) or both the same (39.5mm). To determine which alignment kit is required, please measure the outer bushing diameter on

the most forward arm of the rear suspension: 1) 41.5mm - Use Part# 5.66010K (+/-0.75 deg.) or 5.66020K (+/-1.5 deg.) 2) 39.5mm - Use Part#5.66080K (+/-0.75 deg.) or 5.66085K (+/-1.5 deg.)

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right                               | Degrees of Adjustment                                                                                    |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 2820.880 (bk)(bt)                       |                                            |                                        |                                                            | 5.81260K<br>5.81250K(ar)<br>5.67210K                                          | Front + / - 1.75<br>Rear + / - 1.75<br>Rear Toe/Camber Arm + / - 3.50                                    |
| 2820.880 (bt)                           |                                            |                                        |                                                            | 5.81260K<br>5.81250K<br>5.67210K                                              | Front + / - 1.75<br>Rear + / - 1.75<br>Rear Toe/Camber Arm + / - 3.50                                    |
| 2860.880                                |                                            |                                        |                                                            | 5.81260K                                                                      | Front + / - 1.75                                                                                         |
| 2860.880                                |                                            |                                        |                                                            | 5.81260K                                                                      | Front + / - 1.75                                                                                         |
|                                         |                                            |                                        |                                                            | 5.67170K<br>5.73620K<br>5.73620K<br>5.81260K                                  | Front + / - 1.50<br>Rear +3.00 / -0.75<br>Rear +3.00 / -0.75<br>Front + / - 1.75                         |
|                                         |                                            |                                        |                                                            | 5.67170K<br>5.73620K                                                          | Front + / - 1.50<br>Rear +3.00 / -0.75                                                                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                                                      | Front + / - 1.75                                                                                         |
| 2895.880(bt)                            | 2873.840                                   | 2895.780(bo)                           | 2895.680(bp)                                               | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 28112.880(bt)                           | 28110.840                                  | 28112.780(bo)                          | 28112.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 2895.880(bg)(bt)                        | 2873.840                                   | 2895.780(bo)                           | 2895.680(bp)                                               | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 28111.880(bt)                           | 28110.840                                  | 28111.780(bo)                          | 28111.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 2895.880(bt)                            | 2873.840                                   | 2895.780(bo)                           | 2895.680(bp)                                               | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 28110.880(bt)                           | 28110.840                                  | 28110.780(bo)                          | 28110.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 2876.880                                | 2873.840                                   | 2880.780                               | 2880.680                                                   | 5.66030K (ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |
| 28105.880                               | 28110.840                                  | 28105.780(bo)                          | 28105.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 2876.880                                | 2873.840                                   | 2876.780                               | 2876.680                                                   | 5.66030K (ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |
| 28105.880                               | 28110.840                                  | 28105.780(bo)                          | 28105.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
|                                         | 2873.840                                   |                                        |                                                            | 5.66030K (ce)<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |
| 28106.880                               | 28110.840                                  | 28106.780(bo)                          | 28106.680(bp)                                              | 5.66080K(bc)<br>5.66085K(bc)                                                  | Rear + / - 0.75<br>Rear + / - 1.50                                                                       |
| 2873.880(bt)                            | 2873.840                                   | 2873.780(bo)                           | 2873.680(bp)                                               | 5.66030K<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc)      | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |



**Tech Tip**  
Before removing springs from your car, put a sequential number mark on each component, from top to bottom. This will help you reassemble the new and existing parts in correct order.

\* Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(bg) Vehicle with load leveling rear dampers (Nivomat) must install kit 2873.840 for correct lowering.  
(bk) Non SRT-4 models require aftermarket SRT-4 struts and additional hardware kit 2820.312HKR to install Eibach's

ANTI-ROLL Kit.  
(bo) SPORT-SYSTEM available-see [Eibach.com](http://Eibach.com) for details.  
(bp) Sport-System-Plus available-see [Eibach.com](http://Eibach.com) for details.  
(bt) Sport-Plus available-see [Eibach.com](http://Eibach.com) for details.

(ce) Only for vehicles from 2005 to 2008.  
(d) Kit includes front coil springs and rear shackle hanger kit.

| Manufacture / Model                                                        | Year  | PRO-KIT   |                        |               | SPORTLINE |                        |               | ANTI-ROLL-KIT |          |              |          |                           |
|----------------------------------------------------------------------------|-------|-----------|------------------------|---------------|-----------|------------------------|---------------|---------------|----------|--------------|----------|---------------------------|
|                                                                            |       |           | Approx. Lowering Front | Lowering Rear |           | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only    | Diameter | Complete Kit Front & Rear |
| DODGE                                                                      |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Magnum, 2WD, V8, (Incl. R/T)<br>(Exc. AWD, SRT 8 S/LEV)                    | 05-08 | 2873.140  | 1.3                    | 1.4           | 4.7328    | 2.0                    | 2.0           | 2873.310      | 30       | 2871.312     | 16       | 2873.320                  |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Magnum, 2WD, V8 (Incl. SRT8 S/LEV) (Exc. AWD)                              | 05-08 |           |                        |               |           |                        |               | 2873.310      | 30       | 2871.312     | 16       | 2873.320                  |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Neon, 2 & 4-door (Incl. R/T & ACR Models)                                  | 95-99 |           |                        |               | 4.1528    | 1.6                    | 1.6           |               |          | 2815.312(ai) | 19       |                           |
| Neon, 4-door (Incl. R/T & ACR Models)                                      | 00-06 | 2820.140  | 1.5                    | 1.5           | 4.2028    | 2.0                    | 2.4           | 2820.310      | 24       | 2820.312(bk) | 22(a)    | 2820.320(bk)              |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Neon SRT-4, 4-door, 2.4L Turbo                                             | 03-06 | 2820.140  | 1.6                    | 1.8           | 4.2028    | 2.0                    | 2.4           | 2820.310      | 24       | 2820.312     | 22(a)    | 2820.320                  |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Nitro, 3.7L V6 (Incl. SLT)                                                 | 07-11 | 2885.540  | 1.8                    | 1.6           |           |                        |               |               |          |              |          |                           |
| Stealth RT, Base & ES models, 2WD<br>(Exc. '95> w/ sunroof)                | 91-96 | 2813.140  | 1.5                    | 1.3           |           |                        |               |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Stratus, 2-door, 6 Cyl                                                     | 01-05 | 6035.140  | 1.5                    | 1.5           | 4.3560    | 2.0                    | 2.0           |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Viper, Coupe & Roadster, 10 Cyl (Incl. GTS)                                | 96-02 | 2830.140  | 1.0                    | 1.0           |           |                        |               |               |          |              |          |                           |
| Viper, Coupe & Roadster (Exc. ACR)                                         | 03-09 | 2830.140  | 1.0                    | 1.0           |           |                        |               |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| EAGLE                                                                      |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Talon, 2WD, 4 Cyl (Incl. Turbo)                                            | 89-94 |           |                        |               | 4.1060    | 1.5                    | 1.4           |               |          |              |          |                           |
| Talon, 2WD, 4 Cyl (Incl. Turbo)                                            | 95-99 | 6014.140  | 1.2                    | 1.2           |           |                        |               |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Talon, AWD, 4 Cyl (Incl. Turbo)                                            | 95-99 | 6015.140  | 1.3                    | 1.3           |           |                        |               |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| FIAT                                                                       |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| 500, Hatchback 1.4L 4 Cyl. (Incl. Convertible)(312)                        | 2012  | 3040.140  | 1.0                    | 1.4           | 4.4030    | 1.6                    | 1.8           |               |          |              |          |                           |
| 500 Abarth, 1.4L 4 Cyl. Turbo (312)                                        | 2012  | 3040.140  | 0.7                    | 1.2           | 4.4030    | 1.3                    | 1.5           |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| FORD                                                                       |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Edge, 3.5L V6, (FWD/AWD) (U387)                                            | 07-12 | 35117.540 | 1.7                    | 1.3           |           |                        |               |               |          |              |          |                           |
| Edge, 2.0L EcoBoost/3.5L V6, (FWD/AWD)                                     | 2012  | 35117.540 | 1.3                    | 1.0           |           |                        |               |               |          |              |          |                           |
| Edge Sport, 3.7L V6 w/Ti-VCT                                               | 2012  | 35117.540 | 1.3                    | 1.0           |           |                        |               |               |          |              |          |                           |
| Focus, 3-Door & 4-Door<br>(Incl. LX, SE, ZTS, ZX3 & Sports Models)         | 00-05 | 3588.140  | 1.4                    | 1.5           | 4.8835    | 2.0                    | 2.2           | 3588.310      | 22       | 3588.312(as) | 25       | 3588.320(as)              |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Focus, 5-Door                                                              | 00-05 | 3588.140  | 1.4                    | 1.6           | 4.8835    | 2.0                    | 2.2           | 3588.310      | 22       | 3588.312(as) | 25       | 3588.320(as)              |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Focus, 3-Door, 4-Door & 5-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)    | 06-07 |           |                        |               | 4.10835   | 2.0                    | 2.2           | 3588.310      | 22       | 3588.312(as) | 25       | 3588.320(as)              |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Focus, 3-Door, 4-Door & 5-Door<br>(Incl. LX, SE, ZTS, ZX3 & Sports Models) | 08-11 | 35119.140 | 1.1                    | 1.2           | 4.11935   | 1.6                    | 1.6           |               |          |              |          |                           |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Focus, 4-Door & 5-Door                                                     | 2012  | 35134.140 | 0.8                    | 0.8           | 4.13435   | 1.5                    | 1.5           | 35134.310     | 25(t)    | 35134.312    | 25(a,t)  | 35134.320                 |
| Fiesta, 4 & 5 door, 1.6L 4 Cyl                                             | 11-12 | 35123.140 | 1.0                    | 1.1           | 4.12335   | 1.8                    | 2.0           | 35123.310     | 25(t)    | 35123.312    | 22(t)    | 35123.320                 |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Fusion, 4 Cyl & 3.0L V6 (Exc. AWD)                                         | 06-12 | 35107.140 | 1.4                    | 1.4           |           |                        |               |               |          |              |          |                           |
| Fusion Sport, 3.5L V6                                                      | 2012  | 35137.140 | I/D                    | I/D           |           |                        |               |               |          |              |          |                           |
| Mustang Coupe - 4 & 6 Cyl                                                  |       |           |                        |               |           |                        |               |               |          |              |          |                           |
| Mustang Coupe, 4 Cyl & 6 Cyl<br>(Incl. Turbo & SVO) (FOX)                  | 79-93 | 3518.140  | 1.2                    | 1.0           |           |                        |               | 3510.310      | 36(t)    | 3510.312     | 25       | 3510.320                  |
|                                                                            |       |           |                        |               |           |                        |               |               |          |              |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.  
(a) Must order Part# 2815.320HKR if vehicle is not equipped with factory Rear ANTI-ROLL Bar.

(as) Vehicle without factory equipped rear ANTI-ROLL bar must purchase 3588.320HKR.  
(at) 5.1018K must be used when installing caster camber kit 5.3510K or 5.3518K with 3510.710 PRO-STREET.

(bc) IMPORTANT - Some vehicles may have two different upper control arm bushing diameters (39.5mm & 41.5mm) or both the same (39.5mm). To determine which alignment kit is required, please measure the outer bushing diameter on the most forward

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right                          | Degrees of Adjustment                                                                                    |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 2873.880(bt)                            | 2873.840                                   | 2873.780(bo)                           | 2873.680(bp)                                               | 5.66030K<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Front + / - 2.00 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50 |
|                                         | 2873.840                                   |                                        |                                                            | 5.66030K<br>5.66010K(bc)<br>5.66020K(bc)<br>5.66080K(bc)<br>5.66085K(bc) | Front + / - 2.0 Control Arm<br>Rear + / - 0.75<br>Rear + / - 1.50<br>Rear + / - 0.75<br>Rear + / - 1.50  |
| 2820.880(bk)(bt)                        |                                            |                                        |                                                            | 5.81260K<br>5.81250K                                                     | Front + / - 1.75<br>Rear + / - 1.75                                                                      |
| 2820.880(bt)                            |                                            |                                        |                                                            | 5.81260K<br>5.81250K<br>5.67210K                                         | Front + / - 1.75<br>Rear + / - 1.75<br>Rear Toe/Camber Arm + / - 3.50                                    |
|                                         |                                            |                                        |                                                            | 5.81260K<br>5.81250K<br>5.67210K                                         | Front + / - 1.75<br>Rear + / - 1.75<br>Rear Toe/Camber Arm + / - 3.50                                    |
|                                         |                                            |                                        |                                                            | 5.81280K<br>5.73620K                                                     | Front + / - 1.75<br>Rear +3.00 / -0.75                                                                   |
|                                         |                                            |                                        |                                                            | 5.81250K<br>5.67170K<br>5.73620K                                         | Front + / - 1.75<br>Front + / -1.50<br>Rear +3.00 / -0.75                                                |
|                                         |                                            |                                        |                                                            | 5.67170K<br>5.73620K                                                     | Front +/- 1.50<br>Rear +3.00 / -0.75                                                                     |
| 3588.880(as)(bt)                        | 3588.840                                   | 3588.780(bo)                           | 3588.680(as)(bp)                                           | 5.81320K<br>5.81310K<br>5.67420K                                         | Front + / - 1.00<br>Rear + / - 1.00<br>Rear -1.50 to + 5.00                                              |
| 3588.880(as)(bt)                        | 3588.840                                   | 3588.780(bo)                           | 3588.680(as)(bp)                                           | 5.81320K<br>5.81310K<br>5.67420K                                         | Front + / - 1.00<br>Rear + / - 1.00<br>Rear -1.50 to + 5.00                                              |
| (as)(bt)                                |                                            |                                        |                                                            | 5.81320K<br>5.81310K<br>5.67420K                                         | Front + / - 1.00<br>Rear + / - 1.00<br>Rear -1.50 to + 5.00                                              |
| 35134.880(bt)<br>35123.880(bt)          |                                            |                                        |                                                            | 5.81320K<br>5.81310K<br>5.67420K                                         | Front + / - 1.00<br>Rear + / - 1.00<br>Rear -1.50 to + 5.00                                              |
|                                         |                                            |                                        |                                                            | 5.67115K                                                                 | Front + / -1.50                                                                                          |
| 3518.881                                |                                            |                                        |                                                            | 5.3510K(at)                                                              | Front + / - 2.75                                                                                         |



Many struts on front-wheel-drive cars have a steering bearing located between the chassis and upper strut mount. Note the orientation and be sure not to contaminate or disassemble the bearing. Proper care must be taken to ensure this bearing is installed exactly as the factory installed it to prevent steering noises and premature wear of related steering components.



Reinstall all bolts in the same orientation (up or down) in which the manufacturer installed them.

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

arm of the rear suspension: 1) 41.5mm - Use Part# 5.66010K (+/-0.75 deg.) or 5.66020K (+/-1.5deg.) 2) 39.5mm - Use Part# 5.66080K (+/-0.75 deg.) or 5.66085K (+/-1.5 deg.)

(bk) Non SRT-4 models require aftermarket SRT-4 struts and additional hardware kit 2820.312HKR to install Eibach's ANTI-ROLL Kit.  
(bo) SPORT-SYSTEM available-see Eibach.com for details.

(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
(bt) SPORT-PLUS available-see Eibach.com for details.  
(t) This ANTI-ROLL Bar is tubular.

| Manufacture / Model                                         | Year  | PRO-KIT   |                        |                       | SPORTLINE |                        |                       | ANTI-ROLL-KIT |          |                        |             |                           |
|-------------------------------------------------------------|-------|-----------|------------------------|-----------------------|-----------|------------------------|-----------------------|---------------|----------|------------------------|-------------|---------------------------|
|                                                             |       |           | Approx. Lowering Front | Approx. Lowering Rear |           | Approx. Lowering Front | Approx. Lowering Rear | Front Only    | Diameter | Rear Only              | Diameter    | Complete Kit Front & Rear |
| FORD                                                        |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Coupe, 6 Cyl (Exc. Convertible) (SN95)              | 94-04 | 3518.140  | 1.5                    | 1.5                   |           |                        |                       | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| Mustang Coupe, 6 Cyl (Incl. Convertible) (S197)             | 05-09 | 35100.140 | 1.3                    | 1.4                   | 4.10035   | 1.6                    | 2.0                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| Mustang Coupe, 6 Cyl (S197)                                 | 2010  | 35101.140 | 1.3                    | 1.4                   | 4.10135   | 1.5                    | 1.9                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| Mustang Coupe, 3.7L V6                                      | 11-12 | 35125.140 | 0.8                    | 1.2                   | 4.12535   | 1.1                    | 1.7                   | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Mustang Coupe - V8                                          |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Coupe, V8 (Exc. Convertible) (FOX)                  | 79-93 | 3510.140  | 1.2                    | 1.0                   | 4.1035    | 1.7                    | 1.5                   | 3510.310      | 36(t)    | 3510.312               | 25          | 3510.320                  |
| DRAG LAUNCH KIT .....                                       |       | 9310.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Coupe, V8-4.6 & 5.0 (Exc. IRS & Convertible) (SN95) | 94-04 | 3510.140  | 1.1                    | 1.1                   | 4.1035    | 2.0                    | 1.8                   | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| DRAG LAUNCH KIT .....                                       |       | 9310.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Coupe, V8 (Incl. Convertible) (Exc. IRS) (S197)     | 05-10 | 35101.140 | 1.4                    | 1.5                   | 4.10135   | 1.6                    | 2.0                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| DRAG LAUNCH KIT .....                                       |       | 9329.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Coupe, 5.0L V8                                      | 11-12 | 35125.140 | 1.0                    | 1.5                   | 4.12535   | 1.3                    | 2.0                   | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| DRAG LAUNCH KIT .....                                       |       | 9330.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Boss 302                                            | 2012  | 35138.140 | I/D                    | I/D                   | 4.13835   | I/D                    | I/D                   | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Mustang Cobra Coupe (FOX)                                   | 79-93 | 3510.140  | 1.2                    | 1.0                   | 4.1035    | 1.7                    | 1.5                   | 3510.310      | 36(t)    | 3510.312               | 25          | 3510.320                  |
| DRAG LAUNCH KIT .....                                       |       | 9310.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Cobra Coupe (Exc. IRS & Convertible) (SN95)         | 94-98 | 3510.140  | 1.1                    | 1.1                   | 4.1035    | 2.0                    | 1.8                   | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| DRAG LAUNCH KIT .....                                       |       | 9310.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Cobra Coupe (w/IRS) (SN95)                          | 99-02 | 3590.140  | 1.4                    | 1.4                   |           |                        |                       | 3518.310      | 35(t)    | 3590.312               | 29          | 3590.320                  |
| Mustang Cobra Coupe (w/IRS) (SN95)                          | 03-04 | 3594.140  | 1.0                    | 1.4                   |           |                        |                       | 3518.310      | 35(t)    | 3590.312               | 29          | 3590.320                  |
| Mustang, Mach 1 Coupe, V8 (SN95)                            | 03-04 | 3510.140  | 1.1                    | 1.0                   | 4.1035    | 1.3                    | 1.4                   | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| DRAG LAUNCH KIT .....                                       |       | 9310.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Shelby GT500, Coupe, 5.4L V8 Supercharged (S197)            | 07-10 | 35115.140 | 1.5                    | 1.7                   | 4.11535   | 1.7                    | 2.2                   | 35101.310     | 35(a,t)  | 35115.312<br>35129.312 | 24<br>25(a) | 35115.320<br>35131.320    |
| Shelby GT500, Coupe, 5.4L V8 Supercharged                   | 2011  | 35115.140 | 1.0                    | 1.2                   | 4.11535   | 1.2                    | 1.7                   | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Mustang Convertible - 6 Cyl                                 |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Convertible, 6 Cyl (SN95)                           | 94-98 | 3531.140  | 1.5                    | 1.5                   |           |                        |                       | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| Mustang Convertible, 6 Cyl (SN95)                           | 99-04 | 3510.140  | 1.1                    | 1.1                   | 4.1035    | 1.7                    | 1.5                   | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| Mustang Convertible, 6 Cyl (S197)                           | 05-09 | 35100.140 | 1.3                    | 1.5                   | 4.10035   | 1.6                    | 2.0                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| Mustang Convertible, 6 Cyl (S197)                           | 2010  | 35101.140 | 1.3                    | 1.5                   | 4.10135   | 1.5                    | 2.0                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| Mustang Convertible, 3.7L V6                                | 11-12 | 35125.140 | 1.0                    | 1.0                   | 4.12535   | 1.4                    | 1.5                   | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Mustang Convertble - V8                                     |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Mustang Convertible, V8-5.0 (FOX)                           | 83-93 | 3514.140  | 1.2                    | 1.0                   |           |                        |                       | 3510.310      | 36(t)    | 3510.312               | 25          | 3510.320                  |
| Mustang Convertible, V8-4.6 & 5.0 (Exc. IRS) (SN95)         | 94-04 | 3530.140  | 1.3                    | 1.4                   |           |                        |                       | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| Mustang Convertible, V8 (S197)                              | 05-10 | 35101.140 | 1.4                    | 1.6                   | 4.10135   | 1.6                    | 2.3                   | 35101.310     | 35(a,t)  | 35101.312<br>35129.312 | 22<br>25(a) | 35101.320<br>35131.320    |
| DRAG LAUNCH KIT .....                                       |       | 9329.140  |                        |                       |           |                        |                       |               |          |                        |             |                           |
|                                                             |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |
| Continued                                                   |       |           |                        |                       |           |                        |                       |               |          |                        |             |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(at) 5.1018K must be used when installing caster camber kit 5.3510K or 5.3518K with 3510.710 PRO-STREET.

(bo) SPORT-SYSTEM available-see Eibach.com for details.  
(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



35

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT                    | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER    | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right                | Degrees of Adjustment                                                                                   |
|------------------------------------------------------------|--------------------------------------------|-------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 3518.880                                                   | 3514.840                                   | 3518.780                                  | 3518.680                                                   | 5.81280K<br>5.3518K(at)                                        | Front + / - 1.75<br>Front + / - 2.75                                                                    |
| 35100.880(bt)<br>35133.880(bt)                             | 35101.840                                  | 35100.780(bo)                             | 35100.680(bp)<br>35133.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35101.880(bt)<br>35131.880(bt)                             | 35101.840                                  | 35101.780(bo)                             | 35101.680(bp)<br>35131.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35125.880(bt)<br>35129.880(bt)                             | 35125.840                                  | 35125.780(bo)                             | 35125.680(bp)<br>35129.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 3510.880(bt)                                               | 3514.840                                   | 3510.780(bo)                              | 3510.680(bp)                                               | 5.3510K(at)                                                    | Front + / - 2.75                                                                                        |
| 3510.881(bt)                                               | 3514.840                                   | 3510.780(bo)                              | 3517.680(bp)                                               | 5.81280K<br>5.3518K(at)                                        | Front + / - 1.75<br>Front + / - 2.75                                                                    |
| 35101.880(bt)<br>35131.880(bt)                             | 35101.840                                  | 35101.780(bo)                             | 35101.680(bp)<br>35131.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35125.880(bt)<br>35129.880(bt)                             | 35125.840                                  | 35125.780(bo)                             | 35125.680(bp)<br>35129.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35138.880(bt)<br>35139.880(bt)                             |                                            |                                           |                                                            | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 3510.880(bt)                                               | 3514.840                                   | 3510.780(bo)                              | 3510.680(bp)                                               | 5.3510K (at)                                                   | Front + / - 2.75                                                                                        |
| 3510.881(bt)                                               | 3514.840                                   | 3510.780(bo)                              | 3517.680(bp)                                               | 5.3518K(at)                                                    | Front + / - 2.75                                                                                        |
| 3590.880<br>3594.880                                       |                                            |                                           |                                                            | 5.3518K(at)                                                    | Front + / - 2.75                                                                                        |
| 3510.881(bt)                                               | 3514.840                                   | 3510.780(bo)                              | 3517.680(bp)                                               | 5.3518K(at)                                                    | Front + / - 2.75                                                                                        |
| 35115.880(bt)<br>35132.880(bt)                             | 35101.840                                  | 35115.780(bo)                             | 35115.680(bp)<br>35132.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35128.880(bt)<br>35130.880(bt)                             | 35101.840                                  | 35115.780(bo)                             | 35128.680(bp)<br>35130.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 3531.880<br>3510.881(bt)<br>35100.880(bt)<br>35133.880(bt) | 3514.840<br>3514.840<br>35101.840          | 3531.780<br>3510.780(bo)<br>35100.780(bo) | 3531.680<br>3517.680(bp)<br>35100.680(bp)<br>35133.680(bp) | 5.3518K(at)<br>5.3518K(at)<br>5.81260K<br>5.72345K<br>5.72045K | Front + / - 2.75<br>Front + / - 2.75<br>Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar |
| 35101.880(bt)<br>35131.880(bt)                             | 35101.840                                  | 35101.780(bo)                             | 35101.680(bp)<br>35131.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 35125.880(bt)<br>35129.880(bt)                             | 35125.840                                  | 35125.780(bo)                             | 35125.680(bp)<br>35129.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                               | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                                         |
| 3514.880<br>3530.880<br>35101.880(bt)<br>35131.880(bt)     | 3514.840<br>3514.840<br>35101.840          | 3514.780<br>3530.780<br>35101.780(bo)     | 3514.680<br>3530.680<br>35101.680(bp)<br>35131.680(bp)     | 5.3510K(at)<br>5.3518K(at)<br>5.81260K<br>5.72345K<br>5.72045K | Front + / - 2.75<br>Front + / - 2.75<br>Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar |

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bt) SPORT-PLUS available—see Eibach.com for details.  
(n) This ANTI-ROLL Bar is non-adjustable.

s) This ANTI-ROLL Bar is solid.

(t) This ANTI-ROLL Bar is tubular.


| Manufacture / Model                                          | Year  | PRO-KIT   |                        |               | SPORTLINE |                        |               | ANTI-ROLL-KIT |          |                        |             |                           |
|--------------------------------------------------------------|-------|-----------|------------------------|---------------|-----------|------------------------|---------------|---------------|----------|------------------------|-------------|---------------------------|
|                                                              |       |           | Approx. Lowering Front | Lowering Rear |           | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only              | Diameter    | Complete Kit Front & Rear |
| FORD                                                         |       |           |                        |               |           |                        |               |               |          |                        |             |                           |
| Mustang Convertible, 5.0L V8                                 | 11-12 | 35125.140 | 1.0                    | 1.0           | 4.12535   | 1.4                    | 1.5           | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Mustang Cobra Convertible (Exc. IRS) (SN95)                  | 94-98 | 3530.140  | 1.3                    | 1.4           |           |                        |               | 3518.310      | 35(t)    | 3510.312               | 25          | 3518.320                  |
| Mustang Cobra Convertible (w/IRS) (SN95)                     | 99-02 | 3590.140  | 1.5                    | 1.5           |           |                        |               | 3518.310      | 35(t)    | 3590.312               | 29          | 3590.320                  |
| Mustang Cobra Convertible (w/IRS) (SN95)                     | 03-04 | 3594.140  | 1.0                    | 1.4           |           |                        |               | 3518.310      | 35(t)    | 3590.312               | 29          | 3590.320                  |
| Shelby GT500, Conv., 5.4L V8 Supercharged (S197)             | 07-10 | 35115.140 | 1.2                    | 1.8           |           |                        |               | 35101.310     | 35(a,t)  | 35115.312<br>35129.312 | 24<br>25(a) | 35115.320<br>35131.320    |
| Shelby GT500, Convertible, 5.4L V8 Supercharged              | 2011  | 35128.140 | I/D                    | I/D           | 4.12835   | I/D                    | I/D           | 35125.310     | 36(a,t)  | 35125.312<br>35129.312 | 25<br>25(a) | 35125.320<br>35129.320    |
| Taurus SHO, 3.5L V6 EcoBoost, AWD                            | 10-12 | 35124.140 | 0.8                    | 1.2           |           |                        |               |               |          |                        |             |                           |
| Taurus SE & SEL, 3.5L V6, FWD                                | 10-12 | 35127.140 | 0.8                    | 1.4           |           |                        |               |               |          |                        |             |                           |
| Thunderbird, 6 Cyl (Exc. Super Coupe)                        | 89-97 | 3522.140  | 1.2                    | 1.0           |           |                        |               |               |          |                        |             |                           |
| HONDA                                                        |       |           |                        |               |           |                        |               |               |          |                        |             |                           |
| Accord, 2 & 4 door, 4 Cyl (Incl. Wagon)                      | 90-97 | 4011.140  | 1.2                    | 1.2           | 4.1140(x) | 1.8                    | 1.7           |               |          |                        |             |                           |
| Accord, 2 & 4-door, 4 Cyl (Incl. EX, DX & LX)                | 98-02 | 4040.140  | 1.5                    | 1.5           | 4.4040    | 2.0                    | 2.0           | 4040.310      | 27(t)    | 4040.312               | 23          | 4040.320                  |
| Accord, 2 & 4-door, 6 Cyl (Incl. EX, DX & LX)                | 98-02 | 4041.140  | 1.5                    | 1.5           |           |                        |               | 4040.310      | 27(t)    | 4040.312               | 23          | 4040.320                  |
| Accord, 2 & 4-door, 4 Cyl                                    | 03-07 | 4045.140  | 1.2                    | 1.3           | 4.4540    | 1.9                    | 1.4           |               |          |                        |             |                           |
| Accord, 2 & 4-door, 2.4L I4                                  | 08-12 | 4077.140  | 1.2                    | 1.0           | 4.7740    | 1.5                    | 1.4           |               |          |                        |             |                           |
| Accord, 2 & 4-door, V6 (Exc. Hybrid)                         | 03-05 | 4044.140  | 1.3                    | 1.2           | 4.4440    | 1.9                    | 1.4           |               |          |                        |             |                           |
| Accord, 2-door, 3.5L V6                                      | 08-12 | 4076.140  | 1.2                    | 1.0           |           |                        |               |               |          |                        |             |                           |
| Accord, 4-door, 3.5L V6 (Exc. Hybrid)                        | 08-12 | 4082.140  | 1.4                    | 1.4           |           |                        |               |               |          |                        |             |                           |
| Civic / CRX (Exc. Wagon)                                     | 88-91 | 4007.140  | 1.2                    | 1.0           |           |                        |               |               |          |                        |             |                           |
| Civic, 2 & 4-door                                            | 92-95 | 4017.140  | 1.4                    | 1.2           | 4.1740    | 1.6                    | 1.6           | 4017.310(h)   | 26       | 4017.312(ch)           | 17          | 4017.321(h)(ch)           |
| Civic, 2 & 4-door (Incl. EX, DX, HX, LX, & Hatchback Models) | 96-00 | 4018.140  | 1.5                    | 1.3           | 4.1740    | 1.8                    | 1.8           | 4018.310(h)   | 26       | 4018.312(cg)           | 17          | 4018.320(h)(cg)           |
| Continued                                                    |       |           |                        |               |           |                        |               |               |          |                        |             |                           |

(a) This ANTI-ROLL Bar is adjustable.  
 (bo) SPORT-SYSTEM available-see Eibach.com for details.

(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
 (bt) SPORT-PLUS available-see Eibach.com for details.

(cg) To work with non-Si models without factory rear anti-roll bar, the factory endlinks and hardware must be purchased from Honda.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT                                           | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment                                                                         |
|-----------------------------------------------------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 35125.880(bt)<br>35129.880(bt)                                                    | 35125.840                                  | 35125.780(bo)                          | 35125.680(bp)<br>35129.680(bp)                             | 5.81260K<br>5.72345K<br>5.72045K                | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                               |
| 3530.880                                                                          | 3514.840                                   | 3530.780                               | 3530.680                                                   | 5.3518K(at)                                     | Front + / - 2.75                                                                              |
| 3590.880                                                                          |                                            |                                        |                                                            | 5.3518K(at)                                     | Front + / - 2.75                                                                              |
| 3594.880                                                                          |                                            |                                        |                                                            | 5.3518K(at)                                     | Front + / - 2.75                                                                              |
| 35115.880<br>35132.880                                                            | 35101.840                                  | 35115.780                              | 35115.680<br>35132.680                                     | 5.81260K<br>5.72345K<br>5.72045K                | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                               |
|                                                                                   |                                            |                                        | 35130.680(bp)                                              | 5.81260K<br>5.72345K<br>5.72045K                | Front + / - 1.75<br>Rear Trailing Arms<br>Rear Adj. Panhard bar                               |
|  |                                            |                                        |                                                            |                                                 |                                                                                               |
| 4040.880(bt)                                                                      | 4041.840                                   | 4040.780(bo)                           | 4040.680(bp)                                               | 5.67145K<br>5.67340K<br>5.67265K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +3.50 / -2.00                                 |
|                                                                                   |                                            |                                        |                                                            | 5.67125K<br>5.67320K<br>5.67090K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +4.00 / - 2.00 Control Arm                    |
| 4041.880                                                                          | 4041.840                                   | 4041.780                               | 4041.680                                                   | 5.67125K<br>5.67320K<br>5.67090K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear +4.00 / - 2.00 Control Arm                    |
|                                                                                   |                                            |                                        |                                                            | 5.67135K<br>5.67320K<br>5.67290K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj arm -2.00 / +4.00                         |
|                                                                                   |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.0                         |
|                                                                                   |                                            |                                        |                                                            | 5.67135K<br>5.67320K<br>5.67290K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj arm -2.00 / +4.00                         |
|                                                                                   |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.00                        |
|                                                                                   |                                            |                                        |                                                            | 5.67135K<br>5.67330K<br>5.67540K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear adj. arm set + / -3.0                         |
|                                                                                   |                                            |                                        |                                                            | 5.67125K<br>5.67320K<br>5.67030K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00                            |
|                                                                                   |                                            |                                        |                                                            | 5.69200K(ap)<br>5.69460K<br>5.69250K            | Performance Control Arm<br>Toe Adjuster<br>Toe Adjuster                                       |
| 4017.880(bt)(h)(ch)                                                               | 4017.840                                   | 4017.780(bo)                           | 4017.680(h)(bp)                                            | 5.67135K<br>5.67330K<br>5.67030K                | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00                            |
|                                                                                   |                                            |                                        |                                                            | 5.69200K(ap)<br>5.69250K<br>5.69450K            | Performance Control Arm<br>Rear Toe Adjuster<br>Rear Toe Adjuster                             |
| 4018.880(bt)(h)(cg)                                                               | 4018.840                                   | 4018.780 (bo)                          | 4018.680(h)(bp)                                            | 5.67135K<br>5.67330K<br>5.62010K                | Front -1.50 / +1.50<br>Front +1.50 / +3.00<br>Front -0.50 / +3.50 (Control Arm w/ Ball Joint) |
|                                                                                   |                                            |                                        |                                                            | 5.72150K<br>5.67030K<br>5.69450K                | Front +3.50 / -2.50<br>Rear Arm +2.00 / - 5.00<br>Rear Toe Adjuster                           |
|                                                                                   |                                            |                                        |                                                            | 5.69100K                                        | Performance Control Arm                                                                       |

\* Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(ch) To work with models without factory rear anti-roll bar, the factory endlinks, lower control arms and hardware must be purchased from Honda.

(h) To work with models without Factory Front or Rear Bars, the OE Lower Control Arms that supports a Front Bar or Rear Bar will have to be purchased along with additional hardware from Honda.

(t) This ANTI-ROLL Bar is tubular.  
(x) Not recommended for wagon.

| Manufacture / Model                                             | Year     | PRO-KIT      |                        |               | SPORTLINE  |                        |               | ANTI-ROLL-KIT |          |                  |          |                           |
|-----------------------------------------------------------------|----------|--------------|------------------------|---------------|------------|------------------------|---------------|---------------|----------|------------------|----------|---------------------------|
|                                                                 |          |              | Approx. Lowering Front | Lowering Rear |            | Approx. Lowering Front | Lowering Rear | Front Only    | Diameter | Rear Only        | Diameter | Complete Kit Front & Rear |
| HONDA                                                           |          |              |                        |               |            |                        |               |               |          |                  |          |                           |
| Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid) | 01-02    | 4051.140     | 1.0                    | 1.0           | 4.5140     | 1.4                    | 1.4           | 4051.310      | 26       | 4051.312(bh)     | 16(a)    | 4051.320(bh)              |
| Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid) | 03-05    | 4051.140     | 1.0                    | 1.0           | 4.5140     | 1.4                    | 1.4           | 4051.310      | 26       | 4051.312(bh)     | 16(a)    | 4051.320(bh)              |
| Civic, 2 & 4-door, 4 Cyl, 2WD (Incl. Hybrid) (FG2/FA5)          | 06-11    | 4031.140     | 1.0                    | 1.2           | 4.3140(br) | 1.4                    | 1.4           | 4031.310(br)  | 30       | 4031.312(bd)(br) | 19(a)    | 4031.320(bd)(br)          |
| Civic Si                                                        | 99-00    | 4018.140     | 1.5                    | 1.1           | 4.1740     | 1.6                    | 1.6           |               |          | 4018.312         | 17       |                           |
| Civic Si                                                        | 02-05    | 4056.140     | 1.0                    | 1.1           | 4.5640     | 1.4                    | 1.5           |               |          |                  |          |                           |
| Civic Si, Coupe, 2.0L 4 Cyl. (FG2)                              | 06-11    | 4031.140     | 1.0                    | 1.2           | 4.3140     | 1.4                    | 1.4           | 4031.310      | 30       | 4031.312         | 19(a)    | 4031.320                  |
| Civic Si Sedan, 2.0L 4 Cyl. (FA5)                               | 07-11    | 4031.140     | 1.2                    | 1.0           | 4.3140     | 1.4                    | 1.4           | 4031.310      | 30       | 4031.312         | 19(a)    | 4031.320                  |
| Civic, 2 & 4-door, 1.8L 4 Cyl                                   | 2012     | 4087.140     | I/D                    | I/D           | 4.8740     | I/D                    | I/D           | 4087.310      | I/D      | 4031.312         | 19(a)    | 4087.320                  |
| Civic Si, 2.4L 4 Cyl                                            | 2012     | 4088.140     | I/D                    | I/D           | 4.8840     | I/D                    | I/D           | 4087.310      | I/D      | 4031.312         | 19(a)    | 4087.320                  |
| CR-Z                                                            | 2011     | 4085.140     | 1.0                    | 1.0           | 4.8540     | 1.5                    | 1.5           |               |          |                  |          |                           |
| Del Sol (Exc. DOHC V-Tec)                                       | 93-97    | 4017.140     | 1.2                    | 1.2           | 4.1740     | 1.8                    | 1.8           | 4017.310(h)   | 26       | 4017.312(ch)     | 17       | 4017.321(h)(ch)           |
| Element, (2WD/AWD)                                              | 03-06    | 4063.540     | 1.7                    | 1.7           |            |                        |               |               |          |                  |          |                           |
| Element, (2WD/AWD), 2.4L I4                                     | 07-11    | 4075.540     | 1.5                    | 2.0           |            |                        |               |               |          |                  |          |                           |
| Element SC, (2WD/AWD), 2.4L I4                                  | 07-11    | 4075.540     | 1.0                    | 1.5           |            |                        |               |               |          |                  |          |                           |
| Fit, 4 Cyl, (Incl. Sport; Exc. Jazz)                            | 07-08    |              |                        |               | 4.6940     | 2.0                    | 1.8           |               |          |                  |          |                           |
| Fit, 4 Cyl, (Incl. Sport)                                       | 09-12    | 4081.140     | 1.2                    | 1.4           | 4.8140     | 1.8                    | 2.0           |               |          |                  |          |                           |
| Insight                                                         | 10-11    | 4083.140     | 1.0                    | 1.0           |            |                        |               |               |          |                  |          |                           |
| Prelude, (Exc. SH Option)                                       | 97-02    | 4035.140     | 1.3                    | 1.3           |            |                        |               |               |          |                  |          |                           |
| S2000                                                           | 00-09    | 4043.140(bn) | 1.0                    | 1.0           |            |                        |               | 4043.310      | 32(a,t)  | 4043.312         | 29(a,t)  | 4043.320                  |
| HYUNDAI                                                         |          |              |                        |               |            |                        |               |               |          |                  |          |                           |
| Accent                                                          | 11/99-05 | 4215.140     | 1.2                    | 1.2           |            |                        |               |               |          |                  |          |                           |
| Elantra (XD)                                                    | 01-05    | 4218.140     | 1.0                    | 1.0           |            |                        |               |               |          |                  |          |                           |
| Genesis Coupe, 2.0L 4Cyl. Turbo                                 | 09-12    | 4244.140     | 1.2                    | 1.3           | 4.4442     | 1.4                    | 1.6           | 4244.310      | 29(a,t)  | 4244.312         | 22(a,t)  | 4244.320                  |
| Genesis Coupe, 3.8L V6                                          | 09-12    | 4244.140     | 1.0                    | 1.2           | 4.4442     | 1.4                    | 1.6           | 4244.310      | 29(a,t)  | 4244.312         | 22(a,t)  | 4244.320                  |
| Sonata, 2.4L 4 Cyl & 3.3L V6 (NF)                               | 06-10    | 4240.140     | 1.2                    | 1.2           |            |                        |               |               |          |                  |          |                           |
| Sonata, 2.4L 4 Cyl. (YF)                                        | 11-12    | 4246.140     | 1.0                    | 0.8           |            |                        |               |               |          |                  |          |                           |
| Tiburon, 4 Cyl & 6 Cyl                                          | 03-08    | 4220.140     | 1.1                    | 1.1           | 4.2042     | 1.6                    | 1.6           |               |          |                  |          |                           |
| Tucson, 4 Cyl & 6 Cyl                                           | 05-08    | 4239.540     | 1.4                    | 1.0           |            |                        |               |               |          |                  |          |                           |
| Veloster, 1.6L 4 Cyl                                            | 2012     | 4247.140     | I/D                    | I/D           | 4.4742     | I/D                    | I/D           |               |          |                  |          |                           |
| INFINITI                                                        |          |              |                        |               |            |                        |               |               |          |                  |          |                           |
| FX35, 2WD / AWD (S50)                                           | 03-08    | 6366.540     | 1.2                    | 1.2           |            |                        |               |               |          |                  |          |                           |
| FX35, 2WD / AWD (S51)                                           | 09-12    | 63101.540    | 1.0                    | 1.0           |            |                        |               |               |          |                  |          |                           |
| FX45, 2WD / AWD (S50)                                           | 03-08    | 6366.540     | 1.2                    | 1.2           |            |                        |               |               |          |                  |          |                           |
| Continued                                                       |          |              |                        |               |            |                        |               |               |          |                  |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.  
 (ap) Performance Control Arm - provides additional wheel clearance and camber change. It is recommended to install Toe Adjusters with this control arm.

(bd) Non Si will require rear hardware kit 4031.312HXR.  
 (bh) Fits EX models. HX, LX, DX & GX models require additional OE mounting hardware to install rear bar.

(bn) Will lower more than 1 inch with CR models.  
 (bp) SPORT-SYSTEM available-see Eibach.com for details.  
 (bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right                                                              | Degrees of Adjustment                                                                                                                                                                                    |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4051.880(bh)                            |                                            |                                        |                                                            | 5.81260K<br>5.67230K<br>5.69300K                                                                             | Front + / - 1.75<br>Rear Upper Arm +6.00 / -4.00<br>Performance Control Arm                                                                                                                              |
| 4051.880(bh)                            |                                            |                                        |                                                            | 5.81280K<br>5.67230K<br>5.69300K                                                                             | Front + / - 1.75<br>Rear Upper Arm +6.00 / -4.00<br>Performance Control Arm                                                                                                                              |
| 4031.880(bd)(br)(bt)                    |                                            |                                        |                                                            | 5.81260K<br>5.67470K                                                                                         | Front + / - 1.75<br>Rear + / - 3.00                                                                                                                                                                      |
|                                         | 4018.840                                   | 4018.780(bo)                           |                                                            | 5.62010K<br>5.72150K<br>5.67030K                                                                             | Front -0.50 / +3.50 (Control Arm w/ Ball Joint)<br>Front +3.50 / -2.50<br>Rear Arm +2.00 / - 5.00                                                                                                        |
|                                         |                                            |                                        |                                                            | 5.81280K<br>5.67230K                                                                                         | Front + / - 1.75<br>Rear Upper Arm +6.00 / -4.00                                                                                                                                                         |
| 4031.880(bt)                            |                                            |                                        |                                                            | 5.81260K<br>5.67470K                                                                                         | Front + / - 1.75<br>Rear + / - 3.00                                                                                                                                                                      |
| 4031.880(bt)                            |                                            |                                        |                                                            | 5.81260K                                                                                                     | Front + / - 1.75                                                                                                                                                                                         |
| 4087.880(bt)                            |                                            |                                        |                                                            | 5.67470K                                                                                                     | Rear + / - 3.00                                                                                                                                                                                          |
| 4088.880(bt)                            |                                            |                                        |                                                            |                                                                                                              |                                                                                                                                                                                                          |
| 4017.880(bt)(h)(ch)                     | 4017.840                                   | 4017.780(bo)                           | 4017.680(h)(bp)                                            | 5.81260K<br>5.67135K<br>5.67330K<br>5.67030K<br>5.69200K(ap)<br>5.69250K<br>5.69450K<br>5.67430K<br>5.69400K | Front + / - 1.75<br>Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear Arm +2.00 / - 5.00<br>Performance Control Arm<br>Toe Adjuster<br>Rear Toe Adjuster<br>Rear Arm-4.00/+6.00<br>Performance Control Arm |
|                                         |                                            |                                        |                                                            | 5.81280K<br>5.67430K<br>5.81280K<br>5.67430K                                                                 | Front + / - 1.75<br>Rear Arm-4.00/+6.00<br>Front + / - 1.75<br>Rear Arm-4.00/+6.00                                                                                                                       |
|                                         |                                            |                                        |                                                            | 5.81260K<br>5.81260K                                                                                         | Front +/- 1.75<br>Front +/- 1.75                                                                                                                                                                         |
|                                         |                                            |                                        |                                                            | 5.67155K<br>5.67350K<br>5.67165K<br>5.67360K                                                                 | Front + / - 1.50<br>Front +1.50 / +3.00<br>Rear + / - 1.50<br>Rear +1.50 / +3.00                                                                                                                         |
| 4043.880                                |                                            |                                        |                                                            | 5.67220K<br>5.67220K(cf)                                                                                     | Front +1.50 / -1.50<br>Rear +1.50 / -1.50                                                                                                                                                                |
|                                         |                                            |                                        |                                                            | 5.81250K<br>5.81260K<br>5.81260K<br>5.67195K                                                                 | Front + / - 1.75<br>Front +/- 1.75<br>Front +/- 1.75<br>Front + / - 1.50                                                                                                                                 |
| 4244.880 (bt)                           |                                            |                                        |                                                            |                                                                                                              |                                                                                                                                                                                                          |
| 4244.880 (bt)                           |                                            |                                        |                                                            | 5.81260K<br>5.81250K<br>5.81260K<br>5.81260K                                                                 | Front +/-1.75<br>Rear +/-1.75<br>Front +/-1.75<br>Rear +/-1.75                                                                                                                                           |



**Tech Tip**  
Re-torque your mounting bolts.  
After the first 500 miles on Eibach  
Springs and after each track event,  
you should re-torque all mounting  
bolts.

\*Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(br) Exclude Hybrid models.  
(bt) SPORT-PLUS available—see [Eibach.com](http://Eibach.com) for details.  
(cf) Rear applications are ONLY for vehicles equipped  
with 17" rims or larger.

(h) To work with models without Factory Front or Rear Bars,  
the OE Lower Control Arms that supports a Front Bar or Rear  
Bar will have to be purchased along with additional hardware  
from Honda.

(t) This ANTI-ROLL Bar is tubular.

| Manufacture / Model                                            | Year     | PRO-KIT   |                           |      | SPORTLINE |                           |      | ANTI-ROLL-KIT |          |           |          |                              |
|----------------------------------------------------------------|----------|-----------|---------------------------|------|-----------|---------------------------|------|---------------|----------|-----------|----------|------------------------------|
|                                                                |          |           | Approx. Lowering<br>Front | Rear |           | Approx. Lowering<br>Front | Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit<br>Front & Rear |
| INFINITI                                                       |          |           |                           |      |           |                           |      |               |          |           |          |                              |
| FX50, 2WD / AWD (S51)                                          | 09-12    | 63102.540 | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| G20, 4 Cyl                                                     | 06/98-01 | 6336.140  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| G25                                                            | 2011     | 63100.140 | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| G35, 4-door (V35)                                              | 02-06    | 6363.140  | 1.1                       | 1.1  |           |                           |      | 6364.310      | 34(a,t)  | 6364.312  | 22(a,t)  | 6364.320                     |
| G35, Coupe, 3.5L V6 (V35)                                      | 03-07    | 6365.140  | 1.1                       | 1.0  | 4.6563    | 1.6                       | 1.4  | 6364.310      | 34(a,t)  | 6364.312  | 22(a,t)  | 6364.320                     |
| G35, Sedan, 3.5L V6 (Incl. "S", Exc. AWD) (V36)                | 07-08    | 6383.140  | 1.4                       | 1.3  |           |                           |      | 6393.310      | 32(a,t)  | 6393.312  | 29(a,t)  | 6393.320                     |
| G35x, Sedan, 3.5L V6 AWD (V36)                                 | 07-08    | 6399.140  | 1.4                       | 1.2  |           |                           |      |               |          |           |          |                              |
| G37, Coupe, 3.7L V6 (Incl. "S" & Active Steer. Exc. AWD) (V36) | 08-11    | 6388.140  | 1.2                       | 0.8  |           |                           |      | 6393.310      | 32(a,t)  | 6393.312  | 29(a,t)  | 6393.320                     |
| G37x, Coupe, 3.7L V6 AWD (V36)                                 | 09-11    | 6394.140  | 1.9                       | 1.6  |           |                           |      |               |          |           |          |                              |
| G37 Coupe IPL                                                  | 2011     | 63105.140 | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| G37, Sedan, 3.7L V6 (Incl. "S", Exc. AWD) (V36)                | 09-11    | 6390.140  | 1.5                       | 1.2  |           |                           |      | 6393.310      | 32 (a,t) | 6393.312  | 29 (a,t) | 6393.320                     |
| I30, 6 Cyl                                                     | 95-99    | 6334.140  | 1.5                       | 1.3  |           |                           |      |               |          |           |          |                              |
| I30, 6 Cyl                                                     | 00-01    | 6350.140  | 1.3                       | 1.0  |           |                           |      |               |          |           |          |                              |
| I35, 6 Cyl                                                     | 02-04    | 6350.140  | 1.3                       | 1.0  |           |                           |      |               |          |           |          |                              |
| M35, 3.5L V6, RWD (Exc. AWD) (Y50)                             | 06-10    | 6376.140  | 1.6                       | 1.0  |           |                           |      |               |          |           |          |                              |
| M45, 4.5L V8 (Y50)                                             | 06-10    | 6376.140  | 1.6                       | 1.0  |           |                           |      |               |          |           |          |                              |
| M37, 3.7L V6 (Y51)                                             | 10-12    | 6398.140  | 1.2                       | 0.8  |           |                           |      |               |          |           |          |                              |
| M56, 5.6L V8 (Y51)                                             | 10-12    | 6397.140  | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| JAGUAR                                                         |          |           |                           |      |           |                           |      |               |          |           |          |                              |
| X-Type, 6 Cyl (W/O Cats)                                       | 02-05    | 4512.140  | 1.4                       | 1.4  |           |                           |      |               |          |           |          |                              |
| XF, 4.2L V8                                                    | 08-10    | 4513.140  | 1.2                       | 1.0  |           |                           |      |               |          |           |          |                              |
| JEEP                                                           |          |           |                           |      |           |                           |      |               |          |           |          |                              |
| Grand Cherokee, 2WD / 4WD, 6 Cyl & 8 Cyl                       | 99-04    | 2837.540  | 1.0                       | 1.3  |           |                           |      | 2837.310      | 34(a)    | 2837.312  | 18(a)    | 2837.320                     |
| Grand Cherokee, 2WD / 4WD, 8 Cyl (Exc. SRT8) (WK)              | 05-10    | 2839.540  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Grand Cherokee, 2WD / 4WD (Exc. SRT8)                          | 11-12    | 28108.540 | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| Grand Cherokee, SRT-8, 6.1L V8 HEMI                            | 06-10    | 2892.540  | 1.0                       | 1.1  |           |                           |      |               |          |           |          |                              |
| Grand Cherokee, SRT-8, 6.4L V8 HEMI                            | 2012     | 28109.540 | I/D                       | I/D  |           |                           |      |               |          |           |          |                              |
| Liberty (KJ)                                                   | 9/01-07  | 2869.540  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| KIA                                                            |          |           |                           |      |           |                           |      |               |          |           |          |                              |
| Forte Koup, 4 Cyl 2-door                                       | 10-12    | 4617.140  | 1.2                       | 1.0  |           |                           |      |               |          |           |          |                              |
| Forte, Sedan, 4 Cyl 4-door                                     | 10-12    | 4617.140  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Rio, 4-door                                                    | 08/00-05 | 4610.140  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Soul, 4 Cyl.                                                   | 09-11    | 4616.140  | 1.0                       | 1.0  |           |                           |      |               |          |           |          |                              |
| Sportage V6                                                    | 05-09    | 4614.540  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Sorento, 2WD/4WD                                               | 02-09    | 4612.540  | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| LEXUS                                                          |          |           |                           |      |           |                           |      |               |          |           |          |                              |
| GS 300 (JZS1)                                                  | 98-05    | 8255.140  | 1.0                       | 1.0  |           |                           |      |               |          |           |          |                              |
| GS 300/350, V6 (Exc. AWD)                                      | 06-11    | 8285.140  | 1.3                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Continued                                                      |          |           |                           |      |           |                           |      |               |          |           |          |                              |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(b) Including AWD.



Automotive



Leave a 1/4" to 1/2" space between the end of the coil and the spring seat pocket. This will help prevent spring noise when encountering large bumps.

\* Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(bt) SPORT-PLUS available-see Eibach.com for details.

(t) This ANTI-ROLL Bar is tubular.

| Manufacture / Model                                              | Year        | PRO-KIT   |                           |                  | SPORTLINE |                           |                  | ANTI-ROLL-KIT |          |           |          |                              |
|------------------------------------------------------------------|-------------|-----------|---------------------------|------------------|-----------|---------------------------|------------------|---------------|----------|-----------|----------|------------------------------|
|                                                                  |             |           | Approx. Lowering<br>Front | Lowering<br>Rear |           | Approx. Lowering<br>Front | Lowering<br>Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit<br>Front & Rear |
| LEXUS                                                            |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| GS 400 (UZS1)                                                    | 98-00       | 8255.140  | 1.0                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| GS 430 (UZS1)                                                    | 01-05       | 8255.140  | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| GS 430, V8, 2WD                                                  | 06-08       | 8285.140  | 1.5                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| IS 250, 2.5L V6, 2WD                                             | 06-11       | 8288.140  | 1.4                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| IS 300, (Incl. Sport Cross) (JCE1)                               | 01-05       | 8260.140  | 1.0                       | 1.0              | 4.6082    | 1.4                       | 1.4              | 8260.310      | 28       | 8260.312  | 17(a)    | 8260.320                     |
| IS 350, 3.5L V6, 2WD                                             | 06-11       | 8287.140  | 1.0                       | 0.8              |           |                           |                  |               |          |           |          |                              |
| IS-F, 5.0L V8                                                    | 08-11       | 8289.140  | 0.7                       | 0.3              |           |                           |                  |               |          |           |          |                              |
| RX 330 / 350 / 400h                                              | 6/03-08     | 8282.540  | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| LINCOLN                                                          |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| LS, V8 & V6                                                      | 00-06       | 3592.140  | 1.0                       | 1.1              |           |                           |                  |               |          |           |          |                              |
| MKX, 3.5L V6 (FWD/AWD) (U388)                                    | 07-11       | 35117.540 | 1.7                       | 1.3              |           |                           |                  |               |          |           |          |                              |
| MKX, 3.7L V6 (FWD/AWD)                                           | 2012        | 35117.540 | 1.3                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| Zephyr (Exc. AWD)                                                | 2006        | 35107.140 | 1.6                       | 1.6              |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| MAZDA                                                            |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| 2 (DE)                                                           | 2011        | 5555.140  | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| 3, (Incl. 5-door)                                                | 04-09       | 5545.140  | 1.4                       | 1.2              | 4.4555    | 1.8                       | 1.6              |               |          |           |          |                              |
| 3, 4 Cyl. (Incl. 5-door)                                         | 10-11       | 5553.140  | 1.2                       | 1.1              | 4.5355    | 2.0                       | 2.0              |               |          |           |          |                              |
| 3, 4 Cyl. (Incl. 5-door)                                         | 2012        | 5556.140  | I/D                       | I/D              | 4.5655    | I/D                       | I/D              |               |          |           |          |                              |
| Mazdaspeed3, 2.3L 4Cyl. Turbo                                    | 07-09       | 5549.140  | 0.8                       | 0.7              |           |                           |                  |               |          |           |          |                              |
| Mazdaspeed3, 2.3L 4Cyl. Turbo                                    | 10-11       | 5554.140  | 1.0                       | 0.6              |           |                           |                  |               |          |           |          |                              |
| 6, 4 Cyl                                                         | 03-08       | 5542.140  | 1.5                       | 1.4              |           |                           |                  |               |          |           |          |                              |
| 6, 2.5L 4 Cyl.                                                   | 09-12       | 5550.140  | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| 6, V6, 2WD                                                       | 03-08       | 5543.140  | 1.5                       | 1.4              |           |                           |                  |               |          |           |          |                              |
| 6, 3.7L V6, 2WD                                                  | 09-12       | 5551.140  | 1.2                       | 1.4              |           |                           |                  |               |          |           |          |                              |
| 6, Wagon, 4 Cyl                                                  | 03-07       | 5547.140  | 1.6                       | 1.6              |           |                           |                  |               |          |           |          |                              |
| Mazdaspeed6, 4 Cyl Turbo, AWD                                    | 06-07       | 5543.140  | 1.5                       | 1.4              |           |                           |                  |               |          |           |          |                              |
| Miata                                                            | 90-93       | 5515.140  | 1.0                       | 1.0              |           |                           |                  | 5517.310      | 24(a)    | 5517.312  | 15(a)    | 5517.320(aa)                 |
| Miata                                                            | 94-98       | 5515.140  | 1.0                       | 1.0              |           |                           |                  | 5515.310      | 24(a)    | 5517.312  | 15(a)    | 5515.320(ab)                 |
| Miata                                                            | 99-05       | 5535.140  | 1.3                       | 1.3              |           |                           |                  | 5530.310      | 27       | 5517.312  | 15(a)    | 5530.320                     |
| Miata / MX-5                                                     | 06-12       | 5536.140  | 1.5                       | 1.3              |           |                           |                  | 5536.310      | 25(t)    | 5536.312  | 16(a,t)  | 5536.320                     |
| Protegé                                                          | 99-04       | 5540.140  | 1.4                       | 1.8              |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| Protegé 5                                                        | 01-04       | 5541.140  | 1.4                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| RX-8                                                             | 03-11       | 5544.140  | 1.2                       | 0.8              |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| MERCEDES                                                         |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| B200, (Incl. Turbo) (W245)                                       | 05-08       | 2574.140  | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| C220 (Exc. S/Lev) (W202)                                         | 01/96-00    | 2544.140  | 1.7(v)                    | 1.8(v)           |           |                           |                  |               |          |           |          |                              |
| C220 / C230 (Exc. Kompressor & S/Lev) (W202)                     | 96-00       | 2544.140  | 1.7(v)                    | 1.8(v)           |           |                           |                  |               |          |           |          |                              |
| C230K (Incl. Sport & Kompressor; Exc. S/Lev) (W202)              | 96-00       | 2545.140  | 1.7(v)                    | 1.8(v)           |           |                           |                  |               |          |           |          |                              |
| C230 / C230K, Sedan (W203)                                       | 00-07       | 2582.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| C240 / C320 / C350, Sedan, Exc. AWD & S/Lev (W203)               | 06/00-07    | 2563.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| C280 (W202)                                                      | 01/96-05/00 | 2545.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| C300 / C350, Sedan, Exc. AWD & S/Lev (W204)                      | 07-12       | 2578.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  | 2578.310      | 28       | 2578.312  | 21       | 2578.320                     |
| C36, 6 Cyl (W202)                                                | 01/96-05/00 | 2545.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| C43, 8 Cyl (W202)                                                | 98-00       | 2545.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| C-Class, Sports Coupe, 4 Cyl (W203)                              | 02-04       | 2564.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  | 2564.310      | 24       | 2564.312  | 22       | 2564.320                     |
| CLK230, (Exc. Kompressor & Cabrio) (W208)                        | 06/97-02    | 2544.140  | 1.7(v)                    | 1.9(v)           |           |                           |                  |               |          |           |          |                              |
| CLK320 / CLK430, (Exc. Cabrio) (W208)                            | 06/97-02    | 2545.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| CLK320 / CLK430 / CLK500, 6 Cyl & 8 Cyl<br>(Incl. Cabrio) (W209) | 06/02-08    | 2563.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
| CLK350, V6 (Incl. Cabrio) (W209)                                 | 06-08       | 2563.140  | 1.2(v)                    | 1.2(v)           |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
|                                                                  |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |
| Continued                                                        |             |           |                           |                  |           |                           |                  |               |          |           |          |                              |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(aa) ANTI-ROLL-Kit fits only years 1990-1993 These components are adjustable.

(ab) ANTI-ROLL-Kit fits only years 1994-1998 These components are adjustable.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



43

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT      | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment                          |
|----------------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|------------------------------------------------|
|                                              |                                            |                                        |                                                            | 5.72270K<br>5.67510K                            | Front + / - 2.00<br>Rear + 1.00                |
|                                              |                                            |                                        |                                                            | 5.72270K<br>5.67510K                            | Front + / - 2.00<br>Rear + 1.00                |
| 8260.880(bt)                                 |                                            |                                        |                                                            | 5.67525K<br>5.67515K                            | Front + / - 1.50<br>Rear + 1.00                |
|                                              |                                            |                                        |                                                            | 5.81290K<br>5.81270K                            | Front + / -1.75<br>Rear + / -1.75              |
|                                              |                                            |                                        |                                                            | 5.87545K<br>5.81280K                            | Front + / - 1.00<br>Front + / - 1.75           |
|                                              |                                            |                                        |                                                            | 5.67115K                                        | Front + / -1.50                                |
|                                              |                                            |                                        |                                                            | 5.67420K<br>5.67420K                            | Rear - 1.50 to + 5.00<br>Rear - 1.50 to + 5.00 |
|                                              |                                            |                                        |                                                            | 5.67420K<br>5.67420K                            | Rear - 1.50 to + 5.00<br>Rear - 1.50 to + 5.00 |
| 5515.881<br>5515.880<br>5535.880<br>5536.880 |                                            |                                        |                                                            | 5.81250K<br>5.81250K                            | Front + / - 1.75<br>Rear + / - 1.75            |
| 2578.880                                     |                                            |                                        |                                                            |                                                 |                                                |
| 2564.880                                     |                                            |                                        |                                                            |                                                 |                                                |



Note any protective tubing on the factory springs, and their locations. Eibach springs are designed to reuse all factory tubing and isolators to prevent noise and premature wear.

Automotive

\* Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(bt) SPORT-PLUS available.

(t) This ANTI-ROLL Bar is tubular.

(v) Ride heights may be adjusted through Mercedes Pad System. Please consult your authorized Mercedes Dealer if add'l ride height adjustment is needed.

| Manufacture / Model                                                 | Year        | PRO-KIT     |                        |        | SPORTLINE |                        |      | ANTI-ROLL-KIT |          |              |          |                           |
|---------------------------------------------------------------------|-------------|-------------|------------------------|--------|-----------|------------------------|------|---------------|----------|--------------|----------|---------------------------|
|                                                                     |             |             | Approx. Lowering Front | Rear   |           | Approx. Lowering Front | Rear | Front Only    | Diameter | Rear Only    | Diameter | Complete Kit Front & Rear |
| MERCEDES                                                            |             |             |                        |        |           |                        |      |               |          |              |          |                           |
| E300D / E320 / E430, (Exc. S/Lev, 4-Matic & Wagon) (W210)           | 11/97-02    | 2557.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| E320 & E320 CDI Sedan (Exc. S/Lev, 4-Matic & Wagon) (W211)          | 03-05       | 2566.140    | 1.4(v)                 | 1.2(v) |           |                        |      | 2566.310(cc)  | 34       | 2566.312(cc) | 21       | 2566.320(cc)              |
| E320 & E320 CDI, Wagon (Exc. 4-Matic & S/Lev) (W211)                | 03-09       | 2583.140    | 1.2(v)                 | 1.2(v) |           |                        |      | 2566.310(cc)  | 34       | 2566.312(cc) | 21       | 2566.320(cc)              |
| E320 / E420, (Exc. S/Lev, 4-Matic & Wagon) (W210)                   | 06/95-10/97 | 2540.140    | 1.4(v)                 | 1.6(v) |           |                        |      |               |          |              |          |                           |
| E320 / E420, (Inc. S/Lev) (Exc. 4-Matic & ) Wagon) (W210            | 06/95-10/97 | 2539.140    | 1.4(v)                 | 1.4(v) |           |                        |      |               |          |              |          |                           |
| E350, V6 (Exc. S/Lev, 4-Matic & Wagon) (W211)                       | 06-09       | 2577.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| E350, Coupe 3.5L V6 (Exc. AWD & Agility Control Package) (C207)     | 09-12       | 2578.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| E350 Coupe                                                          | 2012        | 2584.140    | I/D                    | I/D    |           |                        |      |               |          |              |          |                           |
| E350, Cabriolet 3.5L V6 (Exc. AWD & Agility Control Package) (A207) | 10-11       | 2578.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| E350, Sedan 3.5L V6 (Exc. 4-Matic & S/Lev) (W212)                   | 09-11       | 2581.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| ML320 / ML430, (Rear Springs Only) (W163)                           | 10/97-05    | 2558.120(k) | adj.                   | 1.4    |           |                        |      |               |          |              |          |                           |
| ML350 / ML500 (W164)                                                | 06-11       | 2573.540    | 1.4                    | 1.4    |           |                        |      |               |          |              |          |                           |
| SLK200 / SLK230K / SLK320 (R170)                                    | 09/96-04    | 2552.140    | 1.2(v)                 | 1.2(v) |           |                        |      |               |          |              |          |                           |
| MERCURY                                                             |             |             |                        |        |           |                        |      |               |          |              |          |                           |
| Capri, 4 Cyl (Incl. Turbo)                                          | 79-89       | 3518.140    | 1.2                    | 1.0    |           |                        |      |               |          |              |          |                           |
| Capri, V8                                                           | 79-86       | 3510.140    | 1.2                    | 1.0    | 4.1035    | 1.7                    | 1.5  | 3510.310      | 36       | 3510.312     | 25       | 3510.320                  |
| DRAG LAUNCH KIT .....                                               |             | 9310.140    |                        |        |           |                        |      |               |          |              |          |                           |
| Cougar, 6 Cyl (Exc. Supercharged model)                             | 89-97       | 3522.140    | 1.2                    | 1.0    |           |                        |      |               |          |              |          |                           |
| Milan, I4 & V6 (Exc. AWD)                                           | 06-10       | 35107.140   | 1.0                    | 1.2    |           |                        |      |               |          |              |          |                           |
| MINI                                                                |             |             |                        |        |           |                        |      |               |          |              |          |                           |
| Clubman, Incl. "S" & "JCW" model                                    | 08-12       | 5706.140    | 1.1                    | 0.9    |           |                        |      | 5705.310      | 26       | 5705.312     | 20(a)    | 5705.320                  |
| Cooper, (Exc. "S" model)                                            | 06/01-02/02 |             |                        |        |           |                        |      | 5701.310      | 26       | 5701.312     | 19(a)    | 5701.320                  |
| Cooper, 1.6L (Incl. "S" model)                                      | 03/02-06    |             |                        |        |           |                        |      | 5701.310      | 26       | 5701.312     | 19(a)    | 5701.320                  |
| Cooper Convertible 1.6L (Incl. "S" model)                           | 05-06       |             |                        |        |           |                        |      | 5701.310      | 26       | 5701.312     | 19(a)    | 5701.320                  |
| Cooper, Inc. "S" & "JCW" model                                      | 07-12       | 5705.140    | 1.2                    | 1.2    |           |                        |      | 5705.310      | 26       | 5705.312     | 20(a)    | 5705.320                  |
| Cooper Convertible, S                                               | 09-12       | 5706.140    | 1.2                    | 0.8    |           |                        |      | 5705.310      | 26       | 5705.312     | 20(a)    | 5705.320                  |
| Countryman (R60)                                                    | 11-12       | 5707.540    | 1.2                    | 0.8    |           |                        |      |               |          |              |          |                           |
| MITSUBISHI                                                          |             |             |                        |        |           |                        |      |               |          |              |          |                           |
| 3000 GT, Base model, 2WD (Exc.'95>w/electric sunroof)               | 91-99       | 2813.140    | 1.5                    | 1.3    |           |                        |      |               |          |              |          |                           |
| Eclipse, 2WD (Incl. Turbo)                                          | 89-94       |             |                        |        | 4.1060    | 1.5                    | 1.4  |               |          |              |          |                           |
| Eclipse, 2WD (Incl. GS, GS-T, RS & Turbo; Exc. Spyder GS-T)         | 95-99       | 6014.140    | 1.2                    | 1.2    |           |                        |      |               |          |              |          |                           |
| Eclipse GSX, AWD (Exc. Spyder GS-T)                                 | 95-99       | 6015.140    | 1.3                    | 1.3    |           |                        |      |               |          |              |          |                           |
| Eclipse Spyder GS, 2WD (Exc. AWD & Spyder GS-T)                     | 96-99       | 6015.140    | 1.6                    | 1.6    |           |                        |      |               |          |              |          |                           |
| Eclipse, 2WD, V6 (Incl. GT, GTS, GT & GTS Spyder)                   | 00-05       | 6035.140    | 1.6                    | 1.4    | 4.3560    | 2.0                    | 2.0  |               |          |              |          |                           |
| Eclipse, 4 Cyl (Exc. Spyder)                                        | 06-10       | 6036.140    | 1.2                    | 1.4    |           |                        |      | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse, 4 Cyl (Exc. Spyder)                                        | 11-12       | 6036.140    | 0.7                    | 0.9    |           |                        |      | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse (Incl. GT & SE) 6 Cyl (Exc. Spyder)                         | 06-10       | 6036.140    | 1.4                    | 1.5    |           |                        |      | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse (Incl. GT & SE) 6 Cyl (Exc. Spyder)                         | 11-12       | 6036.140    | 0.9                    | 1.0    |           |                        |      | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse Spyder GS 2.4L I4                                           | 07-10       | 6046.140    | 1.2                    | 1.4    | 4.4660    | 1.8                    | 2.0  | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse Spyder GS 2.4L I4                                           | 11-12       | 6046.140    | 0.8                    | 1.0    | 4.4660    | 1.3                    | 1.5  | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse Spyder GT 3.8L V6                                           | 07-10       | 6046.140    | 1.4                    | 1.5    | 4.4660    | 2.0                    | 2.0  | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| Eclipse Spyder GT 3.8L V6                                           | 11-12       | 6046.140    | 1.0                    | 1.0    | 4.4660    | 1.5                    | 1.5  | 6036.310      | 25(a,s)  | 6036.312     | 25(a,t)  | 6036.320                  |
| EVO VIII                                                            | 03-05       | 6041.140    | 1.0                    | 1.0    |           |                        |      | 6041.310      | 25(t)    | 6041.312     | 25(a,t)  | 6041.320                  |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(at) 5.1018K must be used when installing caster camber kit 5.3510K or 5.3518K with 3510.710 PRO-STREET.

(bo) SPORT-SYSTEM available-see Eibach.com for details.  
(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.  
(bt) SPORT-PLUS available.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



45

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                              | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|-----------------------------------------|
| 2566.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            |                                                 |                                         |
| 2583.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            |                                                 |                                         |
|  <p>Measure your vehicle's ride height before installing Eibach Springs. This will ensure you know the amount of lowering after installation. On a level surface, measure from the upper wheel rim to the highest point of the fender well, before installation and after. And before you measure the "after" dimension, drive the car hard for ten miles to let the suspension bushings, etc. settle properly.</p> |                                            |                                        |                                                            |                                                 |                                         |
| 3510.880(bt)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3514.840                                   | 3510.780(bo)                           | 3510.680(bp)                                               | 5.3518K(at)                                     | Front + / - 2.75                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67115K                                        | Front + / - 1.50                        |
| 5706.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.67630K<br>5.67610K                            | Front + / - 2.00<br>Rear Arm + / - 4.00 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67620K<br>5.67610K                            | Front + / - 2.00<br>Rear Arm + / - 4.00 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67620K<br>5.67610K                            | Front + / - 2.00<br>Rear Arm + / - 4.00 |
| 5705.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.67630K<br>5.67610K                            | Front + / - 2.00<br>Rear Arm + / - 4.00 |
| 5706.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            |                                                 |                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.81250K<br>5.81250K                            | Front + / - 1.75<br>Front + / - 1.75    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67170K<br>5.73620K                            | Front + / - 1.50<br>Rear +3.00 / - 0.75 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67170K<br>5.73620K                            | Front + / - 1.50<br>Rear +3.00 / - 0.75 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.67170K<br>5.73620K                            | Front + / - 1.50<br>Rear +3.00 / - 0.75 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                            |                                        |                                                            | 5.81280K<br>5.73620K                            | Front + / - 1.75<br>Rear +3.00 / - 0.75 |
| 6036.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6036.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6036.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6036.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6046.880(bt)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6046.880(bt)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6046.880(bt)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6046.880(bt)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                            |                                        |                                                            | 5.81280K                                        | Front + / - 1.75                        |
| 6041.880                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                        |

\*Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(cc) For use with Eibach springs only.  
(k) Rear springs only, front torsion bar is adjustable.

(s) Two Wheel Steering Only.  
(t) This ANTI-ROLL Bar is tubular.

(v) Ride heights may be adjusted through Mercedes Pad System. Please consult your authorized Mercedes Dealer if add'l ride height adjustment is needed.

| Manufacture / Model                             | Year  | PRO-KIT   |                           |      | SPORTLINE |                           |      | ANTI-ROLL-KIT |          |           |          |                              |
|-------------------------------------------------|-------|-----------|---------------------------|------|-----------|---------------------------|------|---------------|----------|-----------|----------|------------------------------|
|                                                 |       |           | Approx. Lowering<br>Front | Rear |           | Approx. Lowering<br>Front | Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit<br>Front & Rear |
| MITSUBISHI                                      |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| EVO IX, 2.0 Turbo (Incl. GSR, RS & MR)          | 06-07 | 6041.140  | 1.0                       | 1.0  |           |                           |      |               |          |           |          |                              |
| EVO X, 2.0 Turbo (Incl. GSR)                    | 08-11 | 6049.140  | 1.2                       | 1.0  |           |                           |      | 6049.310      | 29(a,t)  | 6049.312  | 25(a,t)  | 6049.320                     |
| EVO X, MR, 2.0 Turbo (Incl. SE)                 | 08-11 | 6049.140  | 1.6                       | 1.0  |           |                           |      | 6049.310      | 29(a,t)  | 6049.312  | 25(a,t)  | 6049.320                     |
| Lancer 2.0L I4 & 2.4L I4 (Incl. DE, ES & GTS)   | 08-11 | 6048.140  | 1.2                       | 0.8  | 4.4860    | 1.7                       | 1.2  |               |          |           |          |                              |
| Lancer Ralliart 2.0L I4 Turbo (Incl. Sportback) | 09-11 | 6050.140  | 1.2                       | 1.2  | 4.5060    | 1.7                       | 1.6  |               |          |           |          |                              |
| Lancer Sportback 2.0L I4 & 2.4L I4              | 09-11 | 6048.140  | 1.2                       | 1.0  | 4.4860    | 1.7                       | 1.4  |               |          |           |          |                              |
| NISSAN                                          |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 200SX, (Incl. SE & SE-R)                        | 95-98 |           |                           |      | 4.3563    | 1.9                       | 1.9  |               |          |           |          |                              |
| 240SX (Exc. Convertible)                        | 88-94 |           |                           |      | 4.1063    | 2.2                       | 2.1  |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 300ZX, (Incl. Convertible & 2+2, Exc. Turbo)    | 90-96 | 6319.140  | 0.8                       | 0.8  |           |                           |      |               |          |           |          |                              |
| 300ZX, Turbo                                    | 90-96 | 6320.140  | 0.8                       | 0.8  |           |                           |      |               |          |           |          |                              |
| 350Z, 3.5L (Z33)                                | 03-08 | 6364.140  | 1.0                       | 1.0  | 4.6463    | 1.2                       | 1.2  | 6364.310      | 34(a,t)  | 6364.312  | 22(a,t)  | 6364.320                     |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 350Z Roadster, Convertible (Z33)                | 03-08 | 6364.140  | 1.0                       | 1.0  |           |                           |      | 6364.310      | 34(a,t)  | 6364.312  | 22(a,t)  | 6364.320                     |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 370Z, 3.7L V6 Coupe (Z34)                       | 09-12 | 6393.140  | 0.9                       | 0.8  |           |                           |      | 6393.310      | 32(a,t)  | 6393.312  | 29(a,t)  | 6393.320                     |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 370Z, 3.7L V6 Convertible (Z34)                 | 10-12 | 6393.140  | 1.2                       | 1.2  |           |                           |      | 6393.310      | 32(a,t)  | 6393.312  | 29(a,t)  | 6393.320                     |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| 370Z, 3.7L V6 Nismo Coupe (Z34)                 | 10-12 | 63103.140 | 1.0                       | 0.5  |           |                           |      | 6393.310      | 32(a,t)  | 6393.312  | 29(a,t)  | 6393.320                     |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima, 4 Cyl                                   | 02-06 | 6361.140  | 1.3                       | 1.3  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima, 6 Cyl                                   | 02-06 | 6360.140  | 1.0                       | 1.0  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima Sedan, 2.5L I4                           | 07-12 | 6382.140  | 1.4                       | 0.8  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima Sedan, 3.5L V6                           | 07-12 | 6381.140  | 1.4                       | 1.2  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima Coupe, 2.5L I4                           | 08-12 | 6386.140  | 1.4                       | 1.0  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Altima Coupe, 3.5L V6                           | 08-12 | 6385.140  | 1.4                       | 1.0  |           |                           |      |               |          |           |          |                              |
|                                                 |       |           |                           |      |           |                           |      |               |          |           |          |                              |
| Cube, 1.8L 4 Cyl.                               | 09-12 | 6395.140  | 1.3                       | 1.0  | 4.9563    | 1.8                       | 1.5  |               |          |           |          |                              |
| GT-R, 3.8L V6 Twin Turbo                        | 09-12 | 6389.140  | 0.8                       | 0.5  |           |                           |      | 6389.310      | 35 (a,t) | 6389.312  | 16(a,t)  | 6389.320                     |
| Juke, 1.6L 4 Cyl. Turbo (Exc. AWD) (F15)        | 11-12 | 63104.540 | 1.2                       | 1.2  |           |                           |      |               |          |           |          |                              |
| Maxima                                          | 95-99 | 6334.140  | 1.5                       | 1.3  |           |                           |      |               |          |           |          |                              |
| Maxima                                          | 00-03 | 6350.140  | 1.3                       | 1.0  |           |                           |      |               |          |           |          |                              |
| Maxima                                          | 04-06 | 6369.140  | 2.0                       | 0.8  |           |                           |      |               |          |           |          |                              |
| Maxima, 3.5L V6, (Incl. CVT)                    | 07-08 | 6369.140  | 2.0                       | 0.8  |           |                           |      |               |          |           |          |                              |
| Maxima, 3.5L V6, (Incl. CVT)                    | 09-12 | 6392.140  | 1.3                       | 1.4  |           |                           |      |               |          |           |          |                              |
| Sentra, (Incl. SE, SE-R & GXE)                  | 95-99 |           |                           |      | 4.3563    | 1.9                       | 1.9  |               |          |           |          |                              |
| Sentra, SER Spec V, 4 Cyl                       | 02-06 | 6362.140  | 1.2                       | 1.0  |           |                           |      | 6362.310      | 25       | 6362.312  | 19(a)    | 6362.320                     |
| Sentra, 2.5L I4 SE-R (Incl. Spec-V)             | 07-12 | 6387.140  | 1.5                       | 1.0  |           |                           |      |               |          |           |          |                              |
| Versa, 1.8L 4 Cyl                               | 07-12 | 6379.140  | 1.4                       | 1.3  |           |                           |      |               |          |           |          |                              |

(a) This ANTI-ROLL Bar is adjustable.

(bt) SPORT-PLUS available-see Eibach.com for details.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



47

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment        |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|------------------------------|
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
| 6049.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
| 6049.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.67710K                                        | Front Camber -1.00 to + 3.00 |
|                                         |                                            |                                        |                                                            | 5.67720K                                        | Front Caster + / - 1.50      |
|                                         |                                            |                                        |                                                            | 5.67765K                                        | Rear Camber + / - 3.00       |
|                                         |                                            |                                        |                                                            | 5.67740K                                        | Rear Toe + / - 2.00          |
|                                         |                                            |                                        |                                                            |                                                 |                              |
| 6364.880 (bt)                           |                                            |                                        |                                                            | 5.72125K                                        | Front +3.50 to -1.50         |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.72050K                                        | Rear Arm+ / - 4.00           |
| 6364.880                                |                                            |                                        |                                                            | 5.72125K                                        | Front +3.50 to -1.50         |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.72050K                                        | Rear Arm+ / - 4.00           |
| 6393.880                                |                                            |                                        |                                                            | 5.72130K                                        | Front + / - 2.50             |
|                                         |                                            |                                        |                                                            | 5.72260K                                        | Rear + / - 4.00              |
|                                         |                                            |                                        |                                                            | 5.72265K                                        | Rear + / - 3.00              |
| 6393.880                                |                                            |                                        |                                                            | 5.72130K                                        | Front + / - 2.50             |
|                                         |                                            |                                        |                                                            | 5.72260K                                        | Rear + / - 4.00              |
|                                         |                                            |                                        |                                                            | 5.72265K                                        | Rear + / - 3.00              |
| 63103.880                               |                                            |                                        |                                                            | 5.72130K                                        | Front + / - 2.50             |
|                                         |                                            |                                        |                                                            | 5.72260K                                        | Rear + / - 4.00              |
|                                         |                                            |                                        |                                                            | 5.72265K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.72050K                                        | Rear Arm+ / - 4.00           |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.72050K                                        | Rear Arm+ / - 4.00           |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.72055K                                        | Rear + / - 3.00              |
| 6389.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75             |
| 6362.880                                |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75             |

\* Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(t) This ANTI-ROLL Bar is tubular.

| Manufacture / Model                                              | Year  | PRO-KIT     |                           |                  | SPORTLINE |                           |                  | ANTI-ROLL-KIT |          |              |          |                              |  |
|------------------------------------------------------------------|-------|-------------|---------------------------|------------------|-----------|---------------------------|------------------|---------------|----------|--------------|----------|------------------------------|--|
|                                                                  |       |             | Approx. Lowering<br>Front | Lowering<br>Rear |           | Approx. Lowering<br>Front | Lowering<br>Rear | Front Only    | Diameter | Rear Only    | Diameter | Complete Kit<br>Front & Rear |  |
| OLDSMOBILE                                                       |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Cutlass & 442, RWD, V8, Small Block (A-Body)                     | 64-66 | 3855.140    | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| Cutlass & 442, RWD, V8, Small Block (A-Body)                     | 68-72 | 3856.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Cutlass, RWD, 6 Cyl & 8 Cyl (G-Body)                             | 78-88 | 3803.140    | 1.0                       | 0.8              |           |                           |                  |               |          |              |          |                              |  |
| Intrigue, 6 Cyl (W-Body)                                         | 97-02 | 3865.140    | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
|                                                                  |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| PLYMOUTH                                                         |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Laser, 2WD (Incl. Turbo, Exc. AWD) (G)                           | 89-94 |             |                           |                  | 4.1060    | 1.5                       | 1.4              |               |          |              |          |                              |  |
| Neon, 2 & 4-door (Incl. R/T & ACR Models)                        | 95-99 |             |                           |                  | 4.1528    | 1.6                       | 1.6              |               |          | 2815.312(ai) | 19       |                              |  |
| Neon, 4-door (Incl. R/T & ACR Models)                            | 00-01 | 2820.140    | 1.5                       | 1.5              | 4.2028    | 2.0                       | 2.4              | 2820.310      | 24       | 2820.312(bk) | 22(a)    | 2820.320(bk)                 |  |
| Voyager, 4 Cyl & 6 Cyl(Exc. Grand Voyager,AWD & S/Lev)           | 96-00 | 2825.130(d) | 1.7                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
|                                                                  |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| PONTIAC                                                          |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Fiero, 4 Cyl & 6 Cyl (Incl. GT)                                  | 84-87 | 3802.140    | 0.8                       | 0.8              |           |                           |                  |               |          |              |          |                              |  |
| Firebird - V6                                                    |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Firebird, V6 (Incl. Convertible) (F-Body)                        | 93-97 |             |                           |                  |           |                           |                  | 3831.310      | 35(t)    | 3831.312     | 25(t)    | 3831.320                     |  |
| Firebird, V6 (Incl. Convertible) (F-Body)                        | 98-03 | 3870.240    | 1.4                       | 1.4              |           |                           |                  | 3831.310      | 35(t)    | 3831.312     | 25(t)    | 3831.320                     |  |
| Firebird - V8                                                    |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Firebird, V8, Small Block (F-Body)                               | 67-69 | 3848.120(z) | 1.0                       | n/a              |           |                           |                  |               |          |              |          |                              |  |
| Firebird, V8, Small Block (F-Body)                               | 70-81 | 3852.120(z) | 1.0                       | n/a              |           |                           |                  |               |          |              |          |                              |  |
| Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)             | 82-92 | 3801.140    | 1.0                       | 1.0              | 4.0138(c) | 1.6                       | 1.3              |               |          |              |          |                              |  |
| Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)             | 93-97 | 3831.140    | 1.3                       | 1.3              | 4.3138(c) | 1.8                       | 1.8              | 3831.310      | 35(t)    | 3831.312     | 25(t)    | 3831.320                     |  |
| DRAG LAUNCH KIT .....                                            |       | 9307.140    |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Firebird, V8 (Incl. Trans AM & Convertible) (F-Body)             | 98-03 | 3870.140    | 1.2                       | 1.2              | 4.7038(c) | 1.6                       | 1.4              | 3831.310      | 35(t)    | 3831.312     | 25(t)    | 3831.320                     |  |
| Grand Am, 4 Cyl & 6 Cyl (N-Body)                                 | 99-05 | 3875.140    | 1.2                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Grand Prix, 6 Cyl (Incl. GTP-Supercharged) (W-body)              | 97-03 | 3865.140    | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| GTO, V8, Small Block (A-Body)                                    | 64-67 | 3855.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| GTO, V8, Small Block (A-Body)                                    | 68-72 | 3856.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| GTO                                                              | 04-07 | 3897.140    | 1.0                       | 0.8              |           |                           |                  |               |          |              |          |                              |  |
| G5, 2-door, Incl. GT                                             | 07-09 | 3899.140    | 1.0                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| G6, 2 & 4-door, V6, (Exc. Convertible)                           | 05-09 | 38103.140   | 1.5                       | 1.7              |           |                           |                  |               |          |              |          |                              |  |
| G8, 3.6L V6                                                      | 08-09 | 38137.140   | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| G8, 6.0L V8                                                      | 08-09 | 38137.140   | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| Le Mans, V8, Small Block (A-Body)                                | 64-67 | 3855.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Le Mans, V8, Small Block (A-Body)                                | 68-72 | 3856.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Solstice, 4 Cyl (Exc. Coupe)                                     | 06-09 |             |                           |                  | 4.10538   | 1.6                       | 2.0              |               |          |              |          |                              |  |
| Sunfire, 2 & 4-door, 4 Cyl (Incl. SE, GT & Convertible) (J-Body) | 95-04 | 3860.140    | 1.4                       | 1.4              |           |                           |                  |               |          |              |          |                              |  |
| Tempest, V8, Small Block (A-Body)                                | 64-67 | 3855.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Tempest, V8, Small Block (A-Body)                                | 68-72 | 3856.140    | 1.3                       | 1.3              |           |                           |                  |               |          |              |          |                              |  |
| Vibe, 4 Cyl                                                      | 03-08 | 8272.140    | 1.2                       | 1.2              |           |                           |                  |               |          |              |          |                              |  |
|                                                                  |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| PORSCHE                                                          |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| 911/964, Coupe, Cabrio & Targa (2WD/AWD, Exc. Turbo) (964)       | 89-94 | 7201.140    | 1.3                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| 911/993, Coupe, Cabrio & Targa (2WD/AWD, Exc. Turbo) (993)       | 95-98 | 7208.140    | 1.3                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
| 911/996, C2 Coupe & Cabrio (2WD, Exc. Turbo) (996)               | 98-04 | 7213.140    | 1.0                       | 1.0              |           |                           |                  | 7212.310      | 24       | 7213.312     | 19(a)    | 7213.320                     |  |
| 911/996, C4 Coupe (AWD, Exc. Turbo,) (996)                       | 98-04 | -           | -                         | -                |           |                           |                  | 7214.310      | 24(a)    | 7213.312     | 19(a)    | 7214.320                     |  |
| 911/996, C4 Turbo Coupe (AWD) (996)                              | 99-04 | -           | -                         | -                |           |                           |                  | 7214.310      | 24(a)    | 7215.312     | 24(a)    | 7215.320                     |  |
| 911/997, C2 Coupe (Incl.S, PASM) (997)                           | 05-11 | 7217.140    | 1.2                       | 1.2              |           |                           |                  |               |          |              |          |                              |  |
| 911/997, C2 Cabriolet (Incl. S, PASM) (997)                      | 05-11 | 7217.140    | 1.2                       | 1.2              |           |                           |                  |               |          |              |          |                              |  |
| 911/997, C4 Coupe (997)                                          | 05-11 | 7222.140    | 1.0                       | 1.0              |           |                           |                  |               |          |              |          |                              |  |
|                                                                  |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |
| Continued                                                        |       |             |                           |                  |           |                           |                  |               |          |              |          |                              |  |

Continued

(a) This ANTI-ROLL Bar is adjustable.  
 (ai) Must order Part# 2815.320HKR if vehicles is not equipped  
 with factory Rear ANTI-ROLL Bar.

(ar) Performance Rear Control Arm Kit available for toe and  
 camber adjustment+/- 3.00 Part#5.67210K.

(bk) Non SRT-4 models require aftermarket SRT-4 struts and  
 additional hardware kit 2820.312HKR to install Eibach's  
 ANTI-ROLL Kit.

Automotive

OE spring isolator pads are crucial in isolating road noise from the passenger compartment. If your car has more than 50K miles, it may be necessary to replace the worn-out OE isolators. If your isolator pad has worn thin or through, it must be replaced before installing the Eibach springs. All Eibach springs are designed for use with new isolator pads. Failure to replace worn pads may result in excessive noise and improper ride height.

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bt) SPORT-PLUS available-see Eibach.com for details.  
(c) Excluding convertible.

(d) Kit includes front coil springs and rear shackle hanger kit.

(t) This ANTI-ROLL Bar is tubular.  
(z) Kit includes front springs only.

| Manufacture / Model                                                       | Year        | PRO-KIT      |                           |                  | SPORTLINE |                           |                  | ANTI-ROLL-KIT |          |           |          |                              |
|---------------------------------------------------------------------------|-------------|--------------|---------------------------|------------------|-----------|---------------------------|------------------|---------------|----------|-----------|----------|------------------------------|
|                                                                           |             |              | Approx. Lowering<br>Front | Lowering<br>Rear |           | Approx. Lowering<br>Front | Lowering<br>Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit<br>Front & Rear |
| PORSCHE                                                                   |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| 911/997, 3.6L 6Cyl. Turbo (Incl. PASM & AWD;<br>Exc. Convertible) (997)   | 06-11       | 7220.140     | 0.8                       | 0.8              |           |                           |                  | 7217.310      | 25 (a,t) | 7217.312  | 22(a,t)  | 7217.320                     |
| Boxster,(Incl. Boxster S) (986)                                           | 97-04       |              |                           |                  |           |                           |                  | 7212.310      | 24       | 7212.312  | 19(a)    | 7212.320                     |
| Cayenne, (W/O Height adjustable Susp.)                                    | 03-06       | 7216.540     | 1.4                       | 1.4              |           |                           |                  |               |          |           |          |                              |
| Cayman S, 3.4L 6 Cyl (Incl. PASM)                                         | 06-12       | 7219.140(bu) | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| SAAB                                                                      |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| 9-3, 4 Cyl Turbo (Incl. Convertible, Coupe, Sedan,<br>Viggen & SE) (YS3D) | 02/98-02    | 7807.140     | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| 9-3, Sedan (YS3F)                                                         | 03-05       | 7809.140     | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| 9-5, Sedan, 4 Cyl & 6 Cyl (YS3E)                                          | 03/98-08/01 | 7806.140     | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| SATURN                                                                    |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| Astra, 1.8L 4Cyl                                                          | 08-09       | 38139.140    | 1.0                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| Aura Sedan V6                                                             | 07-09       | 38103.140    | 1.3                       | 1.7              |           |                           |                  |               |          |           |          |                              |
| ION                                                                       | 03-07       | 3898.140     | 1.4                       | 1.6              |           |                           |                  |               |          |           |          |                              |
| SKY, 2.4L 4 Cyl                                                           | 07-09       | 38111.140    | 1.2                       | 1.2              | 4.11138   | 1.6                       | 1.6              |               |          |           |          |                              |
| SCION                                                                     |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| FR-S                                                                      | 2012        | 82105.140    | I/D                       | I/D              | 4.10582   | I/D                       | I/D              | 82105.310     | I/D      | 82105.312 | I/D      | 82105.320                    |
| iQ, 1.3L 4 Cyl.                                                           | 2012        | 82104.140    | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| tC (ANT10)                                                                | 05-10       | 8284.140     | 1.2                       | 1.2              | 4.8482    | 2.0                       | 2.0              |               |          |           |          |                              |
| tC, 2.5L 4 Cyl. (AGT20)                                                   | 11-12       | 82101.140    | 1.0                       | 1.0              | 4.10182   | 1.3                       | 1.7              |               |          |           |          |                              |
| xA (NCP61)                                                                | 04-06       |              |                           |                  | 4.8182    | 2.0                       | 2.0              |               |          |           |          |                              |
| xB (NCP31)                                                                | 04-06       |              |                           |                  | 4.8182    | 2.0                       | 2.0              |               |          |           |          |                              |
| xB (AZE151)                                                               | 08-12       | 8290.140     | 1.0                       | 1.2              | 4.9082    | 1.2                       | 2.2              |               |          |           |          |                              |
| xD (ZSP110)                                                               | 08-12       | 8293.140     | 1.2                       | 1.0              | 4.9382    | 1.7                       | 1.4              |               |          |           |          |                              |
| SMART                                                                     |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| SMART Fortwo                                                              | 05-07       | 2572.140     | 1.0                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| SMART Fortwo, 1.0L 3 Cyl. (Incl. Cabriolet) (451)                         | 08-11       | 2579.140     | 0.8                       | 0.8              |           |                           |                  |               |          |           |          |                              |
| SUBARU                                                                    |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |
| Impreza, 4 Cyl                                                            | 93-01       | 7705.140     | 1.0                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| Impreza RS, 2 & 4-door, 4 Cyl, AWD                                        | 01-03       | 7710.140     | 1.3                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| Impreza RS, 2 & 4-door, 4 Cyl, AWD                                        | 04-06       | 7714.140     | 1.2                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| Impreza, 2.5L, 4 Cyl                                                      | 08-10       | 7717.140     | 1.2                       | 1.2              |           |                           |                  |               |          | 7717.312  | 22(a,t)  |                              |
| Impreza, 2.0L, 4 Cyl. 4 & 5-door                                          | 2012        | 7725.140     | I/D                       | I/D              |           |                           |                  |               |          |           |          |                              |
| Legacy, 2.5GT (B14)                                                       | 10-11       | 7722.140     | 1.0                       | 1.0              |           |                           |                  |               |          |           |          |                              |
| WRX, 4 Cyl Turbo (Exc. Sti, V6 & Wagon)                                   | 01-03       | 7710.140     | 1.3                       | 1.0              |           |                           |                  | 7710.310      | 24       | 7710.312  | 19       | 7710.320                     |
| WRX, 4 Cyl Turbo (Exc. Wagon & STi)                                       | 04-07       | 7714.140     | 1.2                       | 1.0              |           |                           |                  | 7714.310      | 22       | 7714.312  | 22       | 7714.320                     |
| WRX, 4 Cyl Wagon (Exc. STi)                                               | 04-07       | 7714.140     | 1.2                       | 1.2              |           |                           |                  |               |          |           |          |                              |
| WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)                          | 2008        | 7717.140     | 1.4                       | 1.2              |           |                           |                  | 7717.310      | 25(a,t)  | 7717.312  | 22(a,t)  | 7717.320                     |
| WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)                          | 09-10       | 7721.140     | 1.4                       | 1.2              |           |                           |                  | 7717.310      | 25(a,t)  | 7717.312  | 22(a,t)  | 7717.320                     |
| WRX, 4 & 5-door, 2.5L Turbo H4, (Exc. STi )(G12)                          | 2011        | 7721.140     | 0.8                       | 0.8              |           |                           |                  | 7718.310      | 25(a,t)  | 7717.312  | 22(a,t)  | 7718.320                     |
| WRX STi, 4-door                                                           | 04-07       | 7713.140     | 1.0                       | 0.8              |           |                           |                  | 7713.310      | 25(t)    | 7713.312  | 25(a,t)  | 7713.320                     |
| Continued                                                                 |             |              |                           |                  |           |                           |                  |               |          |           |          |                              |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(bu) 2008+ Cayman equipped with 6mm isolator pads will require 3mm isolator pads to lower.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



51

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment             |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|-----------------------------------|
| 7220.880                                |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
| 82105.880                               |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            | 5.81290K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.67485K                                        | Rear + 2.00                       |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.75800K                                        | Rear + / - 1.50                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.75800K                                        | Rear + / - 1.50                   |
|                                         |                                            |                                        |                                                            | 5.81290K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81270K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.67640K                                        | Rear Camber and/or toe + / - 1.5  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            |                                                 |                                   |
| 7710.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.67640K                                        | Rear Camber and/or toe + / - 1.5  |
| 7714.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.67640K                                        | Rear Camber and/or toe + / - 1.5  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |
|                                         |                                            |                                        |                                                            | 5.67640K                                        | Rear Camber and/or toe + / - 1.50 |
| 7717.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
| 7721.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
| 7724.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
| 7713.880                                |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75                  |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Rear + / - 1.75                   |

\*Many Plus and System applications are available with SPORTLINE spring kits—see [Eibach.com](http://Eibach.com) for details

(t) This ANTI-ROLL Bar is tubular.

| Manufacture / Model                                                                | Year        | PRO-KIT   |                        |      | SPORTLINE |                        |      | ANTI-ROLL-KIT |          |           |          |                           |
|------------------------------------------------------------------------------------|-------------|-----------|------------------------|------|-----------|------------------------|------|---------------|----------|-----------|----------|---------------------------|
|                                                                                    |             |           | Approx. Lowering Front | Rear |           | Approx. Lowering Front | Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit Front & Rear |
| SUBARU                                                                             |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| WRX STi, 4-door                                                                    | 2011        | 7723.140  | 0.8                    | 0.8  |           |                        |      | 7718.310      | 25(a,t)  | 7717.312  | 22(a,t)  | 7718.320                  |
| WRX STi, 5-door                                                                    | 08-11       | 7718.140  | 1.0                    | 1.0  |           |                        |      | 7718.310      | 25(a,t)  | 7717.312  | 22(a,t)  | 7718.320                  |
|                                                                                    |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| SUZUKI                                                                             |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| SX4                                                                                | 08-11       | 8010.140  | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
|                                                                                    |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| TOYOTA                                                                             |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| Camry, 4 Cyl & 6 Cyl (MCV20/SXV2)                                                  | 11/96-01    | 8249.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |
| Camry, 4 Cyl (ACV30)                                                               | 02-06/03    | 8249.140  | 1.4                    | 1.1  |           |                        |      |               |          |           |          |                           |
| Camry, V6 (MNV30/31)                                                               | 02-06/03    | 8249.140  | 2.0                    | 1.2  |           |                        |      |               |          |           |          |                           |
| Camry                                                                              | 04-06       | 8273.140  | 1.6                    | 1.6  |           |                        |      |               |          |           |          |                           |
| Camry, 2.4L 4 Cyl, (Incl. CE, LE, SE, XLE)<br>(Exc. Hybrid) (ACV40)                | 07-11       | 8273.140  | 1.0                    | 1.4  |           |                        |      |               |          |           |          |                           |
| Camry, 3.5L V6 (Incl. LE, SE, XLE) (GSV40)                                         | 07-11       | 8273.140  | 1.0                    | 1.4  |           |                        |      |               |          |           |          |                           |
| Celica, GT/ST (Incl. Turbo, Coupe, Convertible & Lftbk, Exc. All-Trac) (ST18/ST20) | 10/89-99    |           |                        |      | 4.0782    | 1.5                    | 1.5  |               |          |           |          |                           |
| Celica, GT & GTS                                                                   | 01/00-05    |           |                        |      |           |                        |      | 8228.310      | 23(a)    | 8228.312  | 22       | 8228.320                  |
| Corolla, CE, S, & LE, 4 Cyl                                                        | 03-08       | 8271.140  | 1.1                    | 1.1  |           |                        |      |               |          |           |          |                           |
| Corolla, LE, XLE & S                                                               | 09-12       | 8271.140  | 1.4                    | 2.0  |           |                        |      |               |          |           |          |                           |
| Corolla, XRS                                                                       | 09-12       | 8296.140  | 1.0                    | 1.5  |           |                        |      |               |          |           |          |                           |
| Matrix, XR, XRS, 4 Cyl                                                             | 03-08       | 8272.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |
| MR2 (AW11)                                                                         | 85-90       | 8210.140  | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
| MR2, (Incl. Turbo) (SW20)                                                          | 91-95       | 8215.140  | 1.0                    | 1.0  | 4.1582    | 1.6                    | 1.6  |               |          |           |          |                           |
| MR2 SPYDER (ZZW30)                                                                 | 05/00-05    | 8265.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |
| Prius (Exc. Touring) (NHW20)                                                       | 04-09       | 8298.140  | 1.4                    | 1.0  |           |                        |      |               |          |           |          |                           |
| Prius (ZVW30)                                                                      | 10-11       | 82100.140 | 1.2                    | 0.8  |           |                        |      |               |          |           |          |                           |
| Solara, 4 Cyl & 6 Cyl (AC / MCV20)                                                 | 99-03       | 8258.140  | 1.6                    | 1.6  |           |                        |      |               |          |           |          |                           |
| Solara                                                                             | 04-08       | 8273.140  | 1.4                    | 1.6  |           |                        |      |               |          |           |          |                           |
| Supra, 6 Cyl (Incl. Turbo) (MA70)                                                  | 03/86-92    | 8211.140  | 1.5                    | 1.0  |           |                        |      |               |          |           |          |                           |
| VOLKSWAGEN                                                                         |             |           |                        |      |           |                        |      |               |          |           |          |                           |
| Beetle (Incl. 1.8-Turbo, 1.9-TDI & Sport) (1CX)                                    | 02/98-10    | 8567.140  | 1.4                    | 1.4  |           |                        |      | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |
| Beetle Convertible (1CX)                                                           | 03-10       | 8567.140  | 1.4                    | 1.4  |           |                        |      | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |
| Beetle, 2.0L 4 Cyl. TSI (Exc. Conv.)                                               | 2012        | 85112.140 | I/D                    | I/D  |           |                        |      |               |          |           |          |                           |
| Beetle, 2.5L 5 Cyl. (Exc. Conv.)                                                   | 2012        | 85113.140 | I/D                    | I/D  |           |                        |      |               |          |           |          |                           |
| Cabrio, (Golf III Body), 4 Cyl (1E)                                                | 09/94-99    |           |                        |      |           |                        |      | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |
| CC, 4 Cyl. (Incl. R-Line) (3CC)                                                    | 09-12       | 85105.140 | 1.0                    | 0.8  |           |                        |      |               |          |           |          |                           |
| CC, 6 Cyl. (Incl. 4-Motion) (3CC)                                                  | 09-12       | 85106.140 | 1.0                    | 1.0  |           |                        |      |               |          |           |          |                           |
| Eos, 2.0L 4 Cyl Turbo (Exc. DSG)                                                   | 07-12       | 85101.140 | 1.0                    | 0.8  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |
| Eos, (Incl. 2.0L 4 Cyl Turbo DSG & 3.2L VR6)                                       | 07-12       | 85102.140 | 1.0                    | 0.8  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |
| Golf II, 8-Valve (19E)                                                             | 85-92       |           |                        |      | 4.0985    | 1.5                    | 1.5  | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |
| Golf III, VIN#...<070449, 4 Cyl (Incl. 1.9 TDI; Exc. Cabrio) (1HX)                 | 93-96       |           |                        |      |           |                        |      | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |
| Golf III, VIN#...070450>, 4 Cyl (Incl. 1.9 TDI; Exc. Cabrio) (1HX)                 | 96-98       |           |                        |      | 4.5485    | 2.0                    | 2.0  | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |
| Golf III, VR6 (Exc. Cabrio) (1HX)                                                  | 09/92-08/94 |           |                        |      |           |                        |      | 8530.310      | 23       | 8530.312  | 25       | 8530.320                  |
| Continued                                                                          |             |           |                        |      |           |                        |      |               |          |           |          |                           |

Continued

(a) This ANTI-ROLL Bar is adjustable.

(bo) SPORT-SYSTEM available-see Eibach.com for details.



Automotive

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bt) SPORT-PLUS available-see Eibach.com for details.

| Manufacture / Model                                                    | Year        | PRO-KIT   |                        |      | SPORTLINE |                        |      | ANTI-ROLL-KIT |          |           |          |                           |  |
|------------------------------------------------------------------------|-------------|-----------|------------------------|------|-----------|------------------------|------|---------------|----------|-----------|----------|---------------------------|--|
|                                                                        |             |           | Approx. Lowering Front | Rear |           | Approx. Lowering Front | Rear | Front Only    | Diameter | Rear Only | Diameter | Complete Kit Front & Rear |  |
| VOLKSWAGEN                                                             |             |           |                        |      |           |                        |      |               |          |           |          |                           |  |
| Golf III, VR6 (Exc. Cabrio) (1HX)                                      | 09/94-98    |           |                        |      |           |                        |      | 8530.310      | 23       | 8530.312  | 25       | 8530.320                  |  |
| Golf IV, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI) (1JX)                      | 99-06       | 8561.140  | 1.2                    | 1.2  | 4.6185    | 1.8                    | 1.8  | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |  |
| Golf IV, 6 Cyl (1JX)                                                   | 99-05       | 8564.140  | 1.2                    | 1.2  |           |                        |      | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |  |
| Golf V / Rabbit, 2 & 4 door, 2.5L 5 Cyl. (1K)                          | 06-09       | 85100.140 | 1.0                    | 1.0  | 4.10085   | 1.5                    | 1.4  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Golf VI, 2.5L 5 Cyl. (5K)                                              | 10-12       | 85100.140 | 1.2                    | 1.0  | 4.10085   | 1.6                    | 1.5  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Golf VI, TDI                                                           | 10-12       | 85114.140 | I/D                    | I/D  |           |                        |      |               |          |           |          |                           |  |
| Golf R                                                                 | 2012        | 85115.140 | I/D                    | I/D  |           |                        |      |               |          |           |          |                           |  |
| GTI, 2.0 4 Cyl. TSI (1K)                                               | 06-07       | 85100.140 | 1.0                    | 1.0  | 4.10085   | 1.8                    | 1.6  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| GTI, 2.0 4 Cyl. TSI (1K)                                               | 08-09       | 85100.140 | 0.7                    | 0.7  | 4.10085   | 1.5                    | 1.3  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| GTI, 2.0 4 Cyl. TSI (5K)                                               | 10-12       | 85109.140 | 0.8                    | 0.8  | 4.10985   | 1.4                    | 1.3  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Jetta II, 8-Valve (19E)                                                | 85-92       |           |                        |      |           |                        |      | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |  |
| Jetta III, VIN#...<070449, 4 Cyl (1HX)                                 | 93-96       |           |                        |      |           |                        |      | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |  |
| Jetta III, VIN#...>070450, 4 Cyl (Incl. 1.9 TDI) (1HX)                 | 96-98       |           |                        |      | 4.5485    | 1.8                    | 1.8  | 8502.310      | 23       | 8502.312  | 25       | 8502.320                  |  |
| Jetta III, VR6 (1HX)                                                   | 9/94-98     |           |                        |      |           |                        |      | 8530.310      | 23       | 8530.312  | 25       | 8530.320                  |  |
| Jetta IV, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. Wagon) (1MX)         | 11/98-05    | 8575.140  | 1.3                    | 1.3  | 4.7585    | 1.8                    | 1.8  | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |  |
| Jetta IV, 6 Cyl (Exc. Wagon) (1MX)                                     | 11/98-05    | 8576.140  | 1.2                    | 1.2  |           |                        |      | 1540.310      | 22       | 1540.312  | 25       | 1540.320                  |  |
| Jetta IV, Wagon GLS, 4 Cyl (Exc. 4-Motion) (1J6)                       | 01-05       | 8577.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Jetta IV, Wagon GLS & GLX, 6 Cyl (Exc. 4-Motion) (1J6)                 | 01-05       | 8577.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Jetta V, Sedan, (Incl. 2.0T 4Cyl & 2.5L I5)                            | 05-10       | 8598.140  | 1.3                    | 1.3  | 4.9885    | 1.7                    | 1.9  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Jetta V, Sedan, Diesel                                                 | 09-10       | 85103.140 | 1.2                    | 1.2  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Jetta, Sedan, 2.5L 5 Cyl.                                              | 11-12       | 85111.140 | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Jetta, Sedan, 2.0L 4 Cyl. TDI                                          | 11-12       | 85111.140 | 1.3                    | 1.4  |           |                        |      |               |          |           |          |                           |  |
| Jetta, Sedan, GLI, 2.0L 4 Cyl. TSI                                     | 2012        | 85116.140 | I/D                    | I/D  |           |                        |      |               |          |           |          |                           |  |
| Jetta V, SportWagen 2.5L 5 Cyl.                                        | 09-12       | 85106.140 | 1.0                    | 1.2  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Jetta V, SportWagen 2.0L 4 Cyl. TDI                                    | 09-12       | 85106.140 | 1.2                    | 1.2  |           |                        |      | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Passat, Sedan, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B2) | 06/97-10/00 |           |                        |      |           |                        |      | 1531.310      | 30       | n/a       | n/a      | 1531.310                  |  |
| Passat, Sedan, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B3) | 11/00-05    | 8568.140  | 1.2                    | 1.2  |           |                        |      | 1531.310      | 30       | n/a       | n/a      | 1531.310                  |  |
| Passat, Sedan, 4 Cyl 2.0T (3C)                                         | 06-08       | 8599.140  | 1.2                    | 1.2  |           |                        |      | 8598.310      | 26 (a)   | 8598.312  | 23 (a)   | 8598.320                  |  |
| Passat, Sedan, 6 Cyl, Exc. 4-Motion (3B5)                              | 11/96-10/00 |           |                        |      |           |                        |      |               |          |           |          |                           |  |
| Passat, Sedan, 6 Cyl (Exc. 4-Motion) (3B3)                             | 11/00-05    | 8569.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Passat, Wagon, 4 Cyl (Incl. 1.8T-Turbo & 1.9 TDI; Exc. 4-Motion) (3B5) | 11/96-10/00 |           |                        |      |           |                        |      |               |          |           |          |                           |  |
| Passat, Wagon, 4 Cyl (Exc. 4-Motion) (3B6)                             | 11/00-05    |           |                        |      |           |                        |      |               |          |           |          |                           |  |
| Passat, Wagon, 6 Cyl & TDI (Exc. 4-Motion) (3B5)                       | 01/99-10/00 | 8585.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Passat, Wagon, 6 Cyl (Exc. 4-Motion) (3B6)                             | 12/00-05    | 8581.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Rabbit / Golf V, 2 & 4 door, 2.5L 5 Cyl. (1K)                          | 06-09       | 85100.140 | 1.0                    | 1.0  | 4.10085   | 1.5                    | 1.4  | 8598.310      | 26(a)    | 8598.312  | 23(a)    | 8598.320                  |  |
| Tiguan, 4 Cyl. (Incl. 4-Motion) (5N)                                   | 09-11       | 85107.540 | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| Touareg, 3.2L, V6 & V8                                                 | 10/02-07    | 8596.540  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| VOLVO                                                                  |             |           |                        |      |           |                        |      |               |          |           |          |                           |  |
| 850, GLT, Sedan & Wagon (Incl. Turbo)                                  | 92-12/96    | 8410.140  | 1.2                    | 1.0  |           |                        |      |               |          |           |          |                           |  |
| 850, T5R (Exc. S/Lev)                                                  | 92-12/96    | 8410.140  | 1.2                    | 1.0  |           |                        |      |               |          |           |          |                           |  |
| C30, T5, 2.5L 5Cyl. Turbo (Exc. R model) (P1)                          | 07-12       | 8436.140  | 1.2                    | 1.7  |           |                        |      |               |          |           |          |                           |  |
| C70, Coupe                                                             | 97-05       | 8420.140  | 0.8                    | 0.8  |           |                        |      |               |          |           |          |                           |  |
| C70, Coupe                                                             | 06-10       | 8435.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| S40, Sedan (Exc. AWD) (P1)                                             | 4/04-10     | 8432.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| S40, Sedan, 2.5L 5 Cyl. Turbo (AWD) (T5)                               | 04-10       | 8435.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| S60, Sedan (Exc. AWD & Diesel)                                         | 11/00-08    | 8425.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| S60R, Sedan (w/out leveling control)                                   | 04-08       | 8434.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| V50, Sedan, 2.5L 5 Cyl. Turbo (AWD) (T5)                               | 04-09       | 8435.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| V70, Wagon (Exc. AWD & Diesel)                                         | 01/97-02/00 | 8410.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |
| V70, Wagon (Incl. 2.4, 2.4T-Turbo & T5) (Exc. AWD, Diesel) (T5)        | 03/00-07    | 8426.140  | 1.2                    | 1.2  |           |                        |      |               |          |           |          |                           |  |

(a) This ANTI-ROLL Bar is adjustable.

(bo) SPORT-SYSTEM available-see Eibach.com for details.

# All PRO-PLUS, PRO-SYSTEM and PRO-SYSTEM-PLUS –Include a 10% Discount Over Individual Kits!



55

| PRO-PLUS*<br>PRO-KIT +<br>ANTI-ROLL-KIT | PRO-DAMPER<br>Complete Kit<br>Front & Rear | PRO-SYSTEM*<br>PRO-KIT +<br>PRO-DAMPER | PRO-SYSTEM-PLUS*<br>PRO-KIT+ PRO-DAMPER<br>+ ANTI-ROLL-KIT | PRO-ALIGNMENT<br>Axle Kit Incl.<br>Left & Right | Degrees of Adjustment    |
|-----------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------|-------------------------------------------------|--------------------------|
|                                         | 8530.840                                   |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
| 8561.880(bt)                            | 1540.840                                   | 8561.780(bo)                           | 8561.680(bp)                                               | 5.81340K                                        | Front + / - 1.00         |
| 8564.880                                | 1540.840                                   | 8564.780                               | 8564.680                                                   | 5.81340K                                        | Front + / - 1.00         |
| 85100.880(bt)                           | 8598.840                                   | 85100.780(bo)                          | 85100.680(bp)                                              |                                                 |                          |
| 85100.880(bt)                           | 8598.840                                   | 85100.780(bo)                          | 85100.680(bp)                                              |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
| 85100.880(bt)                           | 8598.840                                   | 85100.780(bo)                          | 85100.680(bp)                                              |                                                 |                          |
| 85100.880(bt)                           | 8598.840                                   | 85100.780(bo)                          | 85100.680(bp)                                              |                                                 |                          |
| 85109.880(bt)                           | 8598.840                                   | 85109.780(bo)                          | 85109.680(bp)                                              |                                                 |                          |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
|                                         | 8530.840                                   |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
| (bt)                                    | 8530.840                                   |                                        | (bp)                                                       | 5.81250K                                        | Front + / - 1.75         |
|                                         | 8530.840                                   |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
| 8575.880(bt)                            | 1540.840                                   | 8575.780 (bo)                          | 8575.680(bp)                                               | 5.81340K                                        | Front + / - 1.00         |
|                                         |                                            |                                        |                                                            | 5.71500K                                        | Rear +/- 0.50 to +/-1.00 |
| 8576.880                                | 1540.840                                   | 8576.780                               | 8576.680                                                   | 5.81340K                                        | Front + / - 1.00         |
|                                         |                                            |                                        |                                                            | 5.71500K                                        | Rear +/- 0.50 to +/-1.00 |
|                                         | 1540.840                                   | 8577.780                               |                                                            | 5.81340K                                        | Front + / - 1.00         |
|                                         | 1540.840                                   | 8577.780                               |                                                            | 5.81340K                                        | Front + / - 1.00         |
| 8598.880(bt)                            | 8598.840                                   | 8598.780(bo)                           | 8598.680(bp)                                               |                                                 |                          |
| 85103.880                               | 8598.840                                   | 85103.780                              | 85103.680                                                  |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
| 85106.880                               | 8598.840                                   | 85106.780                              | 85106.680                                                  |                                                 |                          |
| 85106.880                               | 8598.840                                   | 85106.780                              | 85106.680                                                  |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
| 8568.880                                |                                            |                                        |                                                            |                                                 |                          |
|                                         | 8598.840                                   | 8599.780                               |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
| 85100.880(bt)                           | 8598.840                                   | 85100.780(bo)                          | 85100.680(bp)                                              |                                                 |                          |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            | 5.81250K                                        | Front + / - 1.75         |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            | 5.81310K                                        | Rear + / - 1.00          |
|                                         |                                            |                                        |                                                            | 5.67420K                                        | Rear -1.50 to + 5.00     |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75         |
|                                         |                                            |                                        |                                                            |                                                 |                          |
|                                         |                                            |                                        |                                                            | 5.81310K                                        | Rear + / - 1.00          |
|                                         |                                            |                                        |                                                            | 5.67420K                                        | Rear -1.50 to + 5.00     |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75         |
|                                         |                                            |                                        |                                                            | 5.81260K                                        | Front + / - 1.75         |

\* Many Plus and System applications are available with SPORTLINE spring kits—see Eibach.com for details

(bp) SPORT-SYSTEM-PLUS available-see Eibach.com for details.

(bt) SPORT-PLUS available-see Eibach.com for details.

# TRUCK & SUV | Springs, Swaybars and Shocks

| Manufacture / Model                                                    | Year  | PRO-TRUCK SYSTEM | APPROX. LOWERING |      | PRO-TRUCK FRONT ONLY |       |                       |
|------------------------------------------------------------------------|-------|------------------|------------------|------|----------------------|-------|-----------------------|
|                                                                        |       |                  | Front            | Rear |                      | Front | APPROX. LOWERING Type |
| BMW                                                                    |       |                  |                  |      |                      |       |                       |
| X3                                                                     | 04-10 | 2079.540         | 1.2              | 1.2  |                      |       |                       |
| X3, xDrive35i                                                          | 11-12 | 20119.540        | 1.2              | 1.2  |                      |       |                       |
| X5, 3.0 E53 (Exc. Leveling Control)                                    | 01-06 | 2076.540         | 1.2              | 1.2  |                      |       |                       |
| X5, 3.0 E53 (W/ Air Suspension Rear)                                   | 01-06 |                  |                  |      |                      |       |                       |
| X5, 4.4i & 4.6si ( W/Air Suspension Rear)                              | 00-05 |                  |                  |      |                      |       |                       |
| X5, 3.0 E70 (Exc. Leveling Control)                                    | 07-12 | 2093.540         | 1.2              | 1.0  |                      |       |                       |
| X5, xDrive35d, 3.0L 6 Cyl. Turbo Diesel, (Exc. Leveling Control) (E70) | 09-12 | 2093.540         | 1.2              | 1.0  |                      |       |                       |
| X6, 35i (Incl. Diesel; Exc. Leveling Control, Hybrid) (E71)            | 08-12 | 20103.540        | 0.8              | 0.8  |                      |       |                       |
| CADILLAC                                                               |       |                  |                  |      |                      |       |                       |
| Escalade, V8 (2WD/4WD)(Incl. EXT)                                      | 02-06 | 3887.530         | 1-3              | 3.0  | 3887.510             | 1.3   | Adj.Torsion Keys      |
| Escalade, V8 6.2L (2WD/4WD)(W/ Autoride)                               | 07-12 | 38129.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38153.540        | 2.0              | 3.0  |                      |       |                       |
| Escalade ESV, V8 6.2L (4WD)(W/ Autoride)                               | 07-12 | 38130.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38154.540        | 2.0              | 3.0  |                      |       |                       |
| Escalade EXT, V8 6.2L (4WD)(W/ Autoride)                               | 07-12 | 38130.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38154.540        | 2.0              | 3.0  |                      |       |                       |
| CHEVROLET                                                              |       |                  |                  |      |                      |       |                       |
| Avalanche, Z66 & Z71, V8 (2WD/4WD)                                     | 02-06 | 3887.530         | 1-3              | 3.0  | 3887.510             | 1-3   | Adj.Torsion Keys      |
| Avalanche, V8 2WD/4WD (Exc. Autoride)                                  | 07-12 | 38131.540        | 2.0              | 2.0  | 38152.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38155.540        | 2.0              | 3.0  |                      |       |                       |
| Avalanche, V8 (w/Autoride)                                             | 07-12 | 38132.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38154.540        | 2.0              | 3.0  |                      |       |                       |
| Astro Van, 6 Cyl (2WD)                                                 | 85-05 |                  |                  |      | 3814.520             | 2.0   | Coil Springs          |
| C-10, V8 (2WD)                                                         | 62-87 |                  |                  |      | 3816.520             | 2.0   | Coil Springs          |
| C-10, V8 (2WD)                                                         | 73-87 | 3816.530         | 2.0              | 2.0  | 3816.520             | 2.0   | Coil Springs          |
| C-3500 Crew Cab Dually, (2WD)                                          | 92-98 | 3819.530         | 1.0              | 2.0  | 3819.520             | 1.0   | Coil Springs          |
| C-1500 Std Cab, V8-Exc. 454SS (2WD)                                    | 88-98 | 3812.530         | 2.0              | 2.0  | 3812.520             | 2.0   | Coil Springs          |
| C-1500 Std Cab, V8-454SS (2WD)                                         | 90-94 | 3819.530         | 1.0              | 2.0  | 3819.520             | 1.0   | Coil Springs          |
| C-1500 Std Cab, V8 (2WD)(Fleetside)                                    | 99-07 |                  |                  |      | 3881.520             | 2.0   | Coil Springs          |
| C-1500 Std Cab, V8 (2WD)(Stepside)                                     | 99-07 |                  |                  |      | 3881.520             | 2.0   | Coil Springs          |
| C-1500 Ext Cab, V8-Exc. 454SS (2WD)                                    | 88-98 | 3819.530         | 1.0              | 2.0  | 3819.520             | 1.0   | Coil Springs          |
| C-1500 Ext Cab, V8 (2WD)(Fleetside)                                    | 99-07 |                  |                  |      | 3881.520             | 2.5   | Coil Springs          |
| C-1500 SS                                                              | 04-07 |                  |                  |      |                      |       |                       |
| C-1500 Ext Cab, V8 (2WD)(Stepside)                                     | 99-07 |                  |                  |      | 3881.520             | 2.5   | Coil Springs          |
| Silverado, 1500 Regular Cab, V8, RWD                                   | 07-12 | 38110.530        | 1.7              | 2.4  | 38110.520            | 1.7   | Coil Springs          |
| Silverado, 1500 Extended Cab, V8, RWD                                  | 07-12 | 38110.530        | 1.7              | 2.4  | 38110.520            | 1.7   | Coil Springs          |
| Silverado, 1500 Crew Cab, V8, RWD (Exc. Hybrid & AWD)                  | 07-12 | 38110.530        | 1.7              | 2.4  | 38110.520            | 1.7   | Coil Springs          |
| Suburban, 1/2 ton, V8 (2WD)                                            | 73-91 | 3816.530         | 2.5              | 2.0  | 3816.520             | 2.5   | Coil Springs          |
| Suburban, 1500, V8 (2WD)                                               | 92-99 |                  |                  |      |                      |       |                       |
| Suburban, 1500, V8 (2WD/4WD)                                           | 00-06 | 3887.530         | 1-3              | 3.0  | 3887.510             | 1-3   | Torsion Keys          |
| Suburban, 1/2 ton, V8 (2WD/4WD)(Incl. Autoride)                        | 07-12 | 38132.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38154.540        | 2.0              | 3.0  |                      |       |                       |
| Suburban, 1/2 ton, V8 (2WD/4WD)(Exc. Autoride)                         | 07-12 | 38131.540        | 2.0              | 2.0  | 38152.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38155.540        | 2.0              | 3.0  |                      |       |                       |
| SSR                                                                    | 03-06 | 3892.540         | 1.0              | 1.3  |                      |       |                       |
| Tahoe, V8 (2WD)                                                        | 95-99 | 3819.530         | 1.0              | 2.0  | 3819.520             | 1.0   | Coil Springs          |
| Tahoe, V8 (2WD/4WD)                                                    | 00-06 | 3887.530         | 1-3              | 3.0  | 3887.510             | 1-3   | Torsion Keys          |
| Tahoe, V8, (2WD/4WD) (Incl. Autoride; Exc. Hybrid)                     | 07-12 | 38106.540        | 2.0              | 2.0  | 38151.520            | 2.0   | Coil Springs          |
|                                                                        |       | 38153.540        | 2.0              | 3.0  |                      |       |                       |
| Continued                                                              |       |                  |                  |      |                      |       |                       |

Continued

(r) Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.

(t) This ANTI-ROLL Bar is tubular.

| PRO-TRUCK REAR ONLY |                          |              | ANTI-ROLL-KIT |           |           |          |                              | PRO-PLUS                    | PRO-TRUCK-SHOCK | PRO-ALIGNMENT            |                   |
|---------------------|--------------------------|--------------|---------------|-----------|-----------|----------|------------------------------|-----------------------------|-----------------|--------------------------|-------------------|
|                     | APPROX. LOWERING<br>Type |              | Front Only    |           | Rear Only |          | Complete<br>Front & Rear Kit | PRO-TRUCK+<br>ANTI-ROLL-KIT |                 | Degrees of<br>Adjustment |                   |
|                     | Rear                     |              | Diameter      | Part#     | Diameter  | Part#    |                              |                             |                 |                          |                   |
|                     |                          |              | 34            | 2074.310  | 26        | 2074.312 | 2074.320                     | 2076.880                    |                 | 5.81280K                 | Front +/- 1.75    |
|                     |                          |              | 34            | 2074.310  | 26        | 2074.312 | 2074.320                     |                             |                 | 5.81280K                 | Front +/- 1.75    |
|                     |                          |              | 34            | 2074.310  | 26        | 2074.312 | 2074.320                     |                             |                 | 5.81280K                 | Front +/- 1.75    |
|                     |                          |              |               |           |           |          |                              |                             |                 |                          |                   |
|                     |                          |              |               |           |           |          |                              |                             |                 |                          |                   |
| 3882.520(r)         | 2.0                      | Coil Springs | 35(t)         | 3882.310  | 32(t)     | 3882.312 | 3882.320                     | 3887.880                    |                 | 5.86350K                 | Front +/- 1.00    |
| 3887.520(r)         | 3.0                      | Coil Springs |               |           |           |          |                              |                             |                 |                          |                   |
| 38106.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38129.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 3887.520            | 3.0                      | Coil Springs |               |           |           |          |                              | 38153.880                   |                 | 5.86375K                 | Front +/- 1.50    |
| 38129.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38130.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38130.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38154.880                   |                 | 5.86375K                 | Front +/- 1.50    |
| 38129.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38130.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38130.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38154.880                   |                 | 5.86375K                 | Front +/- 1.50    |
|                     |                          |              |               |           |           |          |                              |                             |                 |                          |                   |
| 3887.520(r)         | 3.0                      | Coil Springs | 35(t)         | 3882.310  | 32(t)     | 3882.312 | 3882.320                     | 3887.880                    |                 |                          |                   |
| 3882.520(r)         | 2.0                      | Coil Springs |               |           |           |          |                              |                             |                 |                          |                   |
| 38132.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38131.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38131.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38155.880                   |                 | 5.86375K                 | Front +/- 1.50    |
| 38129.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38132.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38130.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38154.880                   |                 | 5.86375K                 | Front +/- 1.50    |
|                     |                          |              |               |           |           |          |                              |                             |                 |                          |                   |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 1.5                      | Shackle Kit  |               |           |           |          |                              |                             | 3881.840        | 5.86350K                 | Front +/- 1.00    |
| 3816.820            | 1.5                      | Shackle Kit  |               |           |           |          |                              |                             | 3881.840        | 5.86350K                 | Front +/- 1.00    |
| 3811.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 1.5                      | Shackle Kit  |               |           |           |          |                              |                             | 3881.840        | 5.86350K                 | Front +/- 1.00    |
| 3811.820            | 1.5                      | Shackle Kit  |               |           |           |          |                              |                             | 3881.840        |                          |                   |
| 3816.820            | 1.5                      | Shackle Kit  |               |           |           |          |                              |                             | 3881.840        | 5.86350K                 | Front +/- 1.00    |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 | 5.86350K                 | Front +/- 1.00    |
|                     |                          |              |               |           |           |          |                              |                             |                 | 5.86375K                 | Front +/- 1.50    |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 | 5.86350K                 | Front +/- 1.00    |
|                     |                          |              |               |           |           |          |                              |                             |                 | 5.86375K                 | Front +/- 1.50    |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 | 5.86350K                 | Front +/- 1.00    |
|                     |                          |              |               |           |           |          |                              |                             |                 | 5.86375K                 | Front +/- 1.50    |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 | 5.87400K                 | Front +/- 2.00    |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3816.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 |                          |                   |
| 3887.520(r)         | 3.0                      | Coil Springs | 35(t)         | 3882.310  | 32(t)     | 3882.312 | 3882.320                     | 3887.880                    |                 | 5.86350K                 | Front +/- 1.00    |
| 3882.520(r)         | 2.0                      | Coil Springs |               |           |           |          |                              |                             |                 |                          |                   |
| 38129.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38132.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38130.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38154.880                   |                 | 5.86375K                 | Front +/- 1.50    |
| 38132.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38131.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 38131.520           | 3.0                      | Coil Springs |               |           |           |          |                              | 38155.880                   |                 | 5.86375K                 | Front +/- 1.50    |
|                     |                          |              |               |           |           |          |                              |                             |                 |                          |                   |
| 3811.820            | 2.0                      | Shackle Kit  |               |           |           |          |                              |                             |                 | 5.87400K                 | Front +/- 2.00    |
| 3887.520(r)         | 3.0                      | Coil Springs | 35(t)         | 3882.310  | 32(t)     | 3882.312 | 3882.320                     | 3887.880                    |                 | 5.86350K                 | Front 0 to + 2.00 |
| 3882.520(r)         | 2.0                      | Coil Springs |               |           |           |          |                              |                             |                 |                          |                   |
| 38106.520           | 2.0                      | Coil Springs | 38(t)         | 38106.310 | 32(t)     | 3882.312 | 38106.320                    | 38106.880                   |                 | 5.86350K                 | Front +/- 1.00    |
| 3887.520            | 3.0                      | Coil Springs |               |           |           |          |                              | 38153.880                   |                 | 5.86375K                 | Front +/- 1.50    |



**Mark parts to indicate left and right side before removal. Many parts are designed specifically for the left or the right side of your car or truck.**

| Manufacture / Model                                   | Year  | PRO-TRUCK SYSTEM                    |                           |                          | PRO-TRUCK FRONT ONLY                |                   |                                              |
|-------------------------------------------------------|-------|-------------------------------------|---------------------------|--------------------------|-------------------------------------|-------------------|----------------------------------------------|
|                                                       |       |                                     | APPROX. LOWERING<br>Front | APPROX. LOWERING<br>Rear |                                     | Front             | APPROX. LOWERING<br>Type                     |
| CHEVROLET                                             |       |                                     |                           |                          |                                     |                   |                                              |
| Tahoe, V8, (2WD/4WD) (Exc. Autoride, Hybrid)          | 07-12 | 38107.540<br>38156.540              | 2.0<br>2.0                | 2.0<br>3.0               | 38152.520                           | 2.0               | Coil Springs                                 |
| Trailblazer, (Incl. EXT, 2WD/4WD; Exc. SS)            | 02-08 | 3826.540                            | 1.5                       | 2.3                      |                                     |                   |                                              |
| CHRYSLER                                              |       |                                     |                           |                          |                                     |                   |                                              |
| Aspen, V8, (Incl. 2WD/4WD, Exc. Hybrid)               | 07-09 | 2868.520                            | adj.                      | 3.0                      |                                     |                   | Torsion Bar                                  |
| Town & Country, 6 Cyl (Exc. Lxi, LWB, AWD & Models)   | 96-00 | 2825.130(d)                         | 1.7                       | 1.3                      |                                     |                   |                                              |
| DODGE                                                 |       |                                     |                           |                          |                                     |                   |                                              |
| Caravan, 4 & 6 Cyl (Exc. Grand Caravan, AWD & Models) | 96-00 | 2825.130(d)                         | 1.7                       | 1.3                      |                                     |                   |                                              |
| Durango, V6 & V8 (Exc. Hybrid)                        | 04-09 | 2868.520                            | adj.                      | 3.0                      |                                     |                   | Torsion Bar                                  |
| Durango, V8                                           | 11-12 | 28107.540                           | I/D                       | I/D                      |                                     |                   |                                              |
| Nitro, 3.7L V6 (Incl. SLT)                            | 07-11 | 2885.540                            | 1.8                       | 1.6                      |                                     |                   |                                              |
| FORD                                                  |       |                                     |                           |                          |                                     |                   |                                              |
| Edge, 3.5L V6, (FWD/AWD)                              | 07-11 | 35117.540                           | 1.7                       | 1.3                      |                                     |                   |                                              |
| Edge, 2.0L EcoBoost/3.5L V6, (FWD/AWD)                | 2012  | 35117.540                           | 1.3                       | 1.0                      |                                     |                   |                                              |
| Edge Sport, 3.7L V6 w/Ti-VCT                          | 2012  | 35117.540                           | 1.3                       | 1.0                      |                                     |                   |                                              |
| Expedition, (2WD/4WD)                                 | 03-06 | 3597.540                            | 1.8                       | 1.6                      |                                     |                   |                                              |
| Explorer, V6 (2WD/4WD)(Exc. Sport & Sport Trac)       | 01-04 |                                     |                           |                          |                                     |                   |                                              |
| Explorer, V8 (2WD/4WD)(Exc. Sport & Sport Trac)       | 01-04 |                                     |                           |                          |                                     |                   |                                              |
| F150, Lightning, PN96, (2WD)                          | 97-04 |                                     |                           |                          |                                     |                   |                                              |
| F150, Std. Cab, 6 Cyl, PN96 (2WD)                     | 97-03 |                                     |                           |                          |                                     |                   |                                              |
| F150, Std. Cab, V8 (2WD)                              | 04-04 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| F150, Std. Cab, V8 (2WD)                              | 05-08 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| F150, Ext. Cab, 6 Cyl, PN96 (2WD)                     | 97-03 |                                     |                           |                          |                                     |                   |                                              |
| F150, Ext. Cab, V8, PN96 (2WD)                        | 97-03 |                                     |                           |                          |                                     |                   |                                              |
| F150, Lightning, (2WD)                                | 92-95 |                                     |                           |                          |                                     |                   |                                              |
| F150, Ext. Cab, V8 (2WD)                              | 04-04 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| F150, Ext. Cab, V8 (2WD)                              | 05-08 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| F150, Crew Cab, V8 (2WD)                              | 04-04 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| F150, Crew. Cab, V8 (2WD)                             | 05-08 | 35112.530<br>35112.540<br>35112.550 | 2.0<br>2.0<br>2.0         | 1.0<br>3.0<br>4.0        | 35112.520<br>35112.520<br>35112.520 | 2.0<br>2.0<br>2.0 | Coil Springs<br>Coil Springs<br>Coil Springs |
| Flex, 3.5L V6 (2WD)                                   | 09-12 | 35121.540                           | 1.0                       | 1.2                      |                                     |                   |                                              |
| Flex, 3.5L EcoBoost (AWD)                             | 09-12 | 35121.540                           | 0.8                       | 1.6                      |                                     |                   |                                              |
| Ranger, Std. Cab, 6 Cyl (2WD/4WD)                     | 98-05 |                                     |                           |                          | 3588.520                            | 2.0               | Coil Springs                                 |
| FORD LIFT KITS                                        |       |                                     |                           |                          |                                     |                   |                                              |
| Ranger, Std. Cab, 6 Cyl (2WD/4WD)(Lift Kit)           | 90-97 |                                     |                           |                          | 3540.620                            | +1.5              | Coil Springs                                 |
| GMC                                                   |       |                                     |                           |                          |                                     |                   |                                              |
| C-15, V8 (2WD)                                        | 62-72 |                                     |                           |                          | 3816.520                            | 2.0               | Coil Springs                                 |
| C-15, V8 (2WD)                                        | 73-87 | 3816.530                            | 2.0                       | 2.0                      | 3816.520                            | 2.0               | Coil Springs                                 |
| C-1500, Std Cab, V8-Exc. 454SS (2WD)                  | 88-98 | 3812.530                            | 2.0                       | 2.0                      | 3812.520                            | 2.0               | Coil Springs                                 |
| C-1500, Std Cab, V8-454SS (2WD)                       | 90-94 | 3819.530                            | 1.0                       | 2.0                      | 3819.520                            | 1.0               | Coil Springs                                 |
| Continued                                             |       |                                     |                           |                          |                                     |                   |                                              |

(Continued)

(d) Kit includes front coil springs and rear shackle hanger kit.

(t) This ANTI-ROLL Bar is tubular.

| PRO-TRUCK REAR ONLY | ANTI-ROLL-KIT            |                           |                        |           |                       |           |                              | PRO-PLUS<br>PRO-TRUCK+<br>ANTI-ROLL-KIT | PRO-TRUCK-<br>SHOCK | PRO-ALIGNMENT            |                |
|---------------------|--------------------------|---------------------------|------------------------|-----------|-----------------------|-----------|------------------------------|-----------------------------------------|---------------------|--------------------------|----------------|
|                     | APPROX. LOWERING<br>Type |                           | Front Only<br>Diameter | Part#     | Rear Only<br>Diameter | Part#     | Complete<br>Front & Rear Kit |                                         |                     | Degrees of<br>Adjustment |                |
| 38107.520           | 2.0                      | Coil Springs              | 38(t)                  | 38106.310 | 32(t)                 | 3882.312  | 38106.320                    | 38107.880                               |                     | 5.86350K                 | Front +/- 1.00 |
| 38150.520           | 3.0                      | Coil Springs              |                        |           |                       |           |                              | 38156.880                               |                     | 5.86375K                 | Front +/- 1.50 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 2868.520            | 3.0                      | Coil Springs              |                        |           |                       |           |                              |                                         |                     | 5.81260K                 | Rear +/- 1.75  |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.81260K                 | Rear +/- 1.75  |
| 2868.520            | 3.0                      | Coil Springs              |                        |           |                       |           |                              |                                         |                     |                          |                |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.81280K                 | Front +/- 1.75 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.86640K                 | Front +/- 1.00 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.86680K                 | Rear +/- 1.00  |
|                     |                          |                           | 35                     | 3595.310  | 22(t)                 | 3595.312  | 3595.320                     |                                         |                     | 5.86140K                 | Front +/- 0.75 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.86180K                 | Rear +/- 0.50  |
|                     |                          |                           | 35                     | 3595.310  | 22(t)                 | 3595.312  | 3595.320                     |                                         |                     | 5.86140K                 | Front +/- 0.75 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.86180K                 | Rear +/- 0.50  |
| 3811.820            | 1.5                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     | 5.87385K                 | Front +/- 2.00 |
| 3811.820            | 1.5                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     | 5.87385K                 | Front +/- 2.00 |
| 35112.820           | 1.0                      | Shackle Kit               |                        |           | 25                    | 35112.312 |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.820           | 1.0                      | Shackle Kit               | 38                     | 35118.310 |                       |           |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3811.820            | 1.5                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     | 5.87385K                 | Front +/- 2.00 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     | 5.87385K                 | Front +/- 2.00 |
| 3816.820            | 2.0                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.820           | 1.0                      | Shackle Kit               | 35                     |           |                       | 35112.312 |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.820           | 1.0                      | Shackle Kit               | 38                     | 35118.310 |                       |           |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.820           | 1.0                      | Shackle Kit               | 35                     |           |                       | 35112.312 |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.820           | 1.0                      | Shackle Kit               | 38                     | 35118.310 |                       |           |                              |                                         | 35112.840           | 5.86250K                 | Front +/- 1.00 |
| 35112.020           | 3.0                      | Leaf Spring Kit           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 35112.830           | 4.0                      | Shackle & Leaf Spring Kit |                        |           |                       |           |                              |                                         |                     |                          |                |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3588.920            | 2.0                      | Springhanger Kit          |                        |           |                       |           |                              |                                         |                     | 5.87500K                 | Front +/- 2.00 |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     |                          |                |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     |                          |                |
|                     |                          |                           |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3816.820            | 2.0                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3811.820            | 2.0                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3811.920            | 2.0                      | Springhanger Kit          |                        |           |                       |           |                              |                                         |                     |                          |                |
| 3811.820            | 2.0                      | Shackle Kit               |                        |           |                       |           |                              |                                         |                     |                          |                |



Work on one corner of the car at a time. Some OE strut assemblies have up to 10 pieces which must be assembled in the exact order in which the factory installed them. Disassemble one corner, and if you make a mistake or lose track of the order of assembly, you can refer to the corresponding assembly as a reference.

# TRUCK & SUV | Springs, Swaybars and Shocks

| Manufacture / Model                                | Year  | PRO-TRUCK SYSTEM       |               | PRO-TRUCK FRONT ONLY |           |                       |                  |
|----------------------------------------------------|-------|------------------------|---------------|----------------------|-----------|-----------------------|------------------|
|                                                    |       | APPROX. Lowering Front | Lowering Rear |                      | Front     | APPROX. Lowering Type |                  |
| GMC                                                |       |                        |               |                      |           |                       |                  |
| C-1500, Std Cab, V8 (2WD)(Fleetside)               | 99-07 |                        |               |                      | 3881.520  | 2.0                   | Coil Springs     |
| C-1500, Std Cab, V8 (2WD)(Stepside)                | 99-07 |                        |               |                      | 3881.520  | 2.0                   | Coil Springs     |
| C-1500, Ext Cab, V8-Exc. 454SS (2WD)               | 88-98 | 3819.530               | 1.0           | 2.0                  | 3819.520  | 1.0                   | Coil Springs     |
| C-1500, Ext Cab, V8 (2WD)(Fleetside)               | 99-07 |                        |               |                      | 3881.520  | 2.5                   | Coil Springs     |
| C-1500, Ext Cab, V8 (2WD)(Stepside)                | 99-07 |                        |               |                      | 3881.520  | 2.5                   | Coil Springs     |
| C-3500, Crew Cab Dually (2WD)                      | 92-98 | 3819.530               | 1.0           | 2.0                  | 3819.520  | 1.0                   | Coil Springs     |
| Envoy, (2WD/4WD) (Incl. EXT; Exc. Air Suspension)  | 02-09 | 3826.540 (u)           | 1.5           | 2.0                  |           |                       |                  |
| Envoy, XL (2WD/4WD) (Exc. Air Suspension)          | 03-06 | 3826.540 (u)           | 1.5           | 2.3                  |           |                       |                  |
| Safari Van, 6 Cyl (2WD)                            | 85-04 |                        |               |                      | 3814.520  | 2.0                   | Coil Springs     |
| Sierra, 1500 Regular Cab, V8 (RWD)                 | 07-12 | 38110.530              | 1.7           | 2.4                  | 38110.520 | 1.7                   | Coil Springs     |
| Sierra, 1500 Extended Cab, V8 (RWD)                | 07-12 | 38110.530              | 1.7           | 2.4                  | 38110.520 | 1.7                   | Coil Springs     |
| Sierra, 1500 Crew Cab, V8, RWD (Exc. Hybrid & RWD) | 07-12 | 38110.530              | 1.7           | 2.4                  | 38110.520 | 1.7                   | Coil Springs     |
| Suburban, 1/2 ton, V8 (2WD)                        | 73-91 | 3816.530               | 2.5           | 2.0                  | 3816.520  | 2.5                   | Coil Springs     |
| Suburban, 1500, V8 (2WD)                           | 92-99 |                        |               |                      |           |                       |                  |
| Suburban, 1500, V8 (2WD/4WD)                       | 00-06 | 3887.530               | 1.3           | 3.0                  | 3887.510  | 1-3                   | Adj.Torsion Keys |
| Yukon, V8 (2WD)                                    | 95-99 | 3819.530               | 1.0           | 2.0                  | 3819.520  | 1.0                   | Coil Springs     |
| Yukon, V8 (2WD/4WD)(Exc. QuadraSteer)              | 00-06 | 3887.530               | 1.3           | 3.0                  | 3887.510  | 1-3                   | Adj.Torsion Keys |
| Yukon Denali, V8 (AWD)(Incl. XL)                   | 00-06 | 3887.530               | 1.3           | 3.0                  | 3887.510  | 1-3                   | Adj.Torsion Keys |
| Yukon, 6.2L V8 (2WD/4WD)(Exc. Autoride)            | 07-12 | 38107.540              | 2.0           | 2.0                  | 38152.520 | 2.0                   | Coil Springs     |
| Yukon Denali, 6.2L V8 (AWD)(w/ Autoride)           | 07-12 | 38156.540              | 2.0           | 3.0                  |           |                       |                  |
|                                                    |       | 38129.540              | 2.0           | 2.0                  | 38151.520 | 2.0                   | Coil Springs     |
|                                                    |       | 38153.540              | 2.0           | 3.0                  |           |                       |                  |
| Yukon Denali XL, 6.2L V8 (AWD)(w/ Autoride)        | 07-12 | 38130.540              | 2.0           | 2.0                  | 38151.520 | 2.0                   | Coil Springs     |
|                                                    |       | 38154.540              | 2.0           | 3.0                  |           |                       |                  |
| Yukon XL, V8 (2WD/4WD) (Exc. Autoride)             | 07-12 | 38131.540              | 2.0           | 2.0                  | 38152.520 | 2.0                   | Coil Springs     |
|                                                    |       | 38155.540              | 2.0           | 3.0                  |           |                       |                  |
| Yukon XL, V8 (2WD/4WD) (w/ Autoride)               | 07-12 | 38130.540              | 2.0           | 2.0                  | 38151.520 | 2.0                   | Coil Springs     |
|                                                    |       | 38154.540              | 2.0           | 3.0                  |           |                       |                  |
| HONDA                                              |       |                        |               |                      |           |                       |                  |
| CR-V                                               | 02-06 | 4064.540               | 1.2           | 1.2                  |           |                       |                  |
| Element                                            | 03-06 | 4063.540               | 1.7           | 1.7                  |           |                       |                  |
| Element, (FWD/AWD), 2.4L I4                        | 07-11 | 4075.540               | 1.5           | 2.0                  |           |                       |                  |
| Element SC, (FWD/AWD), 2.4L I4                     | 07-11 | 4075.540               | 1.0           | 1.5                  |           |                       |                  |
| HYUNDAI                                            |       |                        |               |                      |           |                       |                  |
| Tucson, 4 Cyl & 6 Cyl                              | 05-08 | 4239.540               | 1.4           | 1.0                  |           |                       |                  |
| INFINITI                                           |       |                        |               |                      |           |                       |                  |
| FX35, (2WD / AWD)                                  | 03-08 | 6366.540               | 1.2           | 1.2                  |           |                       |                  |
| FX35, (2WD / AWD)                                  | 09-12 | 63101.540              | 1.0           | 1.0                  |           |                       |                  |
| FX45, (2WD / AWD)                                  | 03-08 | 6366.540               | 1.3           | 1.3                  |           |                       |                  |
| FX50, (2WD / AWD)                                  | 09-12 | 63102.540              | I/D           | I/D                  |           |                       |                  |

(r) Rear springs only, front torsion bar is adjustable. Premium Ride Suspension Option must be replaced with standard shock.

(t) This ANTI-ROLL Bar is tubular.

| PRO-TRUCK REAR ONLY |      |                          | ANTI-ROLL-KIT          |           |                       |          | Complete<br>Front & Rear Kit | PRO-TRUCK+<br>ANTI-ROLL-KIT | PRO-TRUCK-<br>SHOCK | PRO-ALIGNMENT |                             |
|---------------------|------|--------------------------|------------------------|-----------|-----------------------|----------|------------------------------|-----------------------------|---------------------|---------------|-----------------------------|
|                     | Rear | APPROX. LOWERING<br>Type | Front Only<br>Diameter | Part#     | Rear Only<br>Diameter | Part#    |                              |                             |                     |               | Degrees of<br>Adjustment    |
| 3811.820            | 1.5  | Shackle Kit              |                        |           |                       |          |                              |                             | 3881.840            | 5.86350K      | Front +/- 1.00              |
| 3816.820            | 1.5  | Shackle Kit              |                        |           |                       |          |                              |                             | 3881.840            | 5.86350K      | Front +/- 1.00              |
| 3811.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     |               |                             |
| 3811.820            | 1.5  | Shackle Kit              |                        |           |                       |          |                              |                             | 3881.840            | 5.86350K      | Front +/- 1.00              |
| 3816.820            | 1.5  | Shackle Kit              |                        |           |                       |          |                              |                             | 3881.840            | 5.86350K      | Front +/- 1.00              |
| 3811.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     |               |                             |
|                     |      |                          |                        |           |                       |          |                              |                             |                     |               |                             |
| 3816.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     | 5.86350K      | Front +/- 1.00              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.86375K      | Front +/- 1.50              |
| 3816.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     | 5.86350K      | Front +/- 1.00              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.86375K      | Front +/- 1.50              |
| 3816.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     | 5.86350K      | Front +/- 1.00              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.86375K      | Front +/- 1.50              |
| 3816.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     |               |                             |
| 3816.820            | 2.0  | Shackle Kit              |                        |           |                       |          |                              |                             |                     | 5.87400K      | Front +/- 2.00              |
| 3887.520(r)         | 3.0  | Coil Springs             | 35(t)                  | 3882.310  | 32(t)                 | 3882.312 | 3882.320                     | 3887.880                    |                     | 5.86350K      | Front +/- 1.00              |
| 3882.520(r)         | 2.0  | Coil Springs             |                        |           |                       |          |                              |                             |                     |               |                             |
| 3811.820            | 2.0  |                          |                        |           |                       |          |                              |                             |                     | 5.87400K      | Front +/- 2.00              |
| 3887.520(r)         | 3.0  | Coil Springs             | 35(t)                  | 3882.310  | 32(t)                 | 3882.312 | 3882.320                     | 3887.880                    |                     |               |                             |
| 3882.520(r)         | 2.0  | Coil Springs             |                        |           |                       |          |                              |                             |                     |               |                             |
| 3887.520(r)         | 3.0  | Coil Springs             | 35(t)                  | 3882.310  | 32(t)                 | 3882.312 | 3882.320                     | 3887.880                    |                     | 5.86350K      | Front +/- 1.00              |
| 3882.520(r)         | 2.0  | Coil Springs             |                        |           |                       |          |                              |                             |                     |               |                             |
| 38107.520           | 2.0  | Coil Springs             | 38(t)                  | 38106.310 | 32(t)                 | 3882.312 | 38106.320                    | 38107.880                   |                     | 5.86350K      | Front +/- 1.00              |
| 38150.520           | 3.0  | Coil Springs             |                        |           |                       |          |                              | 38156.880                   |                     | 5.86375K      | Front +/- 1.50              |
| 38106.520           | 2.0  | Coil Springs             | 38(t)                  | 38106.310 | 32(t)                 | 3882.312 | 38106.320                    | 38129.880                   |                     | 5.86350K      | Front +/- 1.00              |
| 3887.520            | 3.0  | Coil Springs             |                        |           |                       |          |                              | 38153.880                   |                     | 5.86375K      | Front +/- 1.50              |
| 38129.520           | 2.0  | Coil Springs             | 38(t)                  | 38106.310 | 32(t)                 | 3882.312 | 38106.320                    | 38130.880                   |                     | 5.86350K      | Front +/- 1.00              |
| 38130.520           | 3.0  | Coil Springs             |                        |           |                       |          |                              | 38154.880                   |                     | 5.86375K      | Front +/- 1.50              |
| 38132.520           | 2.0  | Coil Springs             | 38(t)                  | 38106.310 | 32(t)                 | 3882.312 | 38106.320                    | 38131.880                   |                     | 5.86350K      | Front +/- 1.00              |
| 38131.520           | 3.0  | Coil Springs             |                        |           |                       |          |                              | 38155.880                   |                     | 5.86375K      | Front +/- 1.50              |
| 38129.520           | 2.0  | Coil Springs             | 38(t)                  | 38106.310 | 32(t)                 | 3882.312 | 38106.320                    | 38130.880                   |                     | 5.86350K      | Front +/- 1.00              |
| 38130.520           | 3.0  | Coil Springs             |                        |           |                       |          |                              | 38154.880                   |                     | 5.86375K      | Front +/- 1.50              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81280K      | Front +/- 1.75              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81280K      | Front +/- 1.75              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.67430K      | Rear Arm +6.00/-4.00        |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.69400K      | Rr. Performance Control Arm |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81280K      | Front +/- 1.75              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.67430K      | Rear Arm-4.00/+6.00         |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.69400K      | Rr. Performance Control Arm |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81280K      | Front +/- 1.75              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.67430K      | Rear Arm-4.00/+6.00         |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.69400K      | Rr. Performance Control Arm |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81260K      | Front +/-1.75               |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81260K      | Rear +/-1.75                |
|                     |      |                          |                        |           |                       |          |                              |                             |                     |               |                             |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81260K      | Front +/- 1.00              |
|                     |      |                          |                        |           |                       |          |                              |                             |                     |               |                             |
|                     |      |                          |                        |           |                       |          |                              |                             |                     | 5.81260K      | Front +/- 1.00              |



Properly index your springs. If your suspension does not specify the clocking of the springs, be sure to index the spring, both left and right, in the same direction. This will ensure the car's ride height will be even left to right.

NEW

NEW

NEW

NEW

| Manufacture / Model                                      | Year     | PRO-TRUCK SYSTEM |                           |      | PRO-TRUCK FRONT ONLY |       |                          |
|----------------------------------------------------------|----------|------------------|---------------------------|------|----------------------|-------|--------------------------|
|                                                          |          |                  | APPROX. LOWERING<br>Front | Rear |                      | Front | APPROX. LOWERING<br>Type |
| JEEP                                                     |          |                  |                           |      |                      |       |                          |
| Grand Cherokee, (2WD / 4WD), 6 & 8 Cyl                   | 99-04    | 2837.540         | 1.0                       | 1.3  |                      |       |                          |
| Grand Cherokee, (2WD / 4WD), 8 Cyl (Exc. SRT-8) (WK)     | 05-10    | 2839.540         | 1.2                       | 1.2  |                      |       |                          |
| Grand Cherokee, (2WD / 4WD) (Exc. SRT-8)                 | 11-12    | 28108.540        | I/D                       | I/D  |                      |       |                          |
| Grand Cherokee, SRT-8, 6.1L V8 HEMI                      | 06-10    | 2892.540         | 1.0                       | 1.1  |                      |       |                          |
| Grand Cherokee, SRT-8                                    | 2012     | 28109.540        | I/D                       | I/D  |                      |       |                          |
| Liberty                                                  | 9/01-07  | 2869.540         | 1.2                       | 1.2  |                      |       |                          |
| JEEP LIFT KITS                                           |          |                  |                           |      |                      |       |                          |
| Wrangler (Incl. X, Sahara, Rubicon)                      | 07-12    |                  |                           |      | 2894.620 (bv)        | +1.7  | Coil Springs             |
| Wrangler Unlimited (Incl. X, Sahara, Rubicon)            | 07-12    |                  |                           |      | 2894.620 (bv)        | +1.0  | Coil Springs             |
| KIA                                                      |          |                  |                           |      |                      |       |                          |
| Sportage V6                                              | 05-09    | 4614.540         | 1.2                       | 1.2  |                      |       |                          |
| Sorento, (2WD/4WD)                                       | 02-09    | 4612.540         | 1.2                       | 1.2  |                      |       |                          |
| LEXUS                                                    |          |                  |                           |      |                      |       |                          |
| RX 330 / 350 / 400h                                      | 6/03-08  | 8282.540         | 1.2                       | 1.2  |                      |       |                          |
| LINCOLN                                                  |          |                  |                           |      |                      |       |                          |
| MKX, 3.5L V6 (FWD/AWD)                                   | 07-11    | 35117.540        | 1.7                       | 1.3  |                      |       |                          |
| MKX, 3.7L V6 (FWD/AWD)                                   | 2012     | 35117.540        | 1.3                       | 1.0  |                      |       |                          |
| MAZDA                                                    |          |                  |                           |      |                      |       |                          |
| B Series, Std Cab 6 Cyl (2WD/4WD)                        | 98-00    |                  |                           |      | 3588.520             | 2.0   | Coil Springs             |
| MAZDA LIFT KITS                                          |          |                  |                           |      |                      |       |                          |
| B Series, Std Cab, 6 Cyl (2WD / 4WD) (Lift Kit)          | 94-97    |                  |                           |      | 3540.620             | +1.5  | Coil Springs             |
| MERCEDES                                                 |          |                  |                           |      |                      |       |                          |
| ML320/ML430/ML350/ML500, W163, (Rear Springs Only)       | 10/97-05 | 2558.120(k)      | adj.                      | 1.4  |                      |       |                          |
| ML350/ML500, W164                                        | 06-11    | 2573.540         | 1.4                       | 1.4  |                      |       |                          |
| NISSAN                                                   |          |                  |                           |      |                      |       |                          |
| Juke, 1.6L 4 Cyl. Turbo (Exc. AWD) (F15)                 | 11-12    | 63104.540        | 1.2                       | 1.2  |                      |       |                          |
| PLYMOUTH                                                 |          |                  |                           |      |                      |       |                          |
| Voyager, 4 Cyl & 6 Cyl (Exc. Grand Voyager, AWD & S/Lev) | 96-00    | 2825.130(d)      | 1.7                       | 1.3  |                      |       |                          |
| PORSCHÉ                                                  |          |                  |                           |      |                      |       |                          |
| Cayenne, (W/O Height adjustable Susp.)                   | 03-06    | 7216.540         | 1.4                       | 1.4  |                      |       |                          |
| VOLKSWAGEN                                               |          |                  |                           |      |                      |       |                          |
| Touareg, 3.2L, V6 & V8                                   | 10/02-08 | 8596.540         | 1.2                       | 1.2  |                      |       |                          |
| Tiguan, 4 Cyl. (Incl. 4-Motion) (5N)                     | 09-11    | 85107.540        | 1.2                       | 1.2  |                      |       |                          |

(a) This ANTI-ROLL Bar is adjustable.

(bv) Recommend use with longer shocks.

[illegible]

(d) Kit includes front coil springs and rear shackle hanger kit.

(k) Rear springs only, front torsion bar is adjustable.

# COIL-OVERS | Adjustable Ride Height Suspension Systems

| Manufacture / Model                                                          | Year        | EIBACH COIL-OVER SYSTEM |               |                               |         | Alignment<br>Camber Kit | Degrees of<br>Adjustment               |
|------------------------------------------------------------------------------|-------------|-------------------------|---------------|-------------------------------|---------|-------------------------|----------------------------------------|
|                                                                              |             | System Type*            |               | APPROX. LOWERING<br>FrontRear |         |                         |                                        |
| ACURA                                                                        |             |                         |               |                               |         |                         |                                        |
| Integra, 2 & 4-door (Incl. GS, GS-R, RS, LS) (DC2/4)                         | 94-01       | Pro-Street-S            | 4020.711      | 0.8-2.0                       | 0.8-2.0 |                         |                                        |
|                                                                              |             | Multi-Pro-R1            | 4017.712      | 0.0-2.7                       | 0.0-2.7 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 4017.713      | 0.0-2.7                       | 0.0-2.7 |                         |                                        |
| Integra, Type-R (DC2)                                                        | 97-01       | Multi-Pro-R1            | 4020.712      | 0.0-2.7                       | 0.0-2.7 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 4020.713      | 0.0-2.7                       | 0.0-2.7 |                         |                                        |
| RSX (Incl. Type S) (DC5)                                                     | 02-06       | Pro-Street-S            | 4054.711      | 0.8-2.0                       | 0.8-2.0 |                         |                                        |
| TL, 3.2 V6 (Exc. Type S)                                                     | 04-08       | Pro-Street-S            | 4044.711      | 1.4-2.6                       | 1.4-2.6 |                         |                                        |
|                                                                              |             |                         |               |                               |         |                         |                                        |
| AUDI                                                                         |             |                         |               |                               |         |                         |                                        |
| A3, Sportback, 2.0FSI, 2.0 TFSI, 2.0 TDI, 3.2FSI, 2WD, Quattro (8P)          | 06-12       | Pro-Street-S            | 8598.711 (cb) | 1.4-2.6                       | 1.4-2.6 |                         |                                        |
|                                                                              |             | Multi-Pro-R1            | 8598.712 (cb) | 0.0-3.0                       | 0.0-3.0 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 8598.713 (cb) | 0.0-3.0                       | 0.0-3.0 |                         |                                        |
| A4, Sedan, 2WD, 4 Cyl & 6 Cyl (B5)                                           | 96-01/99    | Pro-Street-S            | 1531.711      | 1.6-3.0                       | 1.6-3.0 |                         |                                        |
| A4, Sedan, 2WD, 4 Cyl & 6 Cyl (B6,B7)                                        | 02-08       | Pro-Street-S            | 1576.711      | 1.4-2.6                       | 1.4-2.6 |                         |                                        |
| A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)                                       | 96-01/99    | Pro-Street-S            | 1534.711      | 1.6-3.0                       | 1.6-3.0 |                         |                                        |
| A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B5)                                       | 02/99-10/00 | Pro-Street-S            | 1534.711      | 1.6-3.0                       | 1.6-3.0 |                         |                                        |
| A4, Sedan, Quattro, 4 Cyl & 6 Cyl (B6,B7)                                    | 02-08       | Pro-Street-S            | 1578.711      | 1.4-2.6                       | 1.4-2.4 |                         |                                        |
| A4, Avant (Wagon) Quattro, 4 Cyl & 6 Cyl (B5)                                | 96-01       | Pro-Street-S            | 1534.711      | 1.6-3.0                       | 1.6-3.0 |                         |                                        |
| S4, Sedan, Avant (Wagon) (B5S)                                               | 00-02       | Pro-Street-S            | 1534.711      | 1.6-3.0                       | 1.6-3.0 |                         |                                        |
| TT, Coupe / Roadster, 2WD, 4 Cyl & 6 Cyl (Exc. Magnetic Ride) (8J)           | 09-12       | Pro-Street-S            | 1596.711      | 0.8-2.0                       | 0.8-2.0 |                         |                                        |
| TT, Coupe / Roadster, 3.2L V6, Quattro (Exc. Magnetic Ride) (8J)             | 08-10       | Pro-Street-S            | 1598.711      | 0.8-2.0                       | 0.8-2.0 |                         |                                        |
|                                                                              |             |                         |               |                               |         |                         |                                        |
| BMW                                                                          |             |                         |               |                               |         |                         |                                        |
| 116i / 120i / 128i / 135i (E81,E82)                                          | 08-12       | Pro-Street-S            | 2085.711      | 1.2-2.3                       | 0.9-2.1 | 5.72190K                | Front -1.00/+3.00                      |
|                                                                              |             | Multi-Pro-R1            | 2085.712      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 2085.713      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
| 318i / 318is / 325i / 328i, 4 Cyl & 6 Cyl (Exc. Convertible & Compact) (E36) | 92-99       | Pro-Street-S            | 2021.711      | 1.5-3.1                       | 1.2-2.3 | 5.72070K                | Front -1.00/+3.00                      |
| 323i / 325i / 328i / 328Ci / 330i / 330Ci, Sport Wagon (Exc. xi & xiT) (E46) | 99-05       | Pro-Street-S            | 2067.711 (bw) | 1.2-3.0                       | 1.2-2.5 | 5.72080K<br>5.72180K    | Front -1.00/+3.00<br>Front -1.00/+3.00 |
| 328i / 335i Coupe (Exc. xi & Convertible) (E92)                              | 07-11       | Pro-Street-S            | 2085.711      | 1.2-2.3                       | 0.9-2.1 | 5.72190K                | Front -1.00/+3.00                      |
|                                                                              |             | Multi-Pro-R1            | 2085.712      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 2085.713      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
| 325i / 328i / 330i Sedan (Exc. Sport Wagon, xi & xiT) (E90)                  | 06-11       | Pro-Street-S            | 2085.711      | 1.2-2.3                       | 0.9-2.1 | 5.72190K                | Front -1.00/+3.00                      |
|                                                                              |             | Multi-Pro-R1            | 2085.712      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 2085.713      | 0.0-2.0                       | 0.0-1.6 |                         |                                        |
| M3, 2 & 4-door, 6 Cyl (Incl. Convertible) (E36)                              | 95-99       | Pro-Street-S            | 2059.711      | 1.2-2.4                       | 0.8-1.8 | 5.72070K                | Front -1.00/+3.00                      |
|                                                                              |             |                         |               |                               |         |                         |                                        |
| CHEVROLET                                                                    |             |                         |               |                               |         |                         |                                        |
| Camaro, LS, LT, 3.6L V6                                                      | 10-12       | Pro-Street-S            | 38144.711     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R1            | 38144.712     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 38144.713     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
| Camaro, SS, 6.2L V8                                                          | 10-12       | Pro-Street-S            | 38144.711     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R1            | 38144.712     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 38144.713     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Drag Launch R1          | 9331.712      | I/D                           | I/D     |                         |                                        |
| Camaro Convertible, 6.2L V8 SS                                               | 11-12       | Pro-Street-S            | 38144.711     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R1            | 38144.712     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Multi-Pro-R2            | 38144.713     | 0.0-2.0                       | 0.0-2.4 |                         |                                        |
|                                                                              |             | Drag Launch R1          | 9331.712      | I/D                           | I/D     |                         |                                        |
| Corvette, C5                                                                 | 97-04       | Multi-Pro-R2            | 38124.713     | 0.0-2.0                       | 0.0-2.0 |                         |                                        |
| Corvette, C5 Z51                                                             | 97-04       | Multi-Pro-R2            | 38133.713     | 0.0-2.0                       | 0.0-2.0 |                         |                                        |
| Corvette, C5 Z06                                                             | 01-04       | Multi-Pro-R2            | 38125.713     | 0.0-2.0                       | 0.0-2.0 |                         |                                        |
| Corvette, C6                                                                 | 05-12       | Multi-Pro-R2            | 38126.713     | 0.0-2.0                       | 0.0-2.0 |                         |                                        |
| Corvette, C6 Z51                                                             | 05-11       | Multi-Pro-R2            | 38134.713     | 0.0-2.0                       | 0.0-2.0 |                         |                                        |

\* System Type = PRO-STREET: Non-Stainless Steel Strut Housing--Ride Height Adjustable Only  
 PRO-STREET-S: Stainless Steel Strut Housing--Ride Height Adjustable Only  
 MULTI-PRO-R1: Ride Height Adjustable and Damping Adjustable--Single Adjustable Compression and Rebound  
 MULTI-PRO-R2: Ride Height Adjustable and Damping Adjustable--Double Adjustable Compression and Rebound w/Remote Reservoirs

|     | Manufacture / Model                                                                       | Year  | EIBACH COIL-OVER SYSTEM |           |                               |         |                         |                          |
|-----|-------------------------------------------------------------------------------------------|-------|-------------------------|-----------|-------------------------------|---------|-------------------------|--------------------------|
|     |                                                                                           |       | System Type*            |           | APPROX. LOWERING<br>FrontRear |         | Alignment<br>Camber Kit | Degrees of<br>Adjustment |
|     | Corvette, C6 Grand Sport                                                                  | 10-12 | Multi-Pro-R2            | 38145.713 | 0.0-2.0                       | 0.0-2.0 |                         |                          |
|     | Corvette, C6 Z06                                                                          | 06-12 | Multi-Pro-R2            | 38127.713 | 0.0-2.0                       | 0.0-2.0 |                         |                          |
|     | CHRYSLER                                                                                  |       |                         |           |                               |         |                         |                          |
|     | 300 3.5L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)                                            | 05-10 | Pro-Street-S            | 2895.711  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 2895.712  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 2895.713  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW | 300 3.6L V6, 300C 5.7L HEMI V8, 2WD (Exc. AWD)                                            | 11-12 | Pro-Street-S            | 28110.711 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R1            | 28110.712 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R2            | 28110.713 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     | 300 SRT8, 6.1L HEMI V8, 2WD (Exc. AWD)                                                    | 05-10 | Pro-Street-S            | 2895.711  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 2895.712  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 2895.713  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW | 300 SRT8, 6.4L HEMI V8, 2WD (Exc. AWD)                                                    | 2012  | Pro-Street-S            | 28110.711 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R1            | 28110.712 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R2            | 28110.713 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     | Neon, 2 & 4-door (Incl. R/T & ACR Models)                                                 | 95-99 | Pro-Street-S            | 2815.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | Neon, 4-door (Incl. R/T & ACR Models)                                                     | 00-06 | Pro-Street-S            | 2820.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | Neon SRT-4, 4-door, 2.4L Turbo                                                            | 03-06 | Pro-Street-S            | 2821.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | PT Cruiser, 4 Cyl (Incl. Turbo, "F" Package & Limited Edition Models)                     | 00-08 | Pro-Street-S            | 2860.711  | 1.6-2.8                       | 1.2-2.0 |                         |                          |
|     | DODGE                                                                                     |       |                         |           |                               |         |                         |                          |
|     | Challenger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8                                  | 08-10 | Pro-Street-S            | 2895.711  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 2895.712  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 2895.713  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Drag Launch R1          | 9332.712  | I/D                           | I/D     |                         |                          |
| NEW | Challenger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8                                  | 11-12 | Pro-Street-S            | 28110.711 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R1            | 28110.712 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R2            | 28110.713 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Drag Launch R1          | 9333.712  | I/D                           | I/D     |                         |                          |
|     | Charger, 3.5L V6, R/T 5.7L HEMI V8, SRT8 6.1L HEMI V8, 2WD (Incl. Daytona R/T) (Exc. AWD) | 06-10 | Pro-Street-S            | 2895.711  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 2895.712  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 2895.713  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Drag Launch R1          | 9332.712  | I/D                           | I/D     |                         |                          |
| NEW | Charger, 3.6L V6, R/T 5.7L HEMI V8, SRT8 6.4L HEMI V8 (Exc. AWD)                          | 11-12 | Pro-Street-S            | 28110.711 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R1            | 28110.712 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R2            | 28110.713 | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Drag Launch R1          | 9333.712  | I/D                           | I/D     |                         |                          |
|     | Magnum, 2WD, V6, R/T V8, SRT-8 V8 (Exc. AWD)                                              | 05-08 | Pro-Street-S            | 2895.711  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 2895.712  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 2895.713  | 0.0-2.5                       | 0.0-2.0 |                         |                          |
| NEW |                                                                                           |       | Drag Launch R1          | 9332.712  | I/D                           | I/D     |                         |                          |
|     | Neon, 2 & 4-door (Incl. R/T & ACR Models)                                                 | 95-99 | Pro-Street-S            | 2815.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | Neon, (Incl. R/T & ACR Models)                                                            | 00-06 | Pro-Street-S            | 2820.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | Neon SRT-4, 2.4L Turbo                                                                    | 03-06 | Pro-Street-S            | 2821.711  | 1.4-2.6                       | 1.4-2.6 |                         |                          |
|     | FORD                                                                                      |       |                         |           |                               |         |                         |                          |
|     | Focus, 3,4 & 5-Door (Incl. LX, SE, ZTS, ZX3 & Sports Models)                              | 00-05 | Pro-Street-S            | 3588.711  | 1.4-2.6                       | 1.4-2.2 | 5.81320K                | Front +/-1.00            |
| NEW | Focus, 4-Door & 5-Door                                                                    | 2012  | Pro-Street-S            | 35134.711 | I/D                           | I/D     |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R1            | 35134.712 | I/D                           | I/D     |                         |                          |
| NEW |                                                                                           |       | Multi-Pro-R2            | 35134.713 | I/D                           | I/D     |                         |                          |
|     | Mustang, All (Exc. IRS) (FOX)                                                             | 79-93 | Pro-Street              | 3510.710  | 1.0-2.5                       | 1.0-2.5 | 5.3510K                 | Front +/-3.00            |
|     | Mustang, All (Exc. IRS) (SN95)                                                            | 94-04 | Pro-Street              | 3510.710  | 1.0-2.5                       | 1.0-2.5 | 5.3518K                 | Front +/-3.00            |
|     | Mustang, All (Exc. IRS) (S197)                                                            | 05-10 | Pro-Street-S            | 35101.711 | 1.2-2.3                       | 1.4-2.1 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R1            | 35101.712 | 0.5-2.4                       | 0.5-2.5 |                         |                          |
|     |                                                                                           |       | Multi-Pro-R2            | 35101.713 | 0.5-2.4                       | 0.5-2.5 |                         |                          |
|     |                                                                                           |       | Drag Launch R1          | 9329.712  | 0.0-1.8                       | 0.5     |                         |                          |
|     | Continued                                                                                 |       |                         |           |                               |         |                         |                          |

Continued

(bw) It is necessary to inspect for clearance between the tires and the front suspension after installation. A minimum of 5mm or more is recommended between the tire and the suspension. Some vehicles may require the addition of TUV approved wheel spacers to meet this requirement. Use Eibach Springs part no. 5mm = 90.1.05.017.1;

12mm = 90.2.12.002.1; 15mm = 90.2.15.001.1; 20mm = 90.2.20.020.1; 25mm = 90.7.25.011.1; 30mm = 90.7.30.002.1

(cb) Only for vehicles with front damper diameter of 55 mm.

# COIL-OVERS | Adjustable Ride Height Suspension Systems

| Manufacture / Model                                             | Year  | EIBACH COIL-OVER SYSTEM |           |                  |         | Alignment<br>Camber Kit | Degrees of<br>Adjustment |
|-----------------------------------------------------------------|-------|-------------------------|-----------|------------------|---------|-------------------------|--------------------------|
|                                                                 |       | System Type*            |           | APPROX. LOWERING |         |                         |                          |
|                                                                 |       |                         |           | Front            | Rear    |                         |                          |
| FORD                                                            |       |                         |           |                  |         |                         |                          |
| Mustang, All                                                    | 11-12 | Pro-Street-S            | 35125.711 | 1.0-2.4          | 1.0-2.4 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 35125.712 | 1.0-2.4          | 1.0-2.4 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 35125.713 | 0.0-2.3          | 0.0-2.7 |                         |                          |
|                                                                 |       | Drag Launch R1          | 9330.712  | I/D              | I/D     |                         |                          |
| Mustang Shelby GT500, Coupe, 5.4L V8 Supercharged (S197)        | 07-10 | Pro-Street-S            | 35115.711 | 1.2-2.3          | 1.4-2.1 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 35115.712 | 0.5-2.4          | 0.5-2.5 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 35115.713 | 0.5-2.4          | 0.5-2.5 |                         |                          |
| Mustang Shelby GT500, Coupe, 5.4L V8 Supercharged               | 2011  | Pro-Street-S            | 35115.711 | 1.2-2.3          | 1.4-2.1 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 35115.712 | 0.5-2.4          | 0.5-2.5 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 35115.713 | 0.5-2.4          | 0.5-2.5 |                         |                          |
| Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged (S197)  | 07-10 | Pro-Street-S            | 35115.711 | 1.2-2.3          | 1.4-2.1 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 35115.712 | 0.5-2.4          | 0.5-2.5 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 35115.713 | 0.5-2.4          | 0.5-2.5 |                         |                          |
| Mustang Shelby GT500, Convertible, 5.4L V8 Supercharged         | 2011  | Pro-Street-S            | 35128.711 | 1.0-2.4          | 1.0-2.4 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 35128.712 | 1.0-2.4          | 1.0-2.4 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 35128.713 | 1.0-2.4          | 1.0-2.4 |                         |                          |
| HONDA                                                           |       |                         |           |                  |         |                         |                          |
| Accord, 2 & 4-door, 4 Cyl & 6 Cyl (Incl. EX, DX & LX)           | 03-05 | Pro-Street-S            | 4044.711  | 1.4-2.6          | 1.4-2.6 |                         |                          |
| Civic, 2 & 4-door                                               | 92-95 | Pro-Street-S            | 4017.711  | 1.8-3.0          | 1.8-3.0 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 4017.712  | 0.0-2.7          | 0.0-2.7 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 4017.713  | 0.0-2.7          | 0.0-2.7 |                         |                          |
| Civic, 2 & 4-door (Incl. EX, DX, HX, LX, & Hatchback Models)    | 96-00 | Pro-Street-S            | 4018.711  | 1.8-3.0          | 1.8-3.0 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 4018.712  | 0.0-2.7          | 0.0-2.7 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 4018.713  | 0.0-2.7          | 0.0-2.7 |                         |                          |
| Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid) | 01-02 | Pro-Street-S            | 4051.711  | 1.4-2.6          | 1.4-2.6 |                         |                          |
| Civic, 2 & 4-door (Incl. EX, DX, HX, & LX Models) (Exc. Hybrid) | 03-05 | Pro-Street-S            | 4068.711  | 1.4-2.6          | 1.4-2.6 |                         |                          |
| Civic Si (EM1)                                                  | 99-00 | Pro-Street-S            | 4018.711  | 1.8-3.0          | 1.8-3.0 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 4018.712  | 0.0-2.7          | 0.0-2.7 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 4018.713  | 0.0-2.7          | 0.0-2.7 |                         |                          |
| CR-Z                                                            | 2011  | Pro-Street-S            | 4085.711  | 0.5-2.2          | 0.5-2.2 |                         |                          |
| Del Sol                                                         | 93-97 | Pro-Street-S            | 4017.711  | 1.8-3.0          | 1.8-3.0 |                         |                          |
|                                                                 |       | Multi-Pro-R1            | 4017.712  | 0.0-2.7          | 0.0-2.7 |                         |                          |
|                                                                 |       | Multi-Pro-R2            | 4017.713  | 0.0-2.7          | 0.0-2.7 |                         |                          |
| S2000 (AP1, AP2)                                                | 00-09 | Multi-Pro-R2            | 4043.713  | 0.0-2.5          | 0.0-2.5 |                         |                          |
| HYUNDAI                                                         |       |                         |           |                  |         |                         |                          |
| Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)          | 09-10 | Pro-Street-S            | 4244.711  | 0.0-2.2          | 0.0-2.2 |                         |                          |
| Genesis Coupe, 2.0L 4Cyl. Turbo (Incl. R-Spec & Track)          | 11-12 | Pro-Street-S            | 4248.711  | 0.0-2.2          | 0.0-2.2 |                         |                          |
| Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)                   | 09-10 | Pro-Street-S            | 4244.711  | 0.0-2.2          | 0.0-2.2 |                         |                          |
| Genesis Coupe, 3.8L V6 (Incl. R-Spec & Track)                   | 11-12 | Pro-Street-S            | 4248.711  | 0.0-2.2          | 0.0-2.2 |                         |                          |
| INFINITI                                                        |       |                         |           |                  |         |                         |                          |
| G35, Coupe, 3.5L V6                                             | 03-07 | Pro-Street-S            | 6364.711  | 0.8-1.6          | 0.8-1.6 |                         |                          |
| MAZDA                                                           |       |                         |           |                  |         |                         |                          |
| Miata                                                           | 90-98 | Pro-Street-S            | 5515.711  | 1.2-2.4          | 1.2-2.4 |                         |                          |
| Miata                                                           | 99-05 | Pro-Street-S            | 5535.711  | 1.2-2.4          | 1.2-2.4 |                         |                          |
| MX-5 Miata                                                      | 06-08 | Multi-Pro-R1            | 5536.712  | 1.2-2.4          | 1.2-2.4 |                         |                          |
| RX-8                                                            | 03-08 | Multi-Pro-R1            | 5544.712  | 1.0-1.8          | 1.0-1.8 |                         |                          |

\* System Type = PRO-STREET: Non-Stainless Steel Strut Housing--Ride Height Adjustable Only  
 PRO-STREET-S: Stainless Steel Strut Housing--Ride Height Adjustable Only  
 MULTI-PRO-R1: Ride Height Adjustable and Damping Adjustable--Single Adjustable Compression and Rebound  
 MULTI-PRO-R2: Ride Height Adjustable and Damping Adjustable--Double Adjustable Compression and Rebound w/Remote Reservoirs

| Manufacture / Model                                                   |                                        | Year     | EIBACH COIL-OVER SYSTEM |               |                  |         |            |               |
|-----------------------------------------------------------------------|----------------------------------------|----------|-------------------------|---------------|------------------|---------|------------|---------------|
|                                                                       |                                        |          | System Type*            |               | APPROX. LOWERING |         | Alignment  | Degrees of    |
| MERCURY                                                               |                                        |          |                         |               | Front            | Rear    | Camber Kit | Adjustment    |
| Capri, V8                                                             |                                        | 79-86    | Pro-Street              | 3510.710      | 1.0-2.5          | 1.0-2.5 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| MINI                                                                  |                                        |          |                         |               |                  |         |            |               |
| Cooper, 1.6L (Incl. "S" model)                                        |                                        | 03/02-06 | Pro-Street-S            | 5702.711      | 0.8-2.0          | 0.8-2.0 | 5.67620K   | Front +/-2.00 |
| Cooper, 1.6L (Incl. "S" model)                                        |                                        | 07-12    | Multi-Pro-R1            | 5705.712      | 1.2-2.2          | 1.2-2.2 | 5.67630K   | Front +/-2.00 |
| Clubman (Incl. "S" model)                                             |                                        | 08-12    | Multi-Pro-R2            | 5705.713      | 1.2-2.2          | 1.2-2.2 | 5.67630K   | Front +/-2.00 |
|                                                                       |                                        |          | Multi-Pro-R1            | 5706.712      | 1.2-2.2          | 1.2-2.2 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 5706.713      | 1.2-2.2          | 1.2-2.2 |            |               |
| MITSUBISHI                                                            |                                        |          |                         |               |                  |         |            |               |
| Evolution X, (Incl. GSR, MR)                                          |                                        | 08-11    | Pro-Street-S            | 6049.711      | 0.8-2.0          | 0.8-2.0 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 6049.712      | 0.8-2.0          | 0.8-2.0 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 6049.713      | 0.8-2.0          | 0.8-2.0 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| NISSAN                                                                |                                        |          |                         |               |                  |         |            |               |
| 350Z, 3.5L All                                                        |                                        | 03-08    | Pro-Street-S            | 6364.711      | 0.8-1.6          | 0.8-1.6 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| PLYMOUTH                                                              |                                        |          |                         |               |                  |         |            |               |
| Neon, 2 & 4-door (Incl. R/T & ACR Models)                             |                                        | 95-99    | Pro-Street-S            | 2815.711      | 1.4-2.6          | 1.4-2.6 |            |               |
| Neon, 4-door (Incl. R/T & ACR Models)                                 |                                        | 00-01    | Pro-Street-S            | 2820.711      | 1.4-2.6          | 1.4-2.6 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| SUBARU                                                                |                                        |          |                         |               |                  |         |            |               |
| WRX, 4 Cyl Turbo (Exc. Sti, Wagon)                                    |                                        | 01-03    | Pro-Street-S            | 7710.711      | 0.8-2.0          | 0.8-2.0 |            |               |
| WRX, 4 Cyl Turbo (Exc. Wagon)                                         |                                        | 04-07    | Pro-Street-S            | 7714.711      | 1.0-2.2          | 1.0-1.8 |            |               |
| NEW                                                                   | WRX, 4 Cyl Turbo (Exc. Non-Turbo, STi) | 08-10    | Pro-Street-S            | 7717.711      | 0.0-2.0          | 0.0-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 7717.712      | 0.0-2.0          | 0.0-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 7717.713      | 0.0-2.0          | 0.0-2.6 |            |               |
| WRX STi                                                               |                                        | 05-07    | Pro-Street-S            | 7713.711      | 0.8-2.0          | 0.4-1.5 |            |               |
| NEW                                                                   | WRX STi, 4 & 5-door                    | 08-11    | Pro-Street-S            | 7718.711      | 0.0-2.0          | 0.0-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 7718.712      | 0.0-2.0          | 0.0-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 7718.713      | 0.0-2.0          | 0.0-2.6 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| VOLKSWAGEN                                                            |                                        |          |                         |               |                  |         |            |               |
| Beetle, Coupe / Convertible (Incl. 1.8-Turbo, 1.9-TDI & Sport) (1CX)  |                                        | 02/98-08 | Pro-Street-S            | 8567.711      | 1.2-2.8          | 1.2-2.8 | 5.81340K   | Front +/-1.00 |
| Golf IV, 4 Cyl & 6Cyl (Incl. 1.8T-Turbo & 1.9 TDI)                    |                                        | 99-06    | Pro-Street-S            | 8567.711      | 1.2-2.8          | 1.2-2.8 | 5.81340K   | Front +/-1.00 |
| Golf IV, R32 3.2L V6 AWD                                              |                                        | 2004     | Pro-Street-S            | 8597.711      | 1.2-2.8          | 1.2-2.8 |            |               |
| Golf VI, 2.5L 5 Cyl. (Exc. R)                                         |                                        | 10-12    | Pro-Street-S            | 8598.711 (cb) | 1.4-2.6          | 1.4-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 8598.712 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 8598.713 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |
| GTI V, 2.0 TFSI                                                       |                                        | 06-09    | Pro-Street-S            | 8598.711 (cb) | 1.4-2.2          | 1.4-2.2 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 8598.712 (cb) | 0.0-2.7          | 0.0-2.7 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 8598.713 (cb) | 0.0-2.7          | 0.0-2.7 |            |               |
| GTI VI, 2.0 TFSI                                                      |                                        | 10-12    | Pro-Street-S            | 8598.711 (cb) | 1.4-2.2          | 1.4-2.2 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 8598.712 (cb) | 0.0-2.7          | 0.0-2.7 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 8598.713 (cb) | 0.0-2.7          | 0.0-2.7 |            |               |
| Jetta IV, 4 Cyl & 6 Cyl(Incl. 1.8T-Turbo & 1.9 TDI; Exc. Wagon) (1MX) |                                        | 11/98-05 | Pro-Street-S            | 8567.711      | 1.2-2.8          | 1.2-2.8 | 5.81340K   | Front +/-1.00 |
| Jetta V, Sedan, (Incl. 2.0T 4 Cyl. & 2.5L 5 Cyl.)                     |                                        | 05-10    | Pro-Street-S            | 8598.711 (cb) | 1.4-2.6          | 1.4-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 8598.712 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 8598.713 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |
| NEW                                                                   | Jetta V, Sedan TDI                     | 09-10    | Multi-Pro-R2            | 85103.713     | 0.0-3.0          | 0.0-3.0 |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
|                                                                       |                                        |          |                         |               |                  |         |            |               |
| Rabbit, 5 Cyl (Incl. Coupe & Sedan)                                   |                                        | 06-09    | Pro-Street-S            | 8598.711 (cb) | 1.4-2.6          | 1.4-2.6 |            |               |
|                                                                       |                                        |          | Multi-Pro-R1            | 8598.712 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |
|                                                                       |                                        |          | Multi-Pro-R2            | 8598.713 (cb) | 0.0-3.0          | 0.0-3.0 |            |               |

(cb) Only for vehicles with front damper diameter of 55 mm.

# WHEEL SPACERS | Car, Truck & SUV's



## Before

Eibach PRO-SPACERS are a simple, strong, cost-effective way to eliminate the lateral gap between your wheels and the outer fender edge, allowing you to fine-tune the look and handling performance of your wheels, either stock or custom.




## After

With the right Eibach PRO-SPACERS installed, your car takes on a wider, more aggressive stance, with the wheels and tires filling the wheel arches just the way they should. And PRO-SPACERS can help improve your handling just as they improve your look.


## Bolt Style Wheel Attachment

### System 1\*




- Spacer disc (5 mm – 8 mm) with bolt through-system
- Hub-Centric through center bore
- Fastening by using longer wheel bolts (included)

### System 2\*



- Spacer disc (10 mm – 20 mm) with bolt through-system
- Hub-Centric with centering hub
- Fastening by using longer wheel bolts (included)


### System 3/7



- Spacer disc (20 mm – 30 mm) with bolt on-system
- Hub-Centric with centering hub
- Fastening by using spacer bolts (included) and original wheel bolts (not included)


## Stud/Nut Style Wheel Attachment

### System 4/8




- Spacer disc (20 mm – 30 mm) with bolt on-system
- Hub-Centric with centering hub
- Fastening by using spacer nuts (included) and your original wheel lug nuts (not included)

### System 5



- Spacer disc (5 mm – 8 mm) with bolt through-system
- Hub-Centric through center bore
- Fastening by using longer studs (included) and your original wheel lug nuts (not included)

### System 6



- Spacer disc (10 mm – 20 mm) with bolt through-system
- Hub-Centric with centering hub
- Fastening by using longer studs (included) and your original wheel lug nuts (not included)

\* Please note: All System 1 and 2 PRO-SPACER kits include longer wheel bolts for stock/OEM wheels. Aftermarket wheels may require a different seat style (ball vs. tapered, etc.), these bolts can be ordered separately as well as the PRO-SPACER kits (System 1 and 2) are available without bolts. Please call for more information-1-800-222-8811

(S1) When using 15mm wheel spacers there must be at least 14mm minimum cut-outs in the wheel to take up the original bolts, (when using 20mm spacers, 9mm minimum cut-out,

when using 25mm spacers 4mm minimum cut-outs). If this isn't the case, shorter bolts must be used. (System 5, 6). Otherwise the use of this spacers is not possible.

| Manufacture / Model                                   | YEAR        | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes  | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|-------------------------------------------------------|-------------|--------------------|---------------------------|------------|-------------|---------------------|--------|------------------------------------|-------------|
| ACURA                                                 |             |                    |                           |            |             |                     |        |                                    |             |
| CL 2.2, 2.3, 3.0                                      | 97-99       | 4x114.3            | 64 mm                     | Stud       | 12x1.5      | 5mm                 | S33    | 90.5.05.018.1                      | 5           |
|                                                       |             |                    |                           |            |             | 15mm                | S33    | 90.6.15.021.1                      | 6           |
| Integra (Exc. Type-R) (DA, DC2/4)                     | 90-01       | 4x100              | 56.1 mm                   | Stud       | 12x1.5      | 5mm                 | S33    | 90.5.05.005.1                      | 5           |
| TL 2.5                                                | 95-98       | 4x114.3            | 64 mm                     | Stud       | 12x1.5      | 5mm                 | S33    | 90.5.05.018.1                      | 5           |
|                                                       |             |                    |                           |            |             | 15mm                | S33    | 90.6.15.021.1                      | 6           |
| AUDI                                                  |             |                    |                           |            |             |                     |        |                                    |             |
| A4, Sedan, 4 Cyl., 6 Cyl., 2WD, Quattro (B5)          | 96-01       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.006.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.001.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                | S13    | 90.2.15.005.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                | S13    | 90.2.20.004.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A4, Sedan, Avant (Wagon) 2WD, Quattro, S4 (B6/B7)     | 02-08       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S8,S11 | 90.1.05.016.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S8,S11 | 90.1.08.001.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.005.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.004.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A4, Sedan, Avant (Wagon), 2WD, Quattro (B8)           | 09-12       | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 12mm                | S3     | 90.2.12.018.2                      | 2           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.052.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.034.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.016.2                      | 7           |
|                                                       |             |                    |                           |            |             | 30mm                |        | 90.7.30.007.2                      | 7           |
| A4, Cabriolet, 2WD, 4 Cyl (8H/B6/B7)                  | 03-08       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.016.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.002.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.013.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.003.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| S4, Sedan, Quattro, 2.7 T (B5S)                       | 00-02       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.006.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.001.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.005.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.004.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A5, S5, 2WD, Quattro (B8)                             | 08-12       | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 12mm                |        | 90.2.12.018.2                      | 2           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.052.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.034.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.016.2                      | 7           |
|                                                       |             |                    |                           |            |             | 30mm                |        | 90.7.30.007.2                      | 7           |
| A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8 (C4)     | 07/94-12/97 | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.006.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.001.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.005.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.004.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A6, Sedan, Avant (Wagon) Quattro, 6 Cyl., V8, S6 (C5) | 01/97-01/05 | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.016.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.002.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.013.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.003.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A6, Sedan, Avant (Wagon), 2WD, Quattro, (C6)          | 05-11       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 12mm                |        | 90.2.12.003.2                      | 2           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.013.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.003.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |
| A8, S8, Sedan, Quattro V8 (D2, D3)                    | 95-09       | 5x112              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11    | 90.1.05.016.2                      | 1           |
|                                                       |             |                    |                           |            |             | 8mm                 | S11    | 90.1.08.002.2                      | 1           |
|                                                       |             |                    |                           |            |             | 15mm                |        | 90.2.15.013.2                      | 2           |
|                                                       |             |                    |                           |            |             | 20mm                |        | 90.2.20.003.2                      | 2           |
|                                                       |             |                    |                           |            |             | 25mm                |        | 90.7.25.005.2                      | 7           |

(S3) Only for use on the front axle!

(S6) Rear axle only.

(S8) Caution, for some S4 models only for use on the rear axle!

(S9) Spacers can only be used with wheels that have cut-outs (facing the hub) to clear the stock studs. Please check as follows: Original stud length (i.e. 35mm) minus spacer-thickness (i.e. 25mm) = 10mm excess stud length. The cut-out should have a depth of 11mm.

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model                                                           | YEAR        | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|-------------------------------------------------------------------------------|-------------|--------------------|---------------------------|------------|-------------|---------------------|-------|------------------------------------|-------------|
| AUDI                                                                          |             |                    |                           |            |             |                     |       |                                    |             |
| Q5, Quattro (8R)                                                              | 09-11       | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 12mm                |       | 90.2.12.018.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.052.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.034.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.016.2                      | 7           |
|                                                                               |             |                    |                           |            |             | 30mm                |       | 90.7.30.007.2                      | 7           |
| TT Coupe / Roadster/ Convertible, 2WD, 4 Cyl. (TTR)                           | 99-06       | 5x100              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.006.2                      | 1           |
|                                                                               |             |                    |                           |            |             | 8mm                 | S11   | 90.1.08.001.2                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.005.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.004.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.003.2                      | 7           |
| TT, Quattro, 3.2L (TTR)                                                       | 04-06       | 5x100              | 57.1 mm                   | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.006.2                      | 1           |
|                                                                               |             |                    |                           |            |             | 8mm                 | S11   | 90.1.08.001.2                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.005.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.004.2                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.003.2                      | 7           |
| BMW                                                                           |             |                    |                           |            |             |                     |       |                                    |             |
| 128i, 135i, Incl. Convertible (E82, E87)                                      | 08-11       | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.020.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
| 30mm                                                                          |             | 90.7.30.002.1      | 7                         |            |             |                     |       |                                    |             |
| 318i, 325e, 325i, 325is, 2 & 4-door, Convertible (E30)                        | 11/82-05/93 | 4x100              | 57.1 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.010.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 8mm                 | S11   | 90.1.08.003.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                | S13   | 90.2.15.004.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.011.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.001.1                      | 7           |
| 318i, 318is, 325i, 328i, M3, 2 & 4 door, Convertible (E36)                    | 12/90-04/99 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.7.20.010.1                      | 7           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                               |             |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 323i, 325i, 328i, 330i, 2 & 4 door, Sport Wagon, M3, Convertible (E46)        | 04/98-06    | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.020.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
| 30mm                                                                          |             | 90.7.30.002.1      | 7                         |            |             |                     |       |                                    |             |
| 325i, 328i, 330i, 335i, Coupe, Sedan, Convertible, Wagon (E90, E91, E92, E93) | 06-11       | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.2.20.020.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
| 30mm                                                                          |             | 90.7.30.002.1      | 7                         |            |             |                     |       |                                    |             |
| 528e, 525i, 530i, 533i, 535i, 540i, M5 (E28, E34)                             | 82-03/97    | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.7.20.010.1                      | 7           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                               |             |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 525i, 528i, 530i, 540i, Wagon, Touring (E39)                                  | 97-03       | 5x120              | 74 mm                     | Bolt       | 12x1.5      | 5mm                 |       | 90.1.05.007.1                      | 1           |
|                                                                               |             |                    |                           |            |             | 15mm                |       | 90.2.15.002.1                      | 2           |
|                                                                               |             |                    |                           |            |             | 20mm                |       | 90.7.20.002.1                      | 7           |
|                                                                               |             |                    |                           |            |             | 25mm                |       | 90.7.25.010.1                      | 7           |
|                                                                               |             |                    |                           |            |             |                     |       |                                    |             |

(S10) For vehicles with a center hub height up to 11mm.

(S11) The centering of the wheel is only possible with the wheel bolts! Therefore, it may be necessary to do wheel balancing on the car - to avoid possible vibration.

| Manufacture / Model                                             | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|-----------------------------------------------------------------|-------|--------------------|---------------------------|------------|-------------|---------------------|-------|------------------------------------|-------------|
| 525i, 528i, 530i, 545i, 550i, Wagon, Touring (E60, E61)         | 04-08 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                | S67   | 90.7.20.010.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 528i/ 535i/ 550i, Sedan, Gran Turismo, (Incl. xDrive)(F07, F10) | 10-12 | 5x120              | 72.5 mm                   | Bolt       | 14x1.25     | 12mm                |       | 90.2.12.002.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.2.20.020.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.038.7                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.032.7                      | 7           |
| 633csi, 635csi, M6, (E24)                                       | 82-90 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.7.20.010.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 645ci, 650i, Cabrio (E63, E64)                                  | 04-10 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                | S67   | 90.7.20.010.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 650i Coupe, Convertible (F12)                                   | 2012  | 5x120              | 72.5 mm                   | Bolt       | 14x1.25     | 12mm                |       | 90.2.12.002.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.2.20.020.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 25mm                | S46   | 90.7.20.036.7                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.25.038.7                      | 7           |
|                                                                 |       |                    |                           |            |             |                     |       | 90.7.30.032.7                      | 7           |
| 735i, 740i, 740iL, (E32)                                        | 88-94 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 740i, 750iL, (E38)                                              | 94-01 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 12mm                |       | 90.2.12.002.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.7.20.010.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |
| 745i, 745iL, 750i, (E65/E66)                                    | 02-08 | 5x120              | 72.5 mm                   | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.017.2                      | 1           |
|                                                                 |       |                    |                           |            |             | 12mm                |       | 90.2.12.002.2                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.2                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.7.20.011.2                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.012.2                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.003.2                      | 7           |
| 740i/ 740Li/ 750i/ 750Li, (Incl. xDrive) (F01)                  | 09-12 | 5x120              | 72.5 mm                   | Bolt       | 14x1.25     | 12mm                |       | 90.2.12.002.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.2.20.020.7                      | 2           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.038.7                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.032.7                      | 7           |
| 840ci, 840i, 850i, (E31)                                        | 90-97 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.017.1                      | 1           |
|                                                                 |       |                    |                           |            |             | 15mm                |       | 90.2.15.001.1                      | 2           |
|                                                                 |       |                    |                           |            |             | 20mm                |       | 90.7.20.010.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 25mm                |       | 90.7.25.011.1                      | 7           |
|                                                                 |       |                    |                           |            |             | 30mm                |       | 90.7.30.002.1                      | 7           |

(S13) Some models--only for use on the front axle--rear axle center hub may be too long. Fits only up to 16mm center hub height!

(S15) When using system 3/7 (50mm), the original wheel bolts can be too long. In this case, they must be changed to shorter bolts.

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model                     | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each)                                 | Notes                   | PRO-SPACER with Bolts/Studs (Pair)                                                                                  | System Type                     |
|-----------------------------------------|-------|--------------------|---------------------------|------------|-------------|-----------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>BMW</b>                              |       |                    |                           |            |             |                                                     |                         |                                                                                                                     |                                 |
| <b>X3, (E83 )</b>                       | 04-10 | 5x120              | 72.5 mm                   | Bolt       | 14x1.5      | 5mm<br>12mm<br>15mm<br>20mm<br>25mm<br>30mm         | S11                     | 90.1.05.017.2<br>90.2.12.002.2<br>90.2.15.001.2<br>90.2.20.020.2<br>90.7.25.012.2<br>90.7.30.003.2                  | 1<br>2<br>2<br>2<br>7<br>7      |
| <b>X5, (E53)</b>                        | 00-06 | 5x120              | 72.5 mm                   | Bolt       | 14x1.5      | 5mm<br>12mm<br>15mm<br>20mm<br>25mm<br>30mm         | S11                     | 90.1.05.017.2<br>90.2.12.002.2<br>90.2.15.001.2<br>90.2.20.020.2<br>90.7.25.012.2<br>90.7.30.003.2                  | 1<br>2<br>2<br>2<br>7<br>7      |
| <b>X5, 35i, 35d,50i (E70)</b>           | 07-12 | 5x120              | 74 mm                     | Bolt       | 14x1.25     | 4mm<br>12mm<br>15mm<br>20mm<br>20mm<br>25mm<br>30mm | S46                     | 90.1.04.007.7<br>90.2.12.014.7<br>90.2.15.002.7<br>90.2.20.027.7<br>90.7.20.035.7<br>90.7.25.032.7<br>90.7.30.026.7 | 1<br>2<br>2<br>2<br>7<br>7<br>7 |
| <b>Z3, M-Coupe, M-Roadster, (E36/7)</b> | 96-02 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm<br>12mm<br>15mm<br>20mm<br>25mm<br>30mm         | S11                     | 90.1.05.017.1<br>90.2.12.002.1<br>90.2.15.001.1<br>90.7.20.010.1<br>90.7.25.011.1<br>90.7.30.002.1                  | 1<br>2<br>2<br>7<br>7<br>7      |
| <b>Z4 (E85)</b>                         | 03-08 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm<br>12mm<br>15mm<br>20mm<br>25mm<br>30mm         | S11                     | 90.1.05.017.1<br>90.2.12.002.1<br>90.2.15.001.1<br>90.7.20.010.1<br>90.7.25.011.1<br>90.7.30.002.1                  | 1<br>2<br>2<br>7<br>7<br>7      |
| <b>Z4 Roadster 30i, 35i (E89)</b>       | 09-11 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 12mm<br>15mm<br>20mm<br>25mm<br>30mm                | S67                     | 90.2.12.002.1<br>90.2.15.001.1<br>90.7.20.010.1<br>90.7.25.011.1<br>90.7.30.002.1                                   | 2<br>2<br>7<br>7<br>7           |
| <b>Z8 (E52)</b>                         | 00-03 | 5x120              | 72.5 mm                   | Bolt       | 12x1.5      | 5mm<br>15mm                                         | S11                     | 90.1.05.017.1<br>90.2.15.001.1                                                                                      | 1<br>2                          |
| <b>CHEVROLET</b>                        |       |                    |                           |            |             |                                                     |                         |                                                                                                                     |                                 |
| <b>Camaro</b>                           | 93-97 | 5x120.65           | 70.5 mm                   | Stud       | 12x1.5      | 15mm                                                |                         | 90.6.15.033.1                                                                                                       | 6                               |
| <b>Camaro</b>                           | 10-12 | 5x120              | 67 mm                     | Stud       | 14x1.5      | 15mm<br>20mm<br>25mm<br>30mm                        | S9<br>S9<br>S9<br>S9    | 90.4.15.027.2<br>90.4.20.035.2<br>90.4.25.051.2<br>90.4.30.044.2                                                    | 4<br>4<br>4<br>4                |
| <b>Cruze Sedan</b>                      | 11-12 | 5x105              | 56.5 mm                   | Stud       | 12x1.5      | 15mm<br>20mm<br>25mm<br>30mm                        | S9<br>S9<br>S9<br>S9    | 90.4.15.028.1<br>90.4.20.036.1<br>90.4.25.052.1<br>90.4.30.045.1                                                    | 4<br>4<br>4<br>4                |
| <b>S-10</b>                             | 82-04 | 5x120.65           | 70.5 mm                   | Stud       | 12x1.5      | 15mm<br>20mm<br>25mm<br>30mm                        | S33<br>S9,S47<br>S9,S47 | 90.6.15.033.1<br>90.8.20.001.1<br>90.8.25.005.1<br>90.8.30.005.1                                                    | 6<br>8<br>8<br>8                |
| <b>S-10</b>                             | 82-04 | 5x120.65           | 70.5 mm                   | Stud       | 14x1.5      | 25mm                                                |                         | 90.4.25.025.2                                                                                                       | 4                               |

(S16) Mazda / Nissan / Subaru have various wheel studs that are dependant on the model, axle or year manufactured. Before ordering, please check the knurl diameter of the

original wheel studs on both axles. In our kits, we include wheel studs with a knurl diameter of 14.9mm (14.3mm for Subaru). Other Knurl diameter sizes need to be indicated when ordering!

| Manufacture / Model | YEAR  | P.C.D<br>Bolt Pattern | Center Bore/<br>Hub Diameter | Bolt/<br>Stud | Thread<br>Type | Spacer Width<br>(Each) | Notes       | PRO-SPACER with<br>Bolts/Studs (Pair) | System<br>Type |
|---------------------|-------|-----------------------|------------------------------|---------------|----------------|------------------------|-------------|---------------------------------------|----------------|
| CHRYSLER            |       |                       |                              |               |                |                        |             |                                       |                |
| 300 2WD, 300C 2WD   | 05-10 | 5x115                 | 71.4 mm                      | Bolt          | 14x1.5         | 25mm                   | S33,S37     | 90.4.25.030.2                         | 4              |
|                     |       |                       |                              |               |                | 30mm                   | S33,S37     | 90.4.30.017.2                         | 4              |
| Crossfire           | 04-07 | 5x112                 | 66.5 mm                      | Bolt          | 12x1.5         | 5mm                    | S6,S11      | 90.1.05.014.1                         | 1              |
|                     |       |                       |                              |               |                | 10mm                   | S6          | 90.2.10.002.1                         | 2              |
|                     |       |                       |                              |               |                | 15mm                   | S6          | 90.2.15.017.1                         | 2              |
|                     |       |                       |                              |               |                | 20mm                   | S6          | 90.2.20.007.1                         | 2              |
|                     |       |                       |                              |               |                | 25mm                   | S6          | 90.7.25.009.1                         | 7              |
|                     |       |                       |                              |               |                | 30mm                   | S6          | 90.7.30.001.1                         | 7              |
| Neon (Front)        | 95-06 | 5x100                 | 57.1 mm                      | Stud          | 12x1.5         | 5mm                    | S11,S30,S33 | 90.5.05.032.1                         | 5              |
|                     |       |                       |                              |               |                | 10mm                   | S30,S33     | 90.6.10.006.1                         | 6              |
|                     |       |                       |                              |               |                | 15mm                   | S30,S33     | 90.6.15.028.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S30,S33     | 90.6.20.020.1                         | 6              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.006.1                         | 4              |
| Neon (Rear)         | 95-06 | 5x100                 | 57.1 mm                      | Stud          | 12x1.5         | 10mm                   | S30,S33     | 90.6.10.007.1                         | 6              |
|                     |       |                       |                              |               |                | 15mm                   | S30,S33     | 90.6.15.029.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S30,S33     | 90.6.20.021.1                         | 6              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.006.1                         | 4              |
| PT Cruiser (Front)  | 00-10 | 5x100                 | 57.1 mm                      | Stud          | 12x1.5         | 5mm                    | S11,S30,S33 | 90.5.05.032.1                         | 5              |
|                     |       |                       |                              |               |                | 10mm                   | S30,S33     | 90.6.10.006.1                         | 6              |
|                     |       |                       |                              |               |                | 15mm                   | S30,S33     | 90.6.15.028.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S30,S33     | 90.6.20.020.1                         | 6              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.006.1                         | 4              |
| PT Cruiser (Rear)   | 00-10 | 5x100                 | 57.1 mm                      | Stud          | 12x1.5         | 10mm                   | S30,S33     | 90.6.10.007.1                         | 6              |
|                     |       |                       |                              |               |                | 15mm                   | S30,S33     | 90.6.15.029.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S30,S33     | 90.6.20.021.1                         | 6              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.006.1                         | 4              |
| Sebring Cabrio      | 00-10 | 5x100                 | 57.1 mm                      | Stud          | 12x1.5         | 10mm                   | S30,S33     | 90.6.10.006.1                         | 6              |
|                     |       |                       |                              |               |                | 15mm                   | S30,S33     | 90.6.15.028.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S30,S33     | 90.6.20.020.1                         | 6              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.006.1                         | 4              |
| DODGE               |       |                       |                              |               |                |                        |             |                                       |                |
| Magnum 2WD          | 05-10 | 5x115                 | 71.4 mm                      | Bolt          | 14x1.5         | 25mm                   | S33,S37     | 90.4.25.030.2                         | 4              |
|                     |       |                       |                              |               |                | 30mm                   | S33,S37     | 90.4.30.017.2                         | 4              |
| FERRARI             |       |                       |                              |               |                |                        |             |                                       |                |
| 360 Modena          | 99-05 | 5x108                 | 67 mm                        | Bolt          | 14x1.5         | 30mm                   |             | 90.3.30.004.2                         | 3              |
| FIAT                |       |                       |                              |               |                |                        |             |                                       |                |
| 500 (312)           | 2012  | 4x98                  | 58 mm                        | Bolt          | 12x1.25        | 5mm                    | S3          | 90.1.05.011.4                         | 1              |
|                     |       |                       |                              |               |                | 10mm                   |             | 90.2.10.021.4                         | 2              |
|                     |       |                       |                              |               |                | 15mm                   |             | 90.2.15.020.4                         | 2              |
|                     |       |                       |                              |               |                | 20mm                   |             | 90.7.20.012.4                         | 7              |
|                     |       |                       |                              |               |                | 25mm                   |             | 90.7.25.006.4                         | 7              |
|                     |       |                       |                              |               |                | 30mm                   |             | 90.7.30.005.4                         | 7              |
| FORD                |       |                       |                              |               |                |                        |             |                                       |                |
| Contour             | 95-00 | 4x108                 | 63.3 mm                      | Stud          | 12x1.5         | 5mm                    | S33         | 90.5.05.004.1                         | 5              |
|                     |       |                       |                              |               |                | 15mm                   | S33         | 90.6.15.015.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S33         | 90.6.20.005.1                         | 6              |
|                     |       |                       |                              |               |                | 25mm                   | S9          | 90.4.25.008.1                         | 4              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.003.1                         | 4              |
| Escort              | 85-01 | 4x108                 | 63.3 mm                      | Stud          | 12x1.5         | 5mm                    | S33         | 90.5.05.004.1                         | 5              |
|                     |       |                       |                              |               |                | 15mm                   | S33         | 90.6.15.015.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S33         | 90.6.20.005.1                         | 6              |
|                     |       |                       |                              |               |                | 25mm                   | S9          | 90.4.25.008.1                         | 4              |
|                     |       |                       |                              |               |                | 30mm                   | S9          | 90.4.30.003.1                         | 4              |
| Fiesta              | 11-12 | 4x108                 | 63.3 mm                      | Stud          | 12x1.5         | 15mm                   | S33         | 90.6.15.015.1                         | 6              |
|                     |       |                       |                              |               |                | 20mm                   | S33         | 90.6.20.005.1                         | 6              |
|                     |       |                       |                              |               |                | 25mm                   | S9,S23      | 90.4.25.008.1                         | 4              |
|                     |       |                       |                              |               |                | 30mm                   | S9,S23      | 90.4.30.003.1                         | 4              |

(S17) For vehicles with a center hub height up to 16mm.

(S18) The original seat cone of the original bolts must be re-used!

(S19) For vehicles with sliding doors, check for clearance--wheel spacers of 25mm / 30mm may not allow enough room for wheels/tires.

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model                                        | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each)                 | Notes                                            | PRO-SPACER with Bolts/Studs (Pair)                                                | System Type           |
|------------------------------------------------------------|-------|--------------------|---------------------------|------------|-------------|-------------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------|
| <b>FORD</b>                                                |       |                    |                           |            |             |                                     |                                                  |                                                                                   |                       |
| <b>Focus</b>                                               | 00-06 | 4x108              | 63.3 mm                   | Stud       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm | S33<br>S33<br>S33<br>S9<br>S9                    | 90.5.05.004.1<br>90.6.15.015.1<br>90.6.20.005.1<br>90.4.25.008.1<br>90.4.30.003.1 | 5<br>6<br>6<br>4<br>4 |
| <b>Fusion</b>                                              | 06-12 | 4x108              | 63.3 mm                   | Stud       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm | S33<br>S33<br>S33<br>S9,S23<br>S9,S23            | 90.5.05.004.1<br>90.6.15.015.1<br>90.6.20.005.1<br>90.4.25.008.1<br>90.4.30.003.1 | 6<br>6<br>6<br>4<br>4 |
| <b>Explorer</b>                                            | 90-04 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 25mm<br>30mm<br>35mm<br>45mm        | S9<br>S9<br>S9<br>S9                             | 90.4.25.010.3<br>90.4.30.005.3<br>90.4.35.001.3<br>90.4.45.001.3                  | 4<br>4<br>4<br>4      |
| <b>Ranger</b>                                              | 98-06 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 25mm<br>30mm<br>35mm<br>45mm        | S9<br>S9<br>S9<br>S9                             | 90.4.25.010.3<br>90.4.30.005.3<br>90.4.35.001.3<br>90.4.45.001.3                  | 4<br>4<br>4<br>4      |
| <b>Mustang (FOX)</b>                                       | 79-93 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 5mm<br>25mm<br>30mm<br>35mm<br>45mm | <br>S9<br>S9<br>S9<br>S9                         | 90.5.05.038.3<br>90.4.25.010.3<br>90.4.30.005.3<br>90.4.35.001.3<br>90.4.45.001.3 | 5<br>4<br>4<br>4<br>4 |
| <b>Mustang (SN95)</b>                                      | 94-04 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 5mm<br>25mm<br>30mm<br>35mm<br>45mm | <br>S9, S23<br>S9, S23<br>S9, S23<br>S9, S23     | 90.5.05.038.3<br>90.4.25.010.3<br>90.4.30.005.3<br>90.4.35.001.3<br>90.4.45.001.3 | 5<br>4<br>4<br>4<br>4 |
| <b>Mustang, (Front) (S197)</b>                             | 05-12 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 5mm<br>20mm<br>25mm<br>30mm<br>35mm | <br>S23, S37<br>S23, S37<br>S23, S37<br>S23, S37 | 90.5.05.038.3<br>90.4.20.016.3<br>90.4.25.032.3<br>90.4.30.019.3<br>90.4.35.005.3 | 5<br>4<br>4<br>4<br>4 |
| <b>Mustang, (Rear) (S197)</b>                              | 05-12 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 5mm<br>20mm<br>25mm<br>30mm<br>35mm | <br>S23, S37<br>S23, S37<br>S23, S37<br>S23, S37 | 90.5.05.038.3<br>90.4.20.017.3<br>90.4.25.033.3<br>90.4.30.020.3<br>90.4.35.006.3 | 5<br>4<br>4<br>4<br>4 |
| <b>GMC</b>                                                 |       |                    |                           |            |             |                                     |                                                  |                                                                                   |                       |
| <b>S-15</b>                                                | 82-04 | 5x120.65           | 70.5 mm                   | Stud       | 12x1.5      | 15mm                                |                                                  | 90.6.15.033.1                                                                     | 6                     |
| <b>S-15</b>                                                | 82-04 | 5x120.65           | 70.5 mm                   | Stud       | 14x1.5      | 25mm                                |                                                  | 90.4.25.025.2                                                                     | 4                     |
| <b>JEEP</b>                                                |       |                    |                           |            |             |                                     |                                                  |                                                                                   |                       |
| <b>Gr. Cherokee (ZJ)</b>                                   | 93-98 | 5x114.3            | 71.5 mm                   | Stud       | 1/2 UNF     | 30mm                                | S9                                               | 90.4.30.008.3                                                                     | 4                     |
| <b>Gr. Cherokee (WH)</b>                                   | 05-10 | 5x127              | 71.5 mm                   | Stud       | 1/2 UNF     | 25mm<br>27mm<br>30mm                | S9,S41<br>S9,S41<br>S9,S41                       | 90.4.25.013.3<br>90.4.27.001.3<br>90.4.30.007.3                                   | 4<br>4<br>4           |
| <b>Wrangler (TJ)</b>                                       | 96-06 | 5x114.3            | 71.5 mm                   | Stud       | 1/2 UNF     | 30mm                                | S9                                               | 90.4.30.008.3                                                                     | 4                     |
| <b>Wrangler (JK)</b>                                       | 07-11 | 5x127              | 71.5 mm                   | Stud       | 1/2 UNF     | 25mm<br>27mm<br>30mm                | S9<br>S9<br>S9                                   | 90.4.25.013.3<br>90.4.27.001.3<br>90.4.30.007.3                                   | 4<br>4<br>4           |
| <b>HONDA</b>                                               |       |                    |                           |            |             |                                     |                                                  |                                                                                   |                       |
| <b>Accord, 2 &amp; 4-door, Incl. Wagon, 4 Cyl. (CB/CD)</b> | 90-02 | 4x114.3            | 64 mm                     | Stud       | 12x1.5      | 5mm<br>15mm                         | S33<br>S33                                       | 90.5.05.018.1<br>90.6.15.021.1                                                    | 5<br>6                |

(S21) The steering angle may need to be limited.

(S22) In combination with spacer rings, an 18-inch wheel/rim- combination is only permitted if the wheel has been already approved by the TÜV as original equipment.

(S23) Do not use with vehicles equipped with steel wheels!

| Manufacture / Model                      | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes       | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|------------------------------------------|-------|--------------------|---------------------------|------------|-------------|---------------------|-------------|------------------------------------|-------------|
| Civic / CRX (EF,EG,EK,EM)                | 84-02 | 4x100              | 56.1 mm                   | Stud       | 12x1.5      | 5mm                 | S33         | 90.5.05.005.1                      | 5           |
| Civic Si (EM1)                           | 99-00 | 4x100              | 56.1 mm                   | Stud       | 12x1.5      | 5mm                 | S33         | 90.5.05.005.1                      | 5           |
| Civic (FA,FD,FG,FK,FN)                   | 06-11 | 5x114.3            | 64 mm                     | Stud       | 12x1.5      | 10mm                | S33         | 90.6.10.012.1                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S33         | 90.6.15.038.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S33         | 90.6.20.015.1                      | 6           |
|                                          |       |                    |                           |            |             | 30mm                | S9          | 90.4.30.027.1                      | 4           |
| Del Sol (EG)                             | 93-97 | 4x100              | 56.1 mm                   | Stud       | 12x1.5      | 5mm                 | S33         | 90.5.05.005.1                      | 5           |
| Prelude, Incl. AWS                       | 83-91 | 4x100              | 56.1 mm                   | Stud       | 12x1.5      | 5mm                 | S33         | 90.5.05.005.1                      | 5           |
| <b>INFINITI</b>                          |       |                    |                           |            |             |                     |             |                                    |             |
| G25, G35, G37, Coupe & Sedan (Incl. AWD) | 03-11 | 5x114.3            | 66.1 mm                   | Stud       | 12x1.25     | 5mm                 | S16,S33     | 90.5.05.030.4                      | 5           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S33     | 90.6.15.026.4                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S9,S23      | 90.4.15.001.4                      | 4           |
|                                          |       |                    |                           |            |             | 20mm                | S16,S33     | 90.6.20.019.4                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S9,S23      | 90.4.20.003.4                      | 4           |
| <b>LEXUS</b>                             | 06-11 | 5x114.3            | 60 mm                     | Stud       | 12x1.5      | 25mm                | S9,S23      | 90.4.25.019.4                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S33         | 90.6.15.034.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S9          | 90.4.20.013.1                      | 4           |
|                                          |       |                    |                           |            |             | 25mm                | S9          | 90.4.25.029.1                      | 4           |
| GS 300, GS 350, GS 430                   | 06-11 | 5x114.3            | 60 mm                     | Stud       | 12x1.5      | 30mm                | S9          | 90.4.30.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S33         | 90.6.15.034.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S9          | 90.4.20.013.1                      | 4           |
|                                          |       |                    |                           |            |             | 25mm                | S9          | 90.4.25.029.1                      | 4           |
| IS300                                    | 99-05 | 5x114.3            | 60 mm                     | Stud       | 12x1.5      | 30mm                | S9          | 90.4.30.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S33         | 90.6.15.034.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S9          | 90.4.20.013.1                      | 4           |
|                                          |       |                    |                           |            |             | 25mm                | S9          | 90.4.25.029.1                      | 4           |
| IS 250, IS 350                           | 06-11 | 5x114.3            | 60 mm                     | Stud       | 12x1.5      | 30mm                | S9          | 90.4.30.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S33         | 90.6.15.034.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S9          | 90.4.20.013.1                      | 4           |
|                                          |       |                    |                           |            |             | 25mm                | S9          | 90.4.25.029.1                      | 4           |
| LX470 (UZJ100)                           | 98-07 | 6x139.7            | 108.5 mm                  | Stud       | 12x1.5      | 30mm                | S9,S11      | 90.8.30.004.1                      | 8           |
|                                          |       |                    |                           |            |             | 25mm                | S9,S11      | 90.8.25.004.1                      | 8           |
| <b>MAZDA</b>                             |       |                    |                           |            |             |                     |             |                                    |             |
| 323                                      | 89-98 | 4x100              | 54.1 mm                   | Stud       | 12x1.5      | 15mm                | S16,S33     | 90.6.15.010.1                      | 6           |
|                                          |       |                    |                           |            |             | 5mm                 | S16,S24,S33 | 90.5.05.008.1                      | 5           |
| 3 Sedan, Mazdaspeed3, Incl. 5-door       | 04-09 | 5x114.3            | 67.1 mm                   | Stud       | 12x1.5      | 5mm                 | S16,S11,S33 | 90.5.05.031.1                      | 5           |
|                                          |       |                    |                           |            |             | 10mm                | S16,S33     | 90.6.10.005.1                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S33     | 90.6.15.027.1                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S1,S23      | 90.4.15.002.1                      | 4           |
|                                          |       |                    |                           |            |             | 20mm                | S1,S23      | 90.4.20.005.1                      | 4           |
| 3 Sedan, Mazdaspeed3, Incl. 5-door       | 10-11 | 5x114.3            | 67.1 mm                   | Stud       | 12x1.5      | 25mm                | S1,S23      | 90.4.25.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S33     | 90.6.15.027.1                      | 6           |
|                                          |       |                    |                           |            |             | 10mm                | S16,S33     | 90.6.10.005.1                      | 6           |
|                                          |       |                    |                           |            |             | 20mm                | S1,S23      | 90.4.20.005.1                      | 4           |
| 6, Sedan & Wagon                         | 03-08 | 5x114.3            | 67.1 mm                   | Stud       | 12x1.5      | 25mm                | S1,S23      | 90.4.25.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S33     | 90.6.15.027.1                      | 6           |
|                                          |       |                    |                           |            |             | 10mm                | S3,S16,S33  | 90.6.10.005.1                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S33     | 90.6.15.027.1                      | 6           |
|                                          |       |                    |                           |            |             | 15mm                | S1,S23      | 90.4.15.002.1                      | 4           |
| MX3                                      | 92-95 | 4x100              | 54.1 mm                   | Stud       | 12x1.5      | 20mm                | S1,S23      | 90.4.20.005.1                      | 4           |
|                                          |       |                    |                           |            |             | 25mm                | S1,S23      | 90.4.25.016.1                      | 4           |
|                                          |       |                    |                           |            |             | 5mm                 | S16,S33     | 90.5.05.008.1                      | 5           |
|                                          |       |                    |                           |            |             | 15mm                | S16,S24,S33 | 90.6.15.010.1                      | 6           |

(S24) With newer models, the center stud can be more than 54.1mm diameter. In this case, the wheel spacer cannot be used.

(S25) Cannot be installed with some Turbo models--due to different front axle center hub.

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each)                          | Notes                                                              | PRO-SPACER with Bolts/Studs (Pair)                                                                 | System Type                |
|---------------------|-------|--------------------|---------------------------|------------|-------------|----------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------|
| <b>MAZDA</b>        |       |                    |                           |            |             |                                              |                                                                    |                                                                                                    |                            |
| Miata               | 90-05 | 4x100              | 54.1 mm                   | Stud       | 12x1.5      | 5mm<br>15mm                                  | S16,S33<br>S16,S24,S33                                             | 90.5.05.008.1<br>90.6.15.010.1                                                                     | 5<br>6                     |
| MX-5                | 06-12 | 5x114.3            | 67 mm                     | Stud       | 12x1.5      | 10mm<br>15mm<br>20mm<br>25mm<br>30mm         | S16,S33<br>S16,S33<br>S16,S33<br>S9<br>S9                          | 90.6.10.019.1<br>90.6.15.043.1<br>90.6.20.028.1<br>90.4.25.016.1<br>90.4.30.015.1                  | 6<br>6<br>6<br>4<br>4      |
| RX-8                | 03-11 | 5x114.3            | 67.1 mm                   | Stud       | 12x1.5      | 5mm<br>10mm<br>15mm<br>15mm<br>20mm<br>25mm  | S16,S11,S33<br>S16,S33<br>S16,S33<br>S1,S6,S23<br>S1,S23<br>S1,S23 | 90.5.05.031.1<br>90.6.10.005.1<br>90.6.15.027.1<br>90.4.15.002.1<br>90.4.20.001.1<br>90.4.25.016.1 | 5<br>6<br>6<br>4<br>4<br>4 |
| <b>MERCEDES</b>     |       |                    |                           |            |             |                                              |                                                                    |                                                                                                    |                            |
| C-Class (W201)      | 82-93 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm          | S11,S57<br>S51,S57<br>S52,S57<br>S6<br>S6                          | 90.1.05.014.1<br>90.2.15.017.1<br>90.2.20.007.1<br>90.7.25.009.1<br>90.7.30.001.1                  | 1<br>2<br>2<br>7<br>7      |
| C-Class (W202)      | 94-02 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 5mm<br>10mm<br>15mm<br>20mm<br>25mm<br>30mm  | S11,S57<br>S48,S57<br>S51,S57<br>S52,S57<br>S6,S15<br>S6,S15       | 90.1.05.014.1<br>90.2.10.002.1<br>90.2.15.017.1<br>90.2.20.007.1<br>90.7.25.009.1<br>90.7.30.001.1 | 1<br>2<br>2<br>2<br>7<br>7 |
| C-Class (W203)      | 02-07 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 10mm<br>15mm<br>20mm<br>25mm<br>30mm         | S48,S57<br>S51,S57<br>S52,S57<br>S6,S15<br>S6,S17                  | 90.2.10.002.1<br>90.2.15.017.1<br>90.2.20.007.1<br>90.7.25.009.1<br>90.7.30.001.1                  | 2<br>2<br>2<br>7<br>7      |
| C300 / C350 (W204)  | 07-12 | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 10mm<br>15mm<br>20mm<br>20mm<br>25mm<br>30mm | S6,S57<br>S57<br>S57<br>S57<br>S6,S15<br>S6,S15                    | 90.2.10.002.2<br>90.2.15.017.2<br>90.2.20.007.2<br>90.7.20.016.2<br>90.7.25.016.2<br>90.7.30.007.2 | 2<br>2<br>2<br>7<br>7<br>7 |
| CL (W215)           | 98-04 | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 5mm<br>10mm<br>15mm<br>20mm                  | S6,S11<br>S6<br>S6<br>S6                                           | 90.1.05.014.2<br>90.2.10.002.2<br>90.2.15.017.2<br>90.2.20.035.2                                   | 1<br>2<br>2<br>2           |
| CLK (W208)          | 97-02 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm          | S11,S57<br>S51,S57<br>S52,S57<br>S6,S15<br>S6,S15                  | 90.1.05.014.1<br>90.2.15.017.1<br>90.2.20.007.1<br>90.7.25.009.1<br>90.7.30.001.1                  | 1<br>2<br>2<br>7<br>7      |
| CLK (W209)          | 02-08 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 10mm<br>15mm<br>20mm<br>25mm<br>30mm         | S48,S57<br>S51,S57<br>S52,S57<br>S6,S15<br>S6,S15                  | 90.2.10.002.1<br>90.2.15.017.1<br>90.2.20.007.1<br>90.7.25.009.1<br>90.7.30.001.1                  | 2<br>2<br>2<br>7<br>7      |
| CLS (W219)          | 05-10 | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 10mm<br>15mm<br>20mm<br>25mm<br>30mm         | S6,S57<br>S6,S57<br>S6,S57<br>S6<br>S6                             | 90.2.10.002.2<br>90.2.15.017.2<br>90.2.20.007.2<br>90.7.25.016.2<br>90.7.30.007.2                  | 2<br>2<br>2<br>7<br>7      |

(S28) When using system 3/7, the original wheel bolts are too long and need to be replaced with shorter bolts: part # 95-4-7-14-50-2817.

(S30) Wheel hub/axle needs to be disassembled for replacing standard wheel studs with longer studs.

| Manufacture / Model        | YEAR         | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes          | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|----------------------------|--------------|--------------------|---------------------------|------------|-------------|---------------------|----------------|------------------------------------|-------------|
| E-Class (W124)             | 92-95        | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 5mm                 | \$11,\$57      | 90.1.05.014.1                      | 1           |
|                            |              |                    |                           |            |             | 15mm                | \$51,\$57      | 90.2.15.017.1                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$52,\$57      | 90.2.20.007.1                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.009.1                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$6            | 90.7.30.001.1                      | 7           |
| E-Class (W210)             | 95-02        | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 5mm                 | \$11,\$57      | 90.1.05.014.1                      | 1           |
|                            |              |                    |                           |            |             | 10mm                | \$48,\$57      | 90.2.10.002.1                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$51,\$57      | 90.2.15.017.1                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$52,\$57      | 90.2.20.007.1                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.009.1                      | 7           |
| E-Class (W211)             | 95-09        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 30mm                | \$6            | 90.7.30.001.1                      | 7           |
|                            |              |                    |                           |            |             | 10mm                | \$57           | 90.2.10.002.2                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$57           | 90.2.15.017.2                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$57           | 90.2.20.035.2                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$57           | 90.7.25.016.2                      | 7           |
| E350, Coupe 3.5L V6 (C207) | 09-12        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 30mm                | \$57           | 90.7.30.007.2                      | 7           |
|                            |              |                    |                           |            |             | 10mm                | \$6,\$57       | 90.2.10.002.2                      | 2           |
|                            |              |                    |                           |            |             | 12mm                | \$6,\$57       | 90.2.12.004.2                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$57           | 90.2.15.017.2                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$57           | 90.2.20.007.2                      | 2           |
| S-Class (W126)             | 79-91        | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 20mm                | \$57           | 90.7.20.016.2                      | 7           |
|                            |              |                    |                           |            |             | 25mm                | \$57           | 90.7.25.016.2                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$57           | 90.7.30.007.2                      | 7           |
|                            |              |                    |                           |            |             | 5mm                 | \$11,\$57      | 90.1.05.014.1                      | 1           |
|                            |              |                    |                           |            |             | 15mm                | \$51,\$57      | 90.2.15.017.1                      | 2           |
| S-Class (W140, W220)       | 91-06        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 20mm                | \$52,\$57      | 90.2.20.007.1                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.009.1                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$6            | 90.7.30.001.1                      | 7           |
|                            |              |                    |                           |            |             | 5mm                 | \$11,\$57      | 90.1.05.014.2                      | 1           |
|                            |              |                    |                           |            |             | 10mm                | \$48,\$57      | 90.2.10.002.2                      | 2           |
| SL (R107,R129)             | 72-81, 89-01 | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 15mm                | \$51,\$57      | 90.2.15.017.1                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$52,\$57      | 90.2.20.007.1                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.009.1                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$6            | 90.7.30.001.1                      | 7           |
|                            |              |                    |                           |            |             | 5mm                 | \$11,\$57      | 90.1.05.014.1                      | 1           |
| SL (R230)                  | 03-10        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 15mm                | \$6,\$57       | 90.2.15.017.2                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$6,\$57       | 90.2.20.035.2                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.016.2                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$6            | 90.7.30.007.2                      | 7           |
|                            |              |                    |                           |            |             | 5mm                 | \$11,\$57      | 90.1.05.014.1                      | 1           |
| SLK (R170,R171)            | 96-10        | 5x112              | 66.5 mm                   | Bolt       | 12x1.5      | 10mm                | \$48,\$57      | 90.2.10.002.1                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$51,\$57      | 90.2.15.017.1                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$52,\$57      | 90.2.20.007.1                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$6            | 90.7.25.009.1                      | 7           |
|                            |              |                    |                           |            |             | 30mm                | \$6            | 90.7.30.001.1                      | 7           |
| M-Class (W163)             | 97-05        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 5mm                 | \$57           | 90.1.05.014.2                      | 1           |
|                            |              |                    |                           |            |             | 10mm                | \$57           | 90.2.10.002.2                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$57           | 90.2.15.017.2                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$57           | 90.2.20.035.2                      | 2           |
|                            |              |                    |                           |            |             | 25mm                | \$57           | 90.7.25.016.2                      | 7           |
| M-Class (W164)             | 06-11        | 5x112              | 66.5 mm                   | Bolt       | 14x1.5      | 30mm                | \$57           | 90.7.30.007.2                      | 7           |
|                            |              |                    |                           |            |             | 10mm                | \$50,\$53,\$57 | 90.2.10.002.2                      | 2           |
|                            |              |                    |                           |            |             | 15mm                | \$49,\$53,\$57 | 90.2.15.017.2                      | 2           |
|                            |              |                    |                           |            |             | 20mm                | \$49,\$53,\$57 | 90.2.20.035.2                      | 2           |
|                            |              |                    |                           |            |             | 25mm                |                | 90.7.25.016.2                      | 7           |
|                            |              |                    |                           |            |             | 30mm                |                | 90.7.30.007.2                      | 7           |

(S32) Original studs do not need to be changed.

(S33) Original studs must be changed. Longer studs are included.

(S35) When using system 3/7, the original wheel bolts are too long and need to be replaced with shorter bolts: part # 95-4-1-14-50-2819.

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model                                      | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each)                                  | Notes                                                                  | PRO-SPACER with Bolts/Studs (Pair)                                                                                  | System Type                     |
|----------------------------------------------------------|-------|--------------------|---------------------------|------------|-------------|------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------|
| <b>MERCURY</b>                                           |       |                    |                           |            |             |                                                      |                                                                        |                                                                                                                     |                                 |
| Cougar                                                   | 89-00 | 4x108              | 63.3 mm                   | Stud       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm                  | S33<br>S33<br>S33<br>S9<br>S9                                          | 90.5.05.004.1<br>90.6.15.015.1<br>90.6.20.005.1<br>90.4.25.008.1<br>90.4.30.003.1                                   | 5<br>6<br>6<br>4<br>4           |
| Mystique                                                 | 95-00 | 4x108              | 63.3 mm                   | Stud       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm<br>30mm                  | S33<br>S33<br>S9<br>S9<br>S9                                           | 90.5.05.004.1<br>90.6.15.015.1<br>90.6.20.005.1<br>90.4.25.008.1<br>90.4.30.003.1                                   | 5<br>6<br>6<br>4<br>4           |
| Capri                                                    | 79-89 | 5x114.3            | 70.5 mm                   | Stud       | 1/2 UNF     | 25mm<br>30mm<br>35mm<br>45mm                         | S9<br>S9<br>S9<br>S9                                                   | 90.4.25.010.3<br>90.4.30.005.3<br>90.4.35.001.3<br>90.4.45.001.3                                                    | 4<br>4<br>4<br>4                |
| <b>MINI</b>                                              |       |                    |                           |            |             |                                                      |                                                                        |                                                                                                                     |                                 |
| Clubman, Clubman-S (N)                                   | 08-12 | 4x100              | 56 mm                     | Bolt       | 14x1.25     | 5mm<br>15mm<br>20mm<br>25mm                          |                                                                        | 90.1.05.025.2<br>90.2.15.027.2<br>90.2.20.016.2<br>90.7.25.034.2                                                    | 1<br>2<br>2<br>7                |
| Cooper, Cooper-S (R50)                                   | 01-06 | 4x100              | 56 mm                     | Bolt       | 12x1.5      | 5mm<br>15mm<br>20mm<br>25mm                          |                                                                        | 90.1.05.025.1<br>90.2.15.027.1<br>90.2.20.016.1<br>90.7.25.029.1                                                    | 1<br>2<br>2<br>7                |
| Cooper, Cooper-S, Convertible, Convertible-S (N)         | 07-12 | 4x100              | 56 mm                     | Bolt       | 14x1.25     | 5mm<br>15mm<br>20mm<br>25mm                          |                                                                        | 90.1.05.025.2<br>90.2.15.027.2<br>90.2.20.016.2<br>90.7.25.034.2                                                    | 1<br>2<br>2<br>7                |
| Countryman (R60)                                         | 11-12 | 5x120              | 72.5 mm                   | Bolt       | 14x1.25     | 12mm<br>15mm                                         |                                                                        | 90.2.12.002.7<br>90.2.15.001.7                                                                                      | 2<br>2                          |
| <b>NISSAN</b>                                            |       |                    |                           |            |             |                                                      |                                                                        |                                                                                                                     |                                 |
| 350Z (Z33)                                               | 03-08 | 5x114.3            | 66.1 mm                   | Stud       | 12x1.25     | 5mm<br>10mm<br>15mm<br>15mm<br>20mm<br>20mm<br>25mm  | S16,S33<br>S16,S33<br>S16,S33<br>S9,S23<br>S16,S33<br>S9,S23<br>S9,S23 | 90.5.05.030.4<br>90.6.10.004.4<br>90.6.15.026.4<br>90.4.15.001.4<br>90.6.20.019.4<br>90.4.20.003.4<br>90.4.25.019.4 | 5<br>6<br>6<br>4<br>6<br>4<br>4 |
| 370Z (Z34)                                               | 09-12 | 5x114.3            | 66.1 mm                   | Stud       | 12x1.25     | 10mm<br>15mm<br>15mm<br>20mm<br>20mm<br>25mm<br>30mm | S16,S33<br>S16,S33<br>S9,S23<br>S16,S33<br>S9,S23<br>S9,S23<br>S9,S23  | 90.6.10.004.4<br>90.6.15.026.4<br>90.4.15.026.4<br>90.6.20.019.4<br>90.4.20.034.4<br>90.4.25.050.4<br>90.4.30.043.4 | 6<br>6<br>4<br>6<br>4<br>4<br>4 |
| Maxima                                                   | 89-06 | 5x114.3            | 66.1 mm                   | Stud       | 12x1.25     | 5mm<br>15mm<br>25mm                                  | S16,S33<br>S16,S33<br>S9,S23                                           | 90.5.05.030.4<br>90.6.15.026.4<br>90.4.25.019.4                                                                     | 5<br>6<br>4                     |
| Murano (T50)                                             | 06-07 | 5x114.3            | 66.1 mm                   | Stud       | 12x1.25     | 10mm<br>15mm<br>20mm<br>20mm<br>25mm                 | S16,S33<br>S16,S33<br>S16,S33<br>S9,S23<br>S9,S23                      | 90.6.10.004.4<br>90.6.15.026.4<br>90.6.20.019.4<br>90.4.20.003.4<br>90.4.25.019.4                                   | 6<br>6<br>6<br>4<br>4           |
| Pathfinder,(incl.Compact Truck) (WD21, R20,R50,MD21,D22) | 86-04 | 6x139.7            | 110 mm                    | Stud       | 12x1.25     | 25mm<br>30mm                                         | S9,S11<br>S9,S11                                                       | 90.8.25.003.4<br>90.8.30.003.4                                                                                      | 8<br>8                          |

(S37) When using the wheel spacers you have to verify that the wheels being used have suitable cut-outs to take up the original bolts. Without these cut-outs it is necessary to use the delivered studs in exchange to the original studs!

(S41) Not for use with some US-wheels, as these do not have the necessary cut outs.  
(S46) This Kit includes additional wheel bolts to mount the wheel. When using this kit you have to use these wheel bolts as the original bolts are too long to mount the wheel.

| Manufacture / Model                   | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes     | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|---------------------------------------|-------|--------------------|---------------------------|------------|-------------|---------------------|-----------|------------------------------------|-------------|
| PORSCHE                               |       |                    |                           |            |             |                     |           |                                    |             |
| 911 Carrera (930,959,964,993)         | 63-98 | 5x130              | 71.5 mm                   | Stud       | 14x1.5      | 7mm                 | S32       | 90.5.07.001.2                      | 6           |
|                                       |       |                    |                           |            |             | 7mm                 | S25,S32   | 90.6.07.001.2                      | 6           |
|                                       |       |                    |                           |            |             | 15mm                | S33       | 90.6.15.018.2                      | 6           |
|                                       |       |                    |                           |            |             | 18mm                | S33       | 90.6.18.001.2                      | 6           |
| 911 (Incl. Cabrio, Turbo & GT3) (996) | 98-05 | 5x130              | 71.5 mm                   | Bolt       | 14x1.5      | 7mm                 | S40       | 90.2.07.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 15mm                |           | 90.2.15.018.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                |           | 90.2.18.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 23mm                |           | 90.2.23.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S46       | 90.7.18.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 21mm                |           | 90.7.21.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 23mm                |           | 90.7.23.001.2                      | 7           |
| 911 (997)                             | 05-11 | 5x130              | 71.5 mm                   | Bolt       | 14x1.5      | 7mm                 | S40       | 90.2.07.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 15mm                |           | 90.2.15.018.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                |           | 90.2.18.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 23mm                |           | 90.2.23.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S46       | 90.7.18.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 21mm                |           | 90.7.21.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 23mm                |           | 90.7.23.001.2                      | 7           |
| 928                                   | 77-95 | 5x130              | 71.5 mm                   | Stud       | 14x1.5      | 7mm                 | S32       | 90.6.07.001.2                      | 6           |
|                                       |       |                    |                           |            |             | 15mm                | S33       | 90.6.15.018.2                      | 6           |
|                                       |       |                    |                           |            |             | 18mm                | S33       | 90.6.18.001.2                      | 6           |
| 944, 959                              | 82-91 | 5x130              | 71.5 mm                   | Stud       | 14x1.5      | 7mm                 | S32       | 90.6.07.001.2                      | 6           |
|                                       |       |                    |                           |            |             | 15mm                | S33       | 90.6.15.018.2                      | 6           |
|                                       |       |                    |                           |            |             | 18mm                | S33       | 90.6.18.001.2                      | 6           |
| 968, Coupe & Cabrio                   | 92-95 | 5x130              | 71.5 mm                   | Stud       | 14x1.5      | 7mm                 | S32       | 90.6.07.001.2                      | 6           |
|                                       |       |                    |                           |            |             | 15mm                | S33       | 90.6.15.018.2                      | 6           |
|                                       |       |                    |                           |            |             | 18mm                | S33       | 90.6.18.001.2                      | 6           |
| Boxster (986,987)                     | 96-10 | 5x130              | 71.5 mm                   | Bolt       | 14x1.5      | 7mm                 | S22       | 90.2.07.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 15mm                | S22       | 90.2.15.018.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S22       | 90.2.18.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 23mm                | S22       | 90.2.23.001.2                      | 2           |
| Cayenne (995)                         | 03-10 | 5x130              | 71.5 mm                   | Bolt       | 14x1.5      | 7mm                 | S22       | 90.2.07.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 15mm                | S22       | 90.2.15.018.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S22       | 90.2.18.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 23mm                | S22       | 90.2.23.001.2                      | 2           |
| Cayman                                | 06-12 | 5x130              | 71.5 mm                   | Bolt       | 14x1.5      | 7mm                 | S22       | 90.2.07.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 15mm                | S22       | 90.2.15.018.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S22       | 90.2.18.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 23mm                | S22       | 90.2.23.001.2                      | 2           |
|                                       |       |                    |                           |            |             | 18mm                | S22       | 90.7.18.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 21mm                |           | 90.7.21.001.2                      | 7           |
|                                       |       |                    |                           |            |             | 23mm                |           | 90.7.23.001.2                      | 7           |
|                                       |       |                    |                           |            |             |                     |           |                                    |             |
|                                       |       |                    |                           |            |             |                     |           |                                    |             |
| SAAB                                  |       |                    |                           |            |             |                     |           |                                    |             |
| 900, 9000                             | 93-98 | 5x110              | 65 mm                     | Bolt       | 12x1.5      | 5mm                 |           | 90.1.05.013.1                      | 1           |
| 9.3                                   | 98-09 | 5x110              | 65 mm                     | Bolt       | 12x1.5      | 5mm                 | S11<br>S3 | 90.1.05.013.1                      | 1           |
|                                       |       |                    |                           |            |             | 10mm                |           | 90.1.10.002.1                      | 1           |
|                                       |       |                    |                           |            |             | 16mm                |           | 90.2.16.001.1                      | 2           |
|                                       |       |                    |                           |            |             | 20mm                |           | 90.2.20.006.1                      | 2           |
|                                       |       |                    |                           |            |             | 25mm                |           | 90.7.25.004.1                      | 7           |
| 9.5                                   | 98-01 | 5x110              | 65 mm                     | Bolt       | 12x1.5      | 5mm                 | S11<br>S3 | 90.1.05.013.1                      | 1           |
|                                       |       |                    |                           |            |             | 10mm                |           | 90.1.10.002.1                      | 1           |
|                                       |       |                    |                           |            |             | 16mm                |           | 90.2.16.001.1                      | 2           |
|                                       |       |                    |                           |            |             | 20mm                |           | 90.2.20.006.1                      | 2           |
|                                       |       |                    |                           |            |             | 25mm                |           | 90.7.25.004.1                      | 7           |
|                                       |       |                    |                           |            |             |                     |           |                                    |             |

(S47) Original bolts have to be changed against shorter bolts or cut to length.

(S48) When using System 2 (S90-2-...) you always have to fill out the checklist because of different original bolts length used on this car.

(S50) Also for front axle use from production date 14-2006 (Marking 14E06)

(S51) Also for front axle use from production date 21-2006 (Marking 21E06)

(S52) Also for front axle use from production date 35-2006 (Marking 35E06)

# WHEEL SPACERS | Car, Truck & SUV's

| Manufacture / Model                                                                  | YEAR  | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes                              | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|--------------------------------------------------------------------------------------|-------|--------------------|---------------------------|------------|-------------|---------------------|------------------------------------|------------------------------------|-------------|
| SMART                                                                                |       |                    |                           |            |             |                     |                                    |                                    |             |
| Fortwo, Roadster                                                                     | 05-07 | 3x112              | 57.1 mm                   | Bolt       | 12x1.5      | 5mm                 |                                    | 90.1.05.026.1                      | 1           |
|                                                                                      |       |                    |                           |            |             | 10mm                |                                    | 90.2.10.010.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.028.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.017.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.035.1                      | 7           |
|                                                                                      |       |                    |                           |            |             | 30mm                |                                    | 90.7.30.028.1                      | 7           |
| Fortwo (Incl. Cabrio) (451)                                                          | 08-11 | 3x112              | 57.1 mm                   | Bolt       | 12x1.5      | 10mm                |                                    | 90.2.10.010.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.028.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.017.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.035.1                      | 7           |
|                                                                                      |       |                    |                           |            |             | 30mm                |                                    | 90.7.30.028.1                      | 7           |
| SUBARU                                                                               |       |                    |                           |            |             |                     |                                    |                                    |             |
| Impreza, WRX (Exc. STI)                                                              | 93-07 | 5x100              | 56                        | Stud       | 12x1.25     | 5mm                 | S11,S16,S32<br>S16,S33<br>S9<br>S9 | 90.5.05.028.4                      | 5           |
|                                                                                      |       |                    |                           |            |             | 10mm                |                                    | 90.6.10.003.4                      | 6           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.4.20.002.4                      | 4           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.4.25.017.4                      | 4           |
| Impreza, WRX, (Incl. STI)                                                            | 08-11 | 5x100              | 56                        | Stud       | 12x1.25     | 20mm                | S16,S33<br>S9<br>S9<br>S9          | 90.6.20.034.4                      | 6           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.4.20.002.4                      | 4           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.4.25.017.4                      | 4           |
|                                                                                      |       |                    |                           |            |             | 30mm                |                                    | 90.4.30.030.4                      | 4           |
| TOYOTA                                                                               |       |                    |                           |            |             |                     |                                    |                                    |             |
| Land Cruiser (UJ100)                                                                 | 98-07 | 6x139.7            | 108.5                     | Stud       | 12x1.5      | 25mm                | S9,S11<br>S9,S11                   | 90.8.25.004.1                      | 8           |
|                                                                                      |       |                    |                           |            |             | 30mm                |                                    | 90.8.30.004.1                      | 8           |
| Yaris, 1.5L 4 Cyl (Incl. Hatchback, Sedan, S-Sedan)                                  | 07-11 | 4x100              | 54                        | Stud       | 12x1.5      | 10mm                | S33<br>S33<br>S33<br>S33<br>S9     | 90.6.10.017.1                      | 6           |
|                                                                                      |       |                    |                           |            |             | 12mm                |                                    | 90.6.12.001.1                      | 6           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.6.15.041.1                      | 6           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.6.20.032.1                      | 6           |
|                                                                                      |       |                    |                           |            |             | 30mm                |                                    | 90.4.30.021.1                      | 4           |
| VOLKSWAGEN                                                                           |       |                    |                           |            |             |                     |                                    |                                    |             |
| Beetle (Incl. Cabrio)                                                                | 98-10 | 5x100              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11<br>S11                         | 90.1.05.006.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 8mm                 |                                    | 90.1.08.001.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.005.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.004.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.003.2                      | 7           |
| Corrado                                                                              | 88-96 | 5x100              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11<br>S11                         | 90.1.05.006.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 8mm                 |                                    | 90.1.08.001.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.005.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.004.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.003.2                      | 7           |
| Golf II, Golf III, Incl. Station Wagon, Cabrio (19E,1HX, 1H45, 1E/1E7)               | 83-99 | 4x100              | 57.1                      | Bolt       | 12x1.5      | 5mm                 | S11<br>S11<br>S13                  | 90.1.05.010.1                      | 1           |
|                                                                                      |       |                    |                           |            |             | 8mm                 |                                    | 90.1.08.003.1                      | 1           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.004.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.011.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.001.1                      | 7           |
| Golf III, Golf IV, Golf R32, Incl. Station Wagon, Cabrio (1HX, 1H45,1E/1E7,1J1, 1J5) | 91-05 | 5x100              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11<br>S11                         | 90.1.05.006.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 8mm                 |                                    | 90.1.08.001.2                      | 1           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.005.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.004.2                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.003.2                      | 7           |
| Jetta (1HXO)                                                                         | 91-98 | 4x100              | 57.1                      | Bolt       | 12x1.5      | 5mm                 | S11<br>S11<br>S13                  | 90.1.05.010.1                      | 1           |
|                                                                                      |       |                    |                           |            |             | 8mm                 |                                    | 90.1.08.003.1                      | 1           |
|                                                                                      |       |                    |                           |            |             | 15mm                |                                    | 90.2.15.004.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 20mm                |                                    | 90.2.20.011.1                      | 2           |
|                                                                                      |       |                    |                           |            |             | 25mm                |                                    | 90.7.25.001.1                      | 7           |

(S53) Not for AMG-Models!

(S57) Mercedes OEM wheels may use different bolt length. Therefore you have to examine, what bolt length is used. Please fill out the checklist! ATTENTION: If using 45mm original

bolts with your (original) wheels, you should order S90-7-20-016 or S90-7-21-002 instead, as we don't have bolts with 65mm shaft-length in our program!

| Manufacture / Model                | YEAR     | P.C.D Bolt Pattern | Center Bore/ Hub Diameter | Bolt/ Stud | Thread Type | Spacer Width (Each) | Notes | PRO-SPACER with Bolts/Studs (Pair) | System Type |
|------------------------------------|----------|--------------------|---------------------------|------------|-------------|---------------------|-------|------------------------------------|-------------|
| Jetta (1HX0, 1J2,1J6)              | 91-05    | 5x100              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.006.2                      | 1           |
|                                    |          |                    |                           |            |             | 8mm                 | S11   | 90.1.08.001.2                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                |       | 90.2.15.005.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.004.2                      | 2           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.003.2                      | 7           |
| Passat, Incl. Station Wagon (35 I) | 88-96    | 4x100              | 57.1                      | Bolt       | 12x1.5      | 5mm                 | S11   | 90.1.05.010.1                      | 1           |
|                                    |          |                    |                           |            |             | 8mm                 | S11   | 90.1.08.003.1                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S13   | 90.2.15.004.1                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.011.1                      | 2           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.001.1                      | 7           |
| Passat, Incl. Station Wagon (35 I) | 96-00    | 5x100              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.016.2                      | 1           |
|                                    |          |                    |                           |            |             | 8mm                 | S11   | 90.1.08.001.2                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                |       | 90.2.15.013.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.003.2                      | 7           |
| Passat, Incl. Station Wagon (35 I) | 96-00    | 5x112              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.016.2                      | 1           |
|                                    |          |                    |                           |            |             | 8mm                 | S11   | 90.1.08.001.2                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                |       | 90.2.15.013.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.003.2                      | 7           |
| CC (3CC)                           | 09-12    | 5x112              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.016.2                      | 1           |
|                                    |          |                    |                           |            |             | 12mm                | S63   | 90.2.12.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 15mm                |       | 90.2.15.013.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.7.20.017.2                      | 7           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.005.2                      | 7           |
|                                    |          |                    |                           |            |             | 30mm                |       | 90.7.30.012.2                      | 7           |
| Eurovan                            | 91-03    | 5x112              | 57.1                      | Bolt       | 14x1.5      | 5mm                 | S11   | 90.1.05.033.2                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S11   | 90.2.15.051.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.033.2                      | 2           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.005.2                      | 7           |
| Tiguan                             | 09-11    | 5x112              | 57.1                      | Bolt       | 14x1.5      | 12mm                | S11   | 90.2.12.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 15mm                | S11   | 90.2.15.013.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.2.20.003.2                      | 2           |
|                                    |          |                    |                           |            |             | 20mm                |       | 90.7.20.017.2                      | 7           |
|                                    |          |                    |                           |            |             | 25mm                |       | 90.7.25.005.2                      | 7           |
|                                    |          |                    |                           |            |             | 30mm                |       | 90.7.30.012.2                      | 7           |
| Touareg, V6 & V8                   | 10/02-08 | 5x130              | 71.5                      | Bolt       | 14x1.5      | 15mm                | S35   | 90.2.15.018.2                      | 2           |
| <b>VOLVO</b>                       |          |                    |                           |            |             |                     |       |                                    |             |
| 850                                | 93-97    | 4x108              | 65                        | Bolt       | 12x1.75     | 5mm                 | S21   | 90.1.05.012.5                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S21   | 90.2.15.008.5                      | 2           |
| 850                                | 93-97    | 5x108              | 65                        | Bolt       | 12x1.75     | 5mm                 | S21   | 90.1.05.020.5                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                |       | 90.2.15.016.5                      | 2           |
| C70                                | 97-05    | 5x108              | 65                        | Bolt       | 12x1.75     | 5mm                 | S21   | 90.1.05.020.5                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S21   | 90.2.15.016.5                      | 2           |
| S70, V70                           | 97-00    | 4x108              | 65                        | Bolt       | 12x1.75     | 5mm                 | S21   | 90.1.05.012.5                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S21   | 90.2.15.008.5                      | 2           |
| S70, V70                           | 97-00    | 5x108              | 65                        | Bolt       | 12x1.75     | 5mm                 | S21   | 90.1.05.020.5                      | 1           |
|                                    |          |                    |                           |            |             | 15mm                | S21   | 90.2.15.016.5                      | 2           |

(S67) When using 20mm System 7 spacers, the wheel bolts must not be longer than 13.5mm beyond the wheel hub. If this is the case the bolts must be replaced with shorter bolts. (Please follow installation instructions!)

(S68) Change of systems! System 3 spacers will be changed to System 7 spacers. If System 3 spacer is not available, you will automatically get System 7 spacers. ATTENTION! System 7 price is different from System 3.

# PROMOTIONAL | Apparel and Point of Sale



**Eibach Icon T-Shirt**  
L: 990243  
XL: 990244 XXL: 990245



**Eibach Spring T-Shirt**  
L: 990249  
XL: 990250 XXL: 990251



**Eibach Checkered T-Shirt**  
L: 990274 XL: 990275  
XXL: 990276 XXXL: 990277



**Eibach Coil-Over T-Shirt**  
L: 990270 XL: 990271  
XXL: 990272 XXXL: 990273



**Eibach Mechanic Jacket**  
L: 990193 XL: 990194  
XXL: 990195 XXXL: 990196



**Eibach Cap**  
990167



**Eibach Gloves**  
XL: 990053 XXL: 990054



**Eibach Badgeholder/ Lanyard**  
990021



**Eibach Suit Patch**  
Red/White 990059




**Eibach Spring Water**  
990057



**Eibach License Plate Frame**  
990050



**Eibach Hot Wheels**  
Blue Honda Civic 1/64th scale: 990047  
Silver Ford Focus 1/64th scale: 990048



**Wheels + Tires + Eibach Counter Stand**  
990260  
Includes 50-pack of Trifolds



**"Wheels + Tires + Eibach" Trifold**  
Each 990259  
50-Pack 990261



**Eibach Authorized Dealer Decal**  
990019



**Eibach Dealer Metal Sign**  
17" x 23" 990229



**Eibach Note Pad**  
990169



**Eibach Spring Pen**  
990171



**Eibach Show Bags**  
990056



**Eibach Flagline**  
50' 990039



**Eibach Banner**  
24" x 60" 990242



**Eibach Contingency Sticker**  
2" x 7" 990066    3" x 11" 990067



**Eibach Die Cut Decals**  
See Eibach.com



**"Got Eibach" Labels**  
100 Roll 990042

**#1 CHOICE OF MOTORSPORT CHAMPIONS AND AUTOMOTIVE ENTHUSIASTS WORLDWIDE!****Your Eibach Partner:****USA**

Eibach Springs, Inc.  
264 Mariah Circle  
Corona, CA 92879-1751  
Phone +1 951 256 - 8300  
Fax +1 951 256 - 8333  
E-mail eibach@eibach.com

**Germany**

Heinrich Eibach GmbH  
Am Lennedamm 1  
57413 Finnentrop  
Phone +49 27 21 - 5 11-342  
Fax +49 27 21 - 5 11-111  
E-mail eibach@eibach.de

**Australia**

Eibach Suspension Technology P.T.Y. Ltd.  
3/4 Prosperity Parade  
Warriewood NSW 2102  
Phone +61 2-99 99-36 55  
Fax +61 2-99 99-38 55  
E-mail eibach@eibach.com.au

**China**

Eibach Springs (Taicang) Ltd.  
Room 306, 3rd Floor,  
No. 60 Yangzhou Road, East  
Taicang, Jiangsu Province  
China 215400  
Phone +86 512-5359 2388  
Fax +86 512-5359 2389  
E-mail eibach@eibach-china.com

**Japan**

Eibach Japan Co., Ltd.  
No. 3-9-36 Yuigahama  
Kanagawa-Pref.  
Kamakura-City 248-0014  
Japan  
Phone +81 4 67 61 - 36 10  
Fax +81 4 67 61 - 36 15  
E-mail eibach@eibach.jp

**South Africa**

Eibach South Africa P.T.Y. Ltd.  
P.O. Box 2495  
North End 6045  
Port Elizabeth  
Phone +27 41 - 4 51 53 11  
Fax +27 41 - 4 53 42 74  
E-mail eibachsa@telkomsa.net

**United Kingdom**

Eibach UK  
25, Swannington Road  
Broughton Astley  
Leicestershire LE9 6TU  
Phone +44 14 55 - 28 58 51  
Fax +44 14 55 - 28 58 53  
E-mail sales@eibach.co.uk